




LIBRARY UNIVERSITY F CALIFORNIA DAVIS









## State of California THE RESOURCES AGENCY

Department of Water Resources

BULLETIN No. 94-6

# LAND AND WATER USE IN KLAMATH RIVER HYDROGRAPHIC UNIT

Volume I: Text

MAY 1965

HUGO FISHER

Administrator
The Resources Agency

EDMUND G. BROWN
Governor
State of California

WILLIAM E. WARNE

Director

Department of Water Resources

LIBRARY
UNIVERSITY OF CALIFORNIA

REVAN HERMAN

#### FOREWORD

In 1956, the State Legislature declared:

"... that in providing for the full development and utilization of the water resources of this State it is necessary to obtain for consideration by the Legislature and the people, information as to the water which can be made available for exportation from the watersheds in which it originates without depriving those watersheds of water necessary for beneficial use therein ..."

The Department of Water Resources was directed to conduct the necessary investigations to compile this information.

For purposes of these studies, the major drainage areas of the State were delineated. Division of these drainage areas into subareas, designated hydrographic units, was then made. The hydrographic units, which generally comprise watersheds of individual rivers, serve as the basic unit for collection and reporting of data.

The investigation is being conducted in two phases: (1) collection and publication of data on land and water use, and (2) determination and reporting of water resources and future water requirements. Collection and processing of basic data for both phases, by hydrographic units, is underway in much of the State.

The land and water use and land classification data are being published as the Bulletin No. 94 series, covering individual hydrographic units. These bulletins are distributed in preliminary editions and reviewed at public hearings. Final editions are then published including necessary revisions resulting from comments submitted at and following these hearings. These bulletins are an essential source of data for the subsequent water requirements studies, and when complete, will provide detailed data for the entire State.

This report is the sixth of the series and is the final edition of Bulletin No. 94-6 following public hearings held in the Klamath River Hydrographic Unit in April 1964.

The second phase of the investigation begins with an inventory of water resources in each drainage area, including streamflows, ground water, and water quality characteristics. Estimates of future water requirements, based on the land and water use studies and projections of foreseeable future development, are now underway in some areas. Results of these water resources and water requirements studies will be published as Bulletin No. 142 series, each covering some or all of the hydrographic units within a drainage area.

These water resources and future water requirements bulletins will provide the basis for outlining the additional projects needed to meet the State's growing water needs. By interrelating the projected water requirements of all areas of the State with the available local supplies, by decades, a recommended sequence and timing for the State's future water development plans will be established. Besides thus forming the chief basis for the Department of Water Resources' all-important project staging program, the data on water resources and water requirements will be a most valuable guide for water development planning by federal and local, as well as state agencies.

#### TABLE OF CONTENTS

						Page
FOREWORD					•	iii
LETTER OF TRANSMITTAL	 •			•	•	xi
ORGANIZATION, THE RESOURCES AGENCY DEPARTMENT OF WATER RESOURCES	 •				•	xii
CALIFORNIA WATER COMMISSION	 •					xiii
ACKNOWLEDGMENT	 •			•	•	xiv
PUBLIC HEARINGS ON PRELIMINARY EDITION OF BULLETIN NO. 94-6	 •					xv
CHAPTER I. INTRODUCTION	 •	• •		•		1
Organization of Report				•	•	2
Location	 •				•	3
Historical and Present Development	 •				•	4
Natural Features	 •				•	17
Climate	 •	• •			•	50
Water Resources		• •			•	20
CHAPTER II. WATER USE	 •		•			25
Water Rights						26
Surface Water Diversions	 •				•	27
Numbering System for Surface Water Diversions	 •		•		•	29
Descriptions of Surface Water Diversions	 •				•	30
Records of Surface Water Diversions		• •	•		•	61
Index to Surface Water Diversions	 •					62

	rage
Imports and Exports	78
Consumptive Use	78
CHAPTER III. LAND USE	89
Historical Land Use	89
Methods and Procedures	90
Present Land Use	92
Irrigated Lands	92
Naturally High Water Table Lands	94
Dry-farmed Lands ,	94
Urban Lands	95
Recreational Lands	95
Native Vegetation	96
CHAPTER IV. LAND CLASSIFICATION	115
Methods and Procedures	116
Major Categories of Land Classes	118
Irrigable Lands	119
Urban Lands	119
Recreational Lands	120
Miscellaneous Lands	121
CHAPTER V. SUMMARY	125
Water Use	125
Land Use	126
Land Classification	127

#### TABLES

Table No.		Page
1	Area of Subunits in Klamath River Hydrographic Unit	14
2	Climatological Data at Selected Stations in or Near Klamath River Hydrographic Unit	21
3	Recorded Runoff at Selected Stations in or Near Klamath River Hydrographic Unit	22
14	Descriptions of Surface Water Diversions in Klamath River Hydrographic Unit	33
5	Monthly Records of Surface Water Diversions in Klamath River Hydrographic Unit, 1958	63
6	Index to Surface Water Diversions, Klamath River Hydrographic Unit	79
7	Land Use in Klamath River Hydrographic Unit, 1958	98
8	Irrigated Lands in Klamath River Hydrographic Unit, 1958	99
9	Land Classification Standards	116
10	Classification of Lands in Klamath River Hydrographic Unit	123
:	ILLUSTRATIONS	
	Confluence of Grouse Creek and Klamath River	10
	Irrigation Along Horse Creek	10
	Copco Lake and Powerhouse #1, California-Oregon	
	Power Company	12
	Lumber Mill at Town of Klamath	12
	Gray Eagle Mine near Happy Camp	16
	Recreation on the Klamath River	16
	Klamath River Near Streamwood	18
	Confluence of Klamath and Scott Rivers	18
	Town of Klamath, August 1962	23

#### ILLUSTRATIONS (Continued)

		Page
	Town of Klamath, December 1955	23
	Gravity Diversion From Beaver Creek	28
	Pumping Installation, Klamath River, Orleans Veneer and Lumber Company	28
	Example of Land Use Delineated on Aerial Photograph	91
	Seiad Valley	93
	Hillside Irrigation Near Lumgrey Creek	93
	Town of Happy Camp	97
	Fishing on the Klamath River	97
	Example of Land Classification Delineated on Aerial Photograph	122
	FIGURES	
Figure No.		
1	1958 Land Use	128
2	Classification of Lands	128
	APPENDIXES	
Appendix N	io.	
A	STATEWIDE WATER RESOURCES AND WATER REQUIREMENTS PROGRAM	A-1
В	REPORTS ON RELATED INVESTIGATIONS AND OTHER REFERENCES	B-1
C	LEGAL CONSIDERATIONS	C-1

### PLATES (Bound as Volume II)

## Plate No.

- 1. Area of Investigation
- 2. Land and Water Use
- 3. Classification of Lands



#### EPARTMENT OF WATER RESOURCES

O. BOX 388



March 17, 1965

Honorable Edmund G. Brown, Governor, and Members of the Legislature of the State of California

Gentlemen:

Bulletin No. 94-6, "Land and Water Use in Klamath River Hydrographic Unit", presents detailed data in the hydrographic unit pertinent to land use and classification of lands as related to water as well as water use consisting of descriptions of surface water diversions and apparent water rights. Maps of present land use, surface water diversions, and land classification illustrate the text. In addition, the bulletin includes notes on the history, natural features, climate, and economy of the unit.

The studies reported herein were conducted pursuant to legislation enacted in 1956 and codified under Section 232 of the Water Code. These data will provide a factual basis for decisions of concerned interests regarding the development and use of water resources of the Klamath River Hydrographic Unit.

This report is one of a series which, when completed, will form a most valuable reference to the water resources of the State in relation to the various classes and uses of land resources. Future estimates of the amount of water which can be used beneficially in each watershed will be based upon the data contained in this series of reports together with related information from other sources.

In March 1964, the preliminary edition of this bulletin was released. In April 1964, its contents were discussed at public hearings, held in the Klamath River drainage area. This final edition incorporates revisions based on comments made at these hearings, written comments, and further field investigation.

Sincerely yours,

Wili E. Warme

Director

#### STATE OF CALIFORNIA THE RESOURCES AGENCY DEPARTMENT OF WATER RESOURCES

EDMUND G. BROWN, Governor HUGO FISHER, Administrator, The Resources Agency WILLIAM E. WARNE, Director, Department of Water Resources ALFRED R. GOLZE', Chief Engineer JOHN R. TEERINK, Assistant Chief Engineer

NORTHERN BRANCH
John M. Haley
This report was prepared under the direction of
Robert E. Foley Chief, Special Investigations Section
by
C. Wesley York Senior Engineer
assisted by
George K. Sato Assistant Land and Water Use Analyst Price J. Schreiner Water Resources Technician I
The investigation and preparation of the preliminary report were conducted under the supervision of
Leland R. Illingworth Supervising Engineer Charles F. Kleine Senior Engineer
assisted by
Roy N. Haley
Statewide aspects of the Coordinated Statewide Planning Program

are coordinated under the direction of the Division of Resources Planning

William L. Berry	•	•	•	•	•	•	•		Division Engineer
Meyer Kramsky .		•	•		•	•	•	Chief,	Statewide Investigations Branch
Ralph G. Allison	•	•	•	•	A	et:	ing	Chief,	Planning Investigations Section

#### CALIFORNIA WATER COMMISSION

RALPH M. BRODY, Chairman, Fresno
WILLIAM H. JENNINGS, Vice Chairman, La Mesa

JOHN W. BRYANT, Riverside

IRA J. CHRISMAN, Visalia

JOHN J. KING, Petaluma

JOHN P. BUNKER, Gustine

EDWIN KOSTER, Grass Valley

NORRIS POULSON, La Jolla

MARION R. WALKER, Ventura

----0----

WILLIAM M. CARAH Executive Secretary

ORVILLE L. ABBOTT
Engineer

#### ACKNOWLEDGMENT

The Department of Water Resources gratefully acknowledges information contributed by the numerous water users and residents of the Klamath River Hydrographic Unit and various agencies of the federal, state, and local governments.

Special mention is made of the helpful cooperation of the Forest Service, United States Department of Agriculture, and the Farm Advisors for Del Norte, Humboldt and Siskiyou Counties.

The Department particularly appreciates the assistance of Mr. Sedgely D. Nelson, Siskiyou County Farm Advisor, with the collection of supplementary data following the public hearing.

PUBLIC HEARINGS
on
Preliminary Edition
of
Bulletin No. 94-6
Land and Water Use in Klamath River
Hydrographic Unit

In accordance with Section 232 of the Water Code and the Department of Water Resources' policy, three public hearings were held in April 1964 to receive comments on the preliminary edition of Bulletin 94-6, "Land and Water Use in Klamath River Hydrographic Unit". Mr. Robert E. Foley, Chief, Special Investigations Section, Northern Branch, assisted by other Water Resources personnel conducted these hearings.

The first hearing, held April 14, 1964, in the Siskiyou County Courthouse, Yreka, California, was attended by 21 members of the public. Comments and/or data leading to modification of the preliminary edition were submitted by the following persons:

Mr. George Marion Grieb, Hornbrook, California Mr. M. V. Maxwell, Chairman, Siskiyou County Resources Board, Yreka, California Mr. Sedgely D. Nelson, Farm Advisor, Yreka, California

Following this hearing, Mr. Sedgely Nelson arranged a special meeting and assisted Department personnel in receiving additional data with regard to surface water diversions. Nine additional diversion systems were included, and revisions were made relative to 24 already listed. Tables 4, 6, 7, and 8 and Plate 2 were revised accordingly, in addition to minor revisions elsewhere in the report.

The second hearing, held April 15, 1964, in Klamath, California, was attended by 12 members of the public. The third hearing was also held April 15, 1964, in Eureka, California. This meeting was attended by 15 members of the public. No comments or data requiring modification of the preliminary edition were made at either of these two hearings.



#### CHAPTER I. INTRODUCTION

This bulletin presents basic data on land and water use in the Klamath River Hydrographic Unit. These data cover present land and water use, classification of lands, systems used to divert surface waters, histories of diversions, apparent water rights pertinent to each diversion, purposes and extent of use of diversions, seasonal quantities of water diverted during 1958, and an estimate of present consumptive use of water in the unit. A general description and brief history of the area are also included.

These basic data were gathered during the period 1958-59 in compliance with Chapter 61, Statutes of 1956, as amended by Chapter 2025, Statutes of 1959, and codified in Section 232 of the Water Code of the State of California. This legislation provides for an inventory of water resources and water requirements of the State. This is the sixth in a series of bulletins being prepared under this authorization. The text of Section 232, with a discussion of its history and implications, is included in this bulletin as Appendix A.

These data will provide the basis for future determination of the quantities of water reasonably required for future beneficial use in the Klamath River Hydrographic Unit. Estimates of these quantities have been made and presented in Department of Water Resources Bulletins No. 58, "Northeastern Counties Investigation," June 1960, and No. 83, "Klamath River Basin Investigation," May 1960. Final determinations will be based on estimates of (1) future land use, (2) economic patterns, (3) population, (4) industrial and agricultural development, and (5) recreational needs.

The data presented herein have been reviewed in preliminary form by interested local water users. Changes submitted by these water users were reviewed in the field and adjustments were made where warranted.

#### Organization of Report

This bulletin consists of five chapters, three appendixes, and three plates. Chapter I contains a general description of the Klamath River Hydrographic Unit. Chapter II, "Water Use," presents data on surface water diversion systems, related water rights information, measurements of quantities of water diverted, and an analysis of consumptive use. Chapter III, "Land Use," includes tables of present land use and irrigated lands. Chapter IV, "Land Classification," includes a tabulation of lands classified as to their potential for irrigated agriculture and for recreational purposes. Chapter V summarizes the report.

Appendix A presents the text of Section 232 of the California Water Code and a discussion of the pertinent responsibilities and work program of the Department of Water Resources. Appendix B lists related investigations and other references pertinent to the Klamath River Hydrographic Unit. Appendix C, "Legal Considerations,"— presents a short summary of California water law, a review of litigation involving water rights in the Klamath River Hydrographic Unit, and a tabulation of applications to appropriate water in the unit.

Plate 1 is a map showing the general location of the Klamath River Hydrographic Unit. Areas of present land uses and the location of diversion systems are shown on Plate 2. Classes of lands are shown on Plate 3.

#### Location

The Klamath River Hydrographic Unit is one of the most northerly units in the State. For approximately 75 miles its northern boundary coincides with the California-Oregon border. The unit includes the area drained by the Klamath River, the Salmon River, and the lower 20 miles of the Scott River, and includes 234 square miles of Del Norte County, 523 square miles of Humboldt County, and 2,605 square miles of Siskiyou County, for a total area of 3,362 square miles. The unit is bounded by the watersheds of the Smith River on the northwest, Butte Creek on the east, Shasta, Scott, and Trinity Rivers on the south, Redwood Creek on the southwest, and the Pacific Ocean on the west.

The Klamath River, draining approximately 15,000 square miles, originates in Upper Klamath Lake in southern Oregon, which is fed primarily by the Wood and Williamson Rivers from the north and the Sprague River from the east. From Upper Klamath Lake, the river flows southwesterly into California, where it is joined by the Shasta River about 12 miles below the Oregon border, by the Scott River near Hamburg, the Salmon River at Somes Bar, and the Trinity River at Weitchpec. From here the river flows northwesterly about 42 miles to the Pacific Ocean at Requa.

For purposes of this report the Klamath River Hydrographic Unit has been divided into 14 subunits, shown on Plate 1, "Area of Investigation". The area of each subunit is shown in Table 1.

TABLE 1

AREA OF SUBUNITS IN

KLAMATH RIVER HYDROGRAPHIC UNIT

(in square miles)

Subunit	: Del Norte : County :	Humboldt :	Siskiyou County	: : Total
Applegate River	0	0	91	91
Beaver Creek	0	0	264	264
Cecilville	0	0	289	289
Copco Lake	0	0	100	100
Happy Camp	0	0	240	240
Hornbrook	0	0	269	269
Klamath Glen	199	300	0	499
Salmon River	0	0	103	103
Sawyers Bar	0	0	203	203
Scott Bar	0	0	151	151
Seiad Valley	0	0	200	200
Somes Bar	0	1	531	532
Weitchpec	35	222	16	273
Wooley Creek	0	0	148	148
	avanun			
TOTALS	234	523	2,605	3,362

#### Historical and Present Development

Economic and cultural development in the Klamath River

Hydrographic Unit resulted from the activities of nations and individuals

seeking to profit from the abundant natural resources of the area.

Governments of Mexico, England, Spain, and Russia have at various times in the past, had interests in the northern coast of California. Expeditions were dispatched from Lower California, Mexico, and abroad to explore this new area. The English captain Sir Francis Drake, sailed up the Pacific Coast perhaps as far as the Klamath River in 1579. Sebastian Visciano explored the coast in 1603. Bruno de Haceta and Juan Francisco de la Bodega y Cuadra sailed up the coast from New Spain in 1775. In the fall of 1826, a trapper from the Hudson's Bay Company, Peter Skene Ogden, set out from Fort Vancouver on the Columbia River for the region of the "Clammitte." His diary gives the earliest account of white men in the area north of Mount Shasta. In 1828 Captain Jedediah S. Smith headed a trapping expedition overland from a fort near the Great Salt Lake to the Northern California coast. On May 25, 1828, his party crossed the Klamath River near the present town of Klamath.

Development of the upper reaches of the Klamath River is associated with the development of the interior valleys of Siskiyou County and the natural resources. The development of the Lower Klamath River in Humboldt and Del Norte Counties is oriented toward the Pacific Ocean and the coastal area. The interior valleys and the coastal area are separated by many miles of mountains which once formed an effective barrier.

The development of the Lower Klamath River region was temporarily delayed by the discovery of gold in 1848 in the Mother Lode region of the Sierra Nevada. However, in 1850 gold was also discovered

on the beach of Gold Bluff about 10 miles south of the mouth of the Klamath River. Although development of the Gold Bluff area proved to be unprofitable, settlement of the area was given impetus by the many miners pushing inland to the rich gold-bearing areas of the Klamath River.

At the time of admission of California into the United States (September 9, 1850), the State was divided into 27 counties. Leach of these counties encompassed a vast but sparsely settled area. The extreme northern portion of the State was divided into Trinity County on the coast and Shasta County on the east. In 1851, Klamath County was formed from the northern half of Trinity County, and in 1852 Siskiyou County was formed from the northern half of Shasta County and a portion of the newly-formed Klamath County. The western portion of Trinity County became Humbolât County in 1853. Del Norte County was formed from the northern portion of Klamath County in 1857, and in 1875 Klamath County was dissolved, its remaining territory being divided between Humbolât and Siskiyou Counties. It is the only organized county of the State to have been dissolved.

In 1851 the town of Klamath City was established as a port of entry for goods mostly destined for the miners in the upstream areas of the Klamath River. Frames for buildings were prefabricated in San Francisco and shipped to Klamath City by schooner. Miners and traders came in great numbers expecting to find easy access to the rich bars on the Klamath River. However, the city was short-lived, for when the miners did not meet with immediate success, they moved on to richer areas.

<sup>1/</sup> Frances Turner McBeth, "Lower Klamath Country"

Orleans Bar, now called Orleans, was once a mining center on the Klamath River. It was also the county seat of Klamath County from 1855 until the county was dissolved in 1875. The two previous county seats were the cities of Trinidad (from 1851 to 1854) and Crescent City (from 1854 to 1855).

Prominent mining camps were established along the Salmon River at Forks of Salmon, Sawyers Bar and Cecilville. During the winter seasons mules shod with snowshoes plodded over the 6,000-foot Jackson Peak Pass to provide communication between the Salmon River region and Yreka.

Happy Camp was located in the midst of a continuous belt of hydraulic mines along the Klamath, there being as many as three river channels exposed along this course. These old riverbeds were rich with gold and afforded ideal hydraulic mining conditions. One of the largest mines in Northern California was the Van Bruant Mine located at Happy Camp. The old mine site is now the Happy Camp Airport.

Seiad Valley, once called Seiad Ranch, was originally settled in 1854 by a New York gentleman named William B. Reeves who used the fertile valley to grow potatoes. The valley is two miles long and one mile wide.

Gold mining was carried on from the mouth of the Klamath to Hornbrook where the gold-bearing formations give way to overlying, newer volcanic materials to the east. Gold was found to be scarce in these volcanic formations; consequently very little early development took place east of Hornbrook and Henley.

Fifteen years after the discovery of gold, the large, rich placer mines in the Klamath River Hydrographic Unit were mostly

worked out and mining was concentrated on the bars along the river and the riverbed proper. Mining of the riverbed was accomplished by partially damming the river, exposing enough bed to provide one season's work. For many years mining was carried on by reworking the old placer ground.

As the gold deposits became worked out, most of the miners moved on to more lucrative areas, leaving many of the once busy mining camps deserted.

During the height of the gold rush along the Klamath River, many of the settlers began to plant crops, raise livestock, and develop the abundant timber resources of the area. These people remained in the area after the gold deposits diminished to concentrate their efforts on agriculture, trade, and commerce. Irrigation water was supplied through old mining diversion systems, some of which are in use today.

Most of the agriculture was carried on for local consumption until transportation facilities were improved by the advent of the Marysville to Portland rail line. Before the rail line existed, the primary means of transportation was by horseback and the stage routes through the region, but the cost of shipping agricultural products in large quantities by stage was prohibitive.

Agriculture has not become a major economic factor in the Klamath River Hydrographic Unit for two reasons: (1) scarcity of suitable land, and (2) poor access to the land that is suitable for growing crops. For these reasons the only agricultural product developed for export to any extent has been livestock. Of the 43,390 acres in the hydrographic unit classified as irrigable, 6,700 acres or


15.4 percent, had irrigation facilities in 1958. In addition, there were 13,240 acres dry-farmed during 1958, of which 12,560 acres were in the vicinity of Hornbrook.

The lands classified as irrigable are small parcels scattered along the Klamath and Salmon Rivers and some of the larger tributaries such as Cottonwood and Seiad Creeks. This plus a generally short frost-free period and moderate to heavy winter rainfall, minimizes the effectiveness of irrigation.

The first fishery in the unit to engage in the business of catching and salting fish for market was established on the Klamath in the fall of 1876. This commercial fishing industry, which flourished for 50 years at the mouth of the river, provided employment for many of the Indians for a few months each year. Fish were caught, salted or canned, and shipped out by small schooners or streamers which were able to navigate the river despite the sandbars which often formed at the mouth. Commercial fishing was discontinued on the Klamath River about 1925.

There are three major hydroelectric powerplants in the hydrographic unit which are owned by the California-Oregon Power Company.

Two of these plants are on the Klamath River near the town of Copco and the third is on Fall Creek near its confluence with the Klamath River. These plants are part of a system that serves northeastern California and southeastern Oregon. In 1952, the power output of these three plants was 390,000,000 kilowatt-hours, more than 90 percent of the company's total hydroelectric production.




The Klamath River Hydrographic Unit contains 1,510,000 acres classified as commercial timberland by the U. S. Forest Service with an estimated potential yield of 41,300,000,000 board feet. The percent of timber cover in different localities with in the unit varies considerably. The Del Norte County portion of the hydrographic unit is about 92 percent forested; Humboldt County about 82.5 percent forested; the Salmon River drainage area is about 76 percent forested; and the remaining Siskiyou County portion of the hydrographic unit is approximately 65 percent forested.

These areas within the hydrographic unit vary in percentage of acreage in commercial timberlands and in the relative density of the forest lands. In general, the areas with greater percentages of commercial forest lands also have the denser stands. These are: Del Norte County portion, 38,000 board feet per acre; Humboldt County portion, 36,000 board feet per acre; Salmon River area, 25,000 board feet per acre; and the remaining portions of Siskiyou County, 23,000 board feet per acre.

The western area is more heavily forested because of its higher rainfall and its lack of development before 1950. The western area's forests are primarily of Douglas fir with stands of redwood. In the eastern portion of the hydrographic unit the forests contain a preponderance of mixed pines, firs, and Douglas fir, typically less dense than fir and redwood forests.

The eastern area has a long history of logging and milling operations while the western portion has had almost its entire development since 1950. In the area east of Seiad Valley, mills were operating prior to 1915, and production from that area has remained relatively



constant in recent years. The more recent harvesting in the western forest has been conducted on a more controlled basis, both on private and public lands.

The Klamath River Hydrographic Unit has an economy which is based primarily on forest resources. The total manufacturing capacity in 1958 amounted to 232,000,000 board feet of rough lumber, 57,000,000 feet of remanufactured lumber, and 297,000,000 square feet of veneer. These figures represent an aggregate increase in wood products manufacturing capacity of about 85 percent over that of 1950.

Between 1950 and 1958 the increase in lumber processing facilities in the western portion of the unit amounted to three sawmills, one remanufacturing plant, and four veener plants. Although the total number of wood processing plants in the hydrographic unit approximately doubled between 1950 and 1958, the U. S. Forest Service estimate of sustained yield potential of the basin is probably no more than two-thirds utilized at present. An estimated 175,000,000 board feet of logs from this area were processed outside the area in Arcata and Crescent City and in southern Oregon during 1956. Prior to 1950 wery few, if any, logs from this area were processed outside the basin.

The inland, or eastern Siskiyou County portion of the Klamath River Hydrographic Unit has been oriented historically toward the development of its mineral resources and is still the primary mineral producing area in the basin. However, the mining industry since World War II has been relegated to a secondary position in the unit's economy. In 1948 total mineral production in the unit is estimated to have been about \$500,000 and in 1958 about \$350,000.

Gold ore and chromite have been the principal minerals produced in the unit during the past 15 years, although minor amounts of platinum, copper, lead, mercury, and gravel have also been produced. Gold, particularly in placer deposits, is found throughout the basin, although the lode zone is entirely in the interior portion. poor condition of the gold market since World War II has been responsible for closing almost all of the lode mines except the Siskon Mine near Happy Camp. Although gold, both placer and lode, still leads in value, its production is only a fraction of that prior to 1942. Chromite is primarily a strategic mineral and its production has been high during government stockpiling periods. Since 1954, this production has consistently decreased as present stockpiles were built up. The second largest known chromite ore body in the State is the Seiad Creek development which is estimated to have at least 266,000 tons of 6 percent trioxide ore reserves. Sand and gravel deposits in this region are abundant but development of them has been limited primarily to local road construction projects.


Copper production has been the most significant of the minor minerals. Both the Blue Ledge Mine near Seiad Valley and the Gray Eagle Mine near Happy Camp have produced large quantities of copper. Platinum in varying amounts has been recovered during gold dredging operations along the Klamath River. Small amounts of lead have been obtained as a by-product of copper mining at the Blue Ledge Mine and small quantities of mercury have been produced from the Beaver Creek area.

The recreational assets of the Klamath River Hydrographic Unit are abundant and highly varied. The principal present recreational uses are stream fishing, camping, and deer hunting.

It is estimated that during 1955 there were 300,000 visitors who expended \$25,000,000 in the unit. Approximately 50 percent of these were engaged in trout and salmon fishing, 10 percent in big game hunting, and 40 percent in other recreational activities such as hiking, camping, picnicking, and sightseeing.

Steelhead trout fishing is seasonally quite intense in the rivers of the unit. Other forms of recreation in the unit are not highly developed considering the vast area of forested public lands in the basin. Resorts along the river cater mainly to fishermen. There are areas suitable for winter sports but these are generally inaccessible. River boating is dangerous except in the lower portions, due to the number of rapids in the river. Although recreation is currently the second largest industry in the unit, further development, except in the coastal portion, will be limited until sufficient access roads are constructed.

Pacific main rail line from California to Oregon runs about 15 miles through the northeastern portion of the unit. There is no commerical air service, and there are no publicly owned airfields. Water transportation is restricted to rafting of logs on the lower portion of the Klamath River. State Highway 96 follows the Klamath River from the northeastern segment of the unit to Weitchpec in Humboldt County. State Highways 99 and 101 traverse the eastern edge and the western or coastal edge, respectively, for approximately 15 miles each. There are few county roads in the unit, the largest network of roads being logging roads. The U. S. Forest Service also maintains a network of roads throughout national forest lands.



Gray Eagle Mine Near Happy Camp


Recreation on the Klamath River

(Courtesty Trees Motel Near Town of Klamath) There are no incorporated towns in the Klamath River Hydrographic Unit. The majority of the population in the unit forms small semiurban clusters within the small valleys tributary to the Klamath River and in the valley plain areas along the river itself. These clusters, none of which has a population over 750, tend to form near sawmills, veneer plants, resort areas, or road junctions.

#### Natural Features

The Klamath River Hydrographic Unit covers an area of 3,362 square miles within the confines of Del Norte, Humboldt, and Siskiyou Counties in the northwest portion of the State. The unit varies in elevation from sea level at the mouth of the Klamath River near Requa, to 8,966 feet above sea level at the headwaters of the South Fork of the Salmon River in the Trinity Alps.

Range. Rocks consist primarily of Tertiary volcanic flows with minor amounts of Cretaceous marine sandstone and shale. The Klamath River system is deeply entrenched in the nearly flat-lying volcanic rocks. Progressing westward into the Klamath Mountains, the rocks range in type from granitics to metamorphics, including serpentine, and in age from pre-Silurian to late Jurassic. Geology of this area is extemely complicated by multiple fold systems and numerous faults of varying magnitudes. The major portion of the unit is located within the Klamath Mountains Province. The near coastal reaches of the unit are located in rocks of the northern Coast Range. These rocks are primarily sandstone, shale, and conglomerate of probable Cretaceous age.



Soils of the unit can be segregated into two groups, recent alluvial soils and upland soils. The recent alluvial soils were formed from material eroded from the watershed through natural geological processes. These materials were transported and redeposited along the banks of the many rivers and streams that transect the area. These soils exhibit little or no development of subsoil layers that would restrict the movement of water or the development of plant roots. Many of these alluvial soils, however, are of such coarse texture that irrigation efficiency would be low and crop yields would be severly reduced. Placer mining in the early days of this area has reduced many of these alluvial soil deposits to jumbled piles of loose water-polished rock and gravel.

The upland soils were formed in place by the weathering and decomposition of the parent rock material upon which they rest. The native vegetation on these soils is largely mixed conifer. Where slope is not excessive the soils are deep, well drained, and generally free from any soil deficiency which would restrict their suitability for agricultural use. Many acres of these upland soils, however, were classified as being better suited to remain under some type of forest management.

Soil bodies suitable for agricultural development in the Klamath River area are generally small, isolated, and irregularly shaped. This presents a formidable obstacle to the development of other than small parcels of irrigated pasture, hay crops, or deciduous orchard.

#### Climate

The climate of the Klamath River Hydrographic Unit is characterized by dry summers with high daytime temperatures and wet winters with moderate to low temperatures. The average maximum temperature for July, which is generally the hottest month, ranges from approximately 65° F. near the ocean at Klamath to 95° F. in the interior near Happy Camp. The higher elevations of the mountains experience a temperature decrease of about 20 F. per 1,000 feet of elevation. About 85 percent of the precipitation occurs from October to March with occasional showers during the summer months. The mean seasonal precipitation, the mean and extreme temperatures, and the average frost-free period of representative stations in or near the unit are shown in Table 2. Values of precipitation are based on or corrected to the period 1905-06 to 1954-55. For purposes of this report the frost-free period is defined as the average period in days between the last spring occurrence and the first fall occurrence of a 320 F. temperature for the period of record.

## Water Resources

Surface water flows on the Klamath River are regulated in the Upper Klamath Basin under the Klamath River Basin Compact, ratified by the States of California and Oregon on April 17, 1957. (See Water Code Sections 5900-5901.) These flows as measured at the USGS gaging station "Klamath River at Keno, Oregon" are, for all practical purposes, the impaired runoff flowing into California from the Upper Klamath River Basin. Information obtained from representative gaging stations throughout the hydrographic unit is summarized in Table 3.


TABLE 2

CLIMATOLOGICAL DATA AT SELECTED STATIONS IN OR NEAR KLAMATH RIVER HYDROGRAPHIC UNIT

Station	Elevation (in feet)	Mean seasonal precipitation (in inches)	tempe: Minimum:	Mean temperatures: Minimum: Mearees F.)	Extreme: temperatures: Minimum: Meximum: (in degrees F.)	Extreme : temperatures : nimum: Maximum : n degrees F.) :	Average frost-free period (in davs)
Cecilville-Sawyer	3,000	36.76	35.5	67.2	2	108	118
Copco Dam No. 1	2,700	16.29	i	1 1	•	i	8 8
Fort Jones	2,720	20.16	33.9	6.99	-23	110	108
Happy Camp R. S.	1,088	50.44	4.04	71.5	9	115	186
Hilts	2,915	20.20	i	8	i	1	1
Klamath	25	77.04	8.44	61.0	かさ	8	259
Klamath Falls, Ore.	4,090	13.09	36.4	60.7	ħ2−	105	125
Oak Knoll R. S.	1,963	21.50	1	1	ł	ŧ	ł
Orleans	403	48°24	42.3	71.3	14	113	204
Sawyers Bar R. S.	2,169	††*3†	i	ł	;	ł	;
Yreka	2,631	17.32	36.7	67.2	-11	112	138

TABLE 3
RECORDED RUNOFF AT SELECTED STATIONS
IN OR NEAR KLAMATH RIVER HYDROGRAPHIC UNIT

	Klamath River at Kena	Klomath River below Fall Creek	Shasta River near Yreka	Scott River	Klamath River near Seiad Valley	Klamath River at Sames Bar	Salmon River at Semes Bar	Trinity River	Klamath River
Period of Record	1904 - 1913 1929 - 1958	1923 - 1958	1933 - 1941 1945 - 1958	1941 - 1958	1912 - 1925 1951 - 1958	1927 - 1958	1911 - 1915 1927 - 1958	1911 - 1914 1916 - 1918 1931 - 1958	1910 - 1926 1950 - 1958
Annual Discharge									
Minimum Acre-feet Year	395,000	550,000 1931	56,500 1933-34	168,800 1944	1,460,000	2,240,000 1931	473,000 1931	1,900,000	3,740,000
Maximum Acre-feet Year	2,600,000	2,905,000	254,900 1958	9 <sup>444</sup> ,300 1958	5,397,000	11,170,000	2,253,000	8,886,000	24,150,000 1958
Average Acre-feet	1,247,000	1,320,000	130,300	002,884	3,103,000	5,657,000	1,249,000	14,228,000	13,100,000
1958 Discharge Acre-feet Percent of average	2,375,000	2,679,000	254,900	944,300 193	5,122,000	10,750,000	2,253,000	8,886,000	24,150,000
Summer Discharge (April - September)									
Minimum Acre-feet Year	61,700	141,000	11,148	90,800 1955	329,160	738,700 1931	192,730 1934	621,300	1,114,000
Maximum Acre-feet Year	1,173,140	1,317,700	99,050 1941	413,990 1952	2,237,100	4,386,500 1938	1,039,900	2,868,680	7,444,100
Wonthly Discharge									7
Minimum Acre-feet Month and year	5,810 June 1931	19,000 June 1931	513 Aug. 1939	1,910 Sept. 1955	51,000 Aug. 1918	33,800 Aug. 1931	h, 940 Aug. 1931	12,700 Sept. 1934	96,400 Aug. 1918
Maximum Acre-feet Month and year	421,000 June 1904	439,900 Mar. 1958	55,670 Feb. 1958	266,200 Feb. 1958	998,700 Feb. 1958	2,536,000 Feb. 1958	621,300 Feb. 1958	2,798,000 Feb. 1958	6,841,000 Feb. 1958
Instantaneous Discharge									
Minimum Cubic feet per second Date	26 Sept. 23, 1956	1925 - 26	3.4 Aug. 13, 1938	20 Sept. 14, 1955	320 Hov. 1917	320 Aug. 25, 1931	70 Aug. 25, 1931	162 0ct. 4, 1931	1,340 July 31, 1924
Maximum Cubic feet per second Date	7,420 Mar. 3, 1958	12,000 Dec. 21, 1955	6,090 Dec. 22, 1955	38,500 Dec. 22, 1955	122,000 Dec. 22, 1955	202,000 Dec. 22, 1955	84,000 Dec. 22, 1955	190,000 Dec. 22, 1955	425,000 Dec. 22, 1955





#### CHAPTER II. WATER USE

Water requirements in the Klamath River Hydrographic Unit are met almost entirely by diversion of surface runoff, however, a limited portion is supplied by ground water. A survey of facilities established for diversion of streamflow was made for this investigation. The results of the survey include diversion locations, descriptions of the facilities, uses, amounts of water diverted, and information on apparent water rights relating to diversions. Diversions of water for all purposes are reported, with the exception of those which involve less than approximately 10 acre-feet per season, such as individual domestic users.

Quantities of water diverted during 1958 were measured in order to further describe the diversion systems. The measured quantities do not necessarily represent average diversions, since in any single year the quantity diverted will be influenced by precipitation during the growing season and the available streamflow. As was shown in Table 3, 1958 was an unusually wet year in the Klamath River Hydrographic Unit.

Considerations other than available water supply, such as economic factors, may also affect the relation of any diversion record to typical operating conditions. No attempt was made to assess these factors in this report.

Generally, the diversion quantities reported are the actual amounts of water taken from the respective sources, and therefore include the recoverable and irrecoverable losses incidental to the primary use.

The location of water wells and the measurement of their production was not covered in this investigation. However, the areas of

lands irrigated by water from all sources, including underground sources, were determined in the land use survey described in Chapter III.

Community water service in the unit is provided in the following locations:

Location	Owner	Source
Hamburg	Community of Hamburg	Mill Creek
Happy Camp	Happy Camp Improvement, Inc.	Elk Creek
Hilt	Fruit Growers Supply Co.	Hunts Creek
Hornbrook	Hornbrook Water Co.	Rancheria Creek
Orleans	Orleans Veneer and Lumber Co.	Sims Gulch
Sawyers Bar	Community of Sawyers Bar	N. Fork Salmon River
Scott Bar	Scott Bar Community Water Association	Bill Berry Gulch

Rural domestic uses are supplied by individual domestic wells or diversion of surface waters.

#### Water Rights

Water rights are an important consideration in the determination of availability of waters which are surplus to the present and future needs of an area wherein the waters originate. Data were therefore obtained with respect to apparent water rights in connection with surface water diversions. These rights may be based on appropriative or riparian status and may have been defined by adjudication.

Water rights in Seiad Valley were adjudicated in 1949. The Seiad Creek Adjudication and the California law of water rights are described briefly in Appendix C.

Most of the water use in the unit is based on riparian rights or on appropriative rights established prior to 1914. As of June 30, 1960, a total of 247 currently active applications had been made in the unit under provisions of the Water Commission Act of 1914. Permits or licenses had been granted for 234 of these applications and 13 were incomplete. All the applications are tabulated in Table C-1, Appendix C, page C-12.

#### Surface Water Diversions

During the survey an attempt was made to locate and obtain data with respect to all diversions of more than 10 acre-feet per year. The locations of these diversions were plotted on aerial photographs having a scale of about 1:20,000. All diversions in use in 1958, as well as those which had been used within the preceding five years, were included. The date of last use of discontinued diversions was recorded, if known. Direct diversions, as well as those involving significant surface storage were located. All reservoirs which had surface areas of about three acres or more were mapped. Three acres was considered the minimum size which could be delineated on the aerial photographs used. Reservoirs located along and operated in conjunction with canals and ditches are shown on the land and water use maps, but are not considered as separate systems and are not assigned location numbers. Similarly, supplies obtained from small intermittent streams intercepted by canal systems are not classed as separate diversions.



In some situations water users have made efficient use of water supply by rediverting field runoff or spill collected from their own upstream diversion systems. In this investigation, such points of rediversion are neither located on the maps nor assigned numbers.

However, if return flow from another water user's operation is rediverted, or if there is doubt as to the origin of the water, the diversion is delineated and assigned a number. Diversion systems of water companies or groups of water users are considered as single units and individual customer distribution points are not shown on the maps.

There were 279 surface water diversions located in the unit in 1958. These diversions are classified by primary use as follows:

Primary use	Number of diversions
Irrigation	217
Municipal	4
Industrial (lumber mills)	10
Mining	17
Power	19
Domestic	12
Total diversions located	279

Points of diversion and main canals or pipelines used to convey the water are delineated on the 36 sheets of Plate 2 entitled "Land and Water Use." The diversions are listed in Table 4.

# Numbering System for Surface Water Diversions

Surface water diversions are numbered to indicate their location by township, range, and section within the federal land survey system. In this report each section is subdivided into 40-acre plots, and the diversions are numbered within each of these 40-acre plots according to the order in which they were located. For example, diversion 17N/7E-34F1, which is shown on sheet 8 of Plate 2 as "34F1," is the first diversion located in the SE 1/4 of the NW 1/4 of Section 34 in Township 17 North, Range 7 East, Humboldt Base and Meridian (HB&M).

## Descriptions of Surface Water Diversions

Description, history, and other information relating to surface water diversions were obtained by field inspection, by interview with water users or their representatives, and by reference to prior reports and official records. This information is contained in Table 4. Data in the table are arranged by diversion number within each subunit. Location of subunit boundaries is shown on Plate 1.

The purpose of each diversion, the quantity of water diverted during 1958, the extent of use such as the number of acres irrigated, and the method of application of water are included in Table 4. If the purpose listed is not the usual use for that diversion, notation is made in the remarks. The extent of domestic use is specified only when five or more connections are served. Stockwatering of less than 10 head of livestock is considered to be a domestic use. The extent of irrigation is based on the land use survey described in Chapter III.

The type of water right under which the respective diversions are considered to be made is indicated in Table 4 as the "apparent water right." The determination of this item is based upon the best information obtained from the owner, from the files of the State Water Rights Board, from official records, and from other sources.

The amount of the right, if established and known, and a reference to the source of data are also included. Although this information is believed to be accurate, it is emphasized that it is not based on sworn claims or testimony and should in no way be construed to represent a conclusive determination of water rights. In this report, references to the "miner's inch" are quoted from the water rights filings made prior to 1914. Since some of these filings specify the pressure of measurement and some do not, no standard rate of flow can be said to apply.

Diversions for which water rights have been adjudicated are listed in Table 4 as "adjudicated". Those based on appropriate rights are listed as "appropriative". Those which have been neither adjudicated nor based on appropriations, but for which the area of use is apparently riparian to the streams or which the owner claims to be riparian are listed as "riparian". The areas of use for many of the diversions listed as adjudicated or appropriative are probably riparian to water sources, but no attempt was made in this investigation to make such determinations.

In the case of an adjudicated right, the amount of the decreed right is tabulated. For an appropriative right the amount tabulated is that found in the filing, in the application, or in the latest permit or license which may have been issued. The reference given for an appropriation initiated after the effective data of the Water Commission Act (1914) is the number of the application on file with the State Water Rights Board. For appropriations prior to 1914, the reference, if known, is the book and page number of the official county record in which the filing is recorded. Such filings were made in accordance with Sections 1410 and 1422 of the Civil Code as enacted in 1872, which preserved the

priority of a diligent appropriator from the time of filing and enabled him to prevail over a concurrent nonstatutory appropriator.

A detailed description of the diversion systems, including dams, pumps, and main conduits, as well as any special features, is presented in Table 4. The diversions are also classified as gravity, pump, and storage according to the following descriptions:

Gravity diversion - A system in which water is taken from its natural course at a diversion structure and conveyed by gravity through a canal or pipeline to the area of use. Such a diversion may have a reservoir on the stream but the capacity is small compared with the amount of water diverted and provides no significant carry-over storage from winter to summer.

Pump diversion - A system in which water is pumped from its natural course through a pipeline to the area of use or to a gravity conduit located at a higher elevation.

Storage diversion - A system consisting of or including a surface reservoir having significant carry-over storage within each season or from season to season.

Systems not exclusively of one of these basic types are listed as combinations of those types which best describe them.

The remarks specify such information as the names of former owners, changes of ownership since 1958, and further details explaining entries in the previous columns.

Locotion				Water use in 1957		Appe	Apporent water right	right	Indicated date of		
number ond Plote 2 sheet number	Diversion nome and/or owner	Source	Purpose	Extent and method of use	Amount diverted In ocre-feet	Туре	Amount	Rafarence	appro- priotion or first use	Osscription of diversion system	Remorks
					APPL (No diver	APPLEGATE R	APPLEGATE RIVER SUBUNIT (No diversions located in this subunit)	BUNIT subunit)			
					8	IVER CRE	BEAVER CREEK SUBUNIT	LIN		Ī	
H D B & H 45N/8W-11.1 (8)	Charles Coolle	Numbug Creek	Mining	Placer (a)	100	R perlen	1	1	1955	Gravity; rock and log dam with 0.1 mile of earth ditch.	Former owners: Tom Kelly, Franklin, Pherry.
45N/8W-10R1 (Sheet 14)	L. B. Jacobson	Middle Fork Humbug Greek	Indust. Domestic Mining	Lumber mill (a) Placer	16	Approp.	1 cfs	A-8364	1934	Gravity; earth and rock dam I foot high, 5 feet long with 0,5 miles of earth ditch	Former owners: Colsen, Thrash, Johnston.
46N/7M-2A1 (Sheet 10)	Thomas M. Clyburn	Ash Creek	Mining	Placer	588	Approp.	3 cf	A-11832	1883	Gravity; rock dam with 0.6 mile of earth ditch and flume.	Former owner: Nigger Boy Mine.
46N/7W-2101 (Sheet 10)	T. C. Woods	Clear Greek	Irrig. Stock. Domestic	2 acres by flooding 58 head (a)	g	Approp.	ı	1	Prior 1914	Gravity; earth and rock dam with 0.6 mile of earth ditch.	Former owner: Rose, Previously irrigated an additional 21 acres.
46N/8W-141 (Sheet 10)	Emma Pearl Freehour	Dutch Creek	Irrig.	13 acres by flooding	251	Riperian	1	1	1887	Gravity; 0.5 mile of earth ditch.	Former owner: Joseph Freshour.
46N/BW-1F1 (Sheet 10)	Richard Freshour W. W. Rogere	Dutch Greek	Irrig.	12 acres by flooding	289	Riparian	Į.	1	About 1858	Gravity; rock and log dam 1 foot high, 25 feet long with 1.0 mile of earth ditch.	Former owners: Jim Ladd, Martin Knightwind, George Seiford, Joe Clyburn,
46N/8W-2A1 (Sheet 10)	Joe Freshour	Lumgrey Creek	Irrig.	*	672	Approp.	1	1	About 1850	Gravity; rock and log dam I foot high, 6 fset long with 0.3 mile of earth ditch.	Amount diverted irrigated 26 acree jointly with 47N/84-35Kl. Previouely irrigated an additional 2 acres.
46N/9W-3El (Sheet 10)	W. W. Rogere	Doggett Creek	Irrig.	39 acres by flooding	364	<u> </u>	1	1	1915	Gravity; 0.9 mile of earth ditch.	Former owners: Lew Doggett, Culver, Area is normally irrigated jointly with 46N/9M-3M2,
46N/9W-3M1 (Sheet 10)	Richard Jones Mason Meek Richard Pack	Doggett Greek	Irrig.	89 acree by flooding	850	Approp.	f	1	About 1875	Gravity; rock dem with 2,4 miles of earth ditch.	Former owners: Qaigley, Western Sheep Company.
46N/9W-3H2 (Sheet 10)	W. W. Rogere	Doggett Greek	Irrig. *	(*)	None	(e)	-	1	About 1850	Gravity; 0.2 mile of earth ditch,	Previously irrigated 39 acres jointly with 468/94-3EL.

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

Locotion				Woter use in 1958		App	Apporent water right	right	Indicated		
and ptote 2 , sheet number	Olvsrsien neme end/er owner	Source	Purposs	Extent and method of use	Amount divertsd in ocre-feet	Туре	Amount	Reference	oppre- priation or first use	Dascription of diversion system	Remorks
N O N C N					BEAV	ER CREE	K SUBUNI	BEAVER CREEK SUBUNIT (Continued)	ଗୁ		
16N/94-701 (Sheet 10)	St. Francis Investment Co.	Klamath River	Irrig.	7 acres by sprinkler	23	Hiparian	ı	ı	1955	Nump; 7.5 hp. motor with 0.2 mile of 3-inch pipe.	
46N/6W-10D1 (Sheet 10)	Richard Jones Mason Week Hichard Pack	Loggett Greek	Irrig.	49 acres by eprinkler and flooding	272	Approp.	1	1	About 1875	Gravity; rock dam with 0,3 mile of earth ditch.	rormor owners: wilkley, Western Sheep Company, Lichens
46N/9W-10D2 (Sheet 10)	W. W. Rogers	Doggett Creek	Irrig.	10 acree by flooding	112	(e)	1	ŧ	About 1850	Grevity; 0.2 mile of earth ditch.	T.
46N/94-13J1 (Sheet 10)	Carl W. Schedler	Klamath Hiver	Irrig.	10 acras by sprinkler	10	Mparian	l	ı	Prior 1958	Pump; diesel engine with 640 feet of 4-inch pipe.	Former owners: Henry J. and Minnie K. barton, J. A. and Eary E. Wiborn, Carlinghouse.
46N/9W-13ML (Sheat 10)	Circle Two Hanch Arthur A., Ida y., Mable M., Merle A., Hegler	Barkhouse Greek	Irrig.	2 acres by flooding	*909	Approp.	1	1	Prior 1906	Gravity; rock dam 2.5 feet high, 12 feet long with 0.6 mile of earth ditch.	Former owners: walker, Ton deCawley, Ton Hepler, amount diverted irrigated an additional 46 acres jointly with 47N/84-31F1,
46N/9W-13N1 (Sheet 10)	Circle Two Hanch Arthur A., Ids M., Hable M., and Merle R. Hegler	Barkhouse Greek	Irrig.	2 acres by flooding	100	udparian	1	1	About 1850	Gravity; rock dam with 0.5 mile of earth ditch.	Former owners: Charles Humchrey, Lichens, Henry Barton, Edward Howard, Lang.
(Sheet 10)	Circle Two danch Arthur A., Ida M., Mabel M., and Merle R. Hegler	Sarkhouse Creek	Irrig.	(*)	1,670	Alperian	1	1	Prior 1958	Gravity; rock and log dam with 0.2 mile of earth ditch.	Former owners: Charles Humphrey, Lichens, Henry Sharton, Edward Howard, Lang, Amount diversed Irricated 7 acree jointly with L6M/94-24D1.
46N/9W-16H1 (Sheet 10)	Bert G. Jackson	McKinney Greak	Irrig.	21 acree by flooding and sprinkler	818	Kiparian	1	1	About 1850	Grevity; earth and rock dam with 0.9 mile of earth ditch.	Former owners: Andrew Jackson, Frank A. Jackson, Blanche E. Jackson.
46N/9W-2311 (Sheet 10)	Elmer and Frank Lang	Little Barkhouse Greek	Irrig.	9 acres by flooding	220	diparien	1	1	1911	Gravity; rock and timber dam with O.8 mile of earth ditch.	Previously irrigated an additional & acres.
(Sheet 10)	Circle Two Rench Arthur A., Ids M., Mable M., and Merle H. Hegler	Barkhouse Creek	Irrig	4 acres by flooding	*02	Kiperian	1	1	Prior 1900	Gravity; O.6 mile of earth ditch.	Former owners: Howe Brothers, Harold Ling. Amount diverted krikgsted an additional 7 acres jointly with L6N/9W-13N2.
(Sheet 10)	Gircle Two Hanch Arthur A., Ide M., Mable M., and Merle R. Hegler	Barkhouse Greek	Irrig.	5 acres by flooding	011	idparian	1	1	1860	Gravity; rock dam with 0.3 mile of earth ditch.	Former ownere: Howe Brothere, Harold Lang.

See remarks.
 Information not available.
 For lettered footnotes, see last page of teble.

	Remorks				Former owners: Howe Brothers, Harold Lang.	Former owners: Ell Miller, Harold Lang, Larasen, Markin Lang, Edward H. Lang.	Former owners: Howe Brothere, Harold Lang.	Former owners: Howe Brothers, Marold Lang.	Former owners: Mowa Brothere	Second Second	Former owners: Flanegin, Nelea Lang.	Previouely supplied a placer mine.	Former owner: Fred Jeneen. Previouely irrigated 6 acree. Area was dry- farmed in 1958.
	Description of diversion system			Gravity; 0.2 mile of earth ditch.	Gravity; rock dam with 0.2 mila of earth ditch.	Grewity; rock dam with 0.2 mile of earth ditch.	Gravity; rock dam with 0.2 mile of earth ditch.	Gravity; rock dam with 0.2 mile of earth ditch.	Gravity; 0.7 mile of earth ditch.	Gravity; rock dam with 0.4 mile of earth ditch.	Grevity; rock and timber dam with 0.9 mile of earth ditch.	Gravity; rock dam with 0.2 mile of earth ditch.	Gravity; rock dam with 0.2 mile of earth ditch.
indicated date of	oppra- priotion or first use	ଗ୍		1958	About 1880	About 1880	Prior 1900	About 1880	About 1895	Prior 1958	About 1850	7981	1864
right	Raference	BEAVER CREEK SUBUNIT, (Continued)		1	1	1	1	1	1	1	1	1	1
Apparent water right	Amount	KSUBUNI		1	ı	1	1	1	*	1	1	1	1
Арр	Туре	R CREE		Riperian	Kiparian	Riperian	Riperian	Mi perian	rd perian	Hiperian	Hiparian	Riperlen	rit per Lan
	Amount diverted in acre-feet	BEAVE		011	8	ล	66	8	8	2/12	106	132	None
Water use in 1958	Extent and method of use			4 acree by flooding	4 acres by fleoding	3 acres by flooding	8 acres by flooding	12 acree by flooding	7 acres by flooding	6 acree by flooding	ll acree by flooding	33	<b>②</b>
	Purposs			Irrig.	Irrig.	Irrig.	Irrig.	Irrig.	Irrig.	Irrig.	Irrig.	Domestic Mining*	Irrig.
	Source			Barkhouse Creek	Grouse Creek	Grouse Creek	Grouse Creek	Grousa Greek	Grouee Greek	Berkhouse Creek	Barkhouse Creek	McKinney Creek	McKinney Greek
	and/or owner			Circle Two Ranch Arthur A., Ida M., Mable M., and Merle M. Hepler	Circle Two Ranch Arthur A., Ida M., Mable M., and Merla M. Hegler	Circle Two Hanch Arthur A., Ida M., Mable H., and Merla M. Hegler	Circle Two danch Arthur A., Ida M., Mable M., and Merle R. Hegler	Circle Two Ranch Arthur A., Ida M., Mable M., and Merle R. Hegler	Circle Two Manch Arthur A., Ida M., Mable M., and Merle R. Hegler	Elmer and Frank Lang	Elmer and Frank Lang	Kenneth R. Duncan	Virgil Roberte
Location	Plote 2 shest number		M D B & M	46N/9W-24E2 (Sheet 10)	(Sheet 10)	L6N/9W-24F2 (Sheet 10)	46N/9W-24K1 (Sheet 10)	46N/9W-2411 (Sheet 10)	L6N/9W-25Al (Sheet 10)	46N/9W-26B1 (Sheet 10)	46N/9W-26K1 (Sheet 10)	66N/9W-28E1 (Sheet 10)	46N/9W-28N1 (Sheet 10)

- Information not available.
For lettered footnotes, see last page of table.

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

Lecation				Water use in 1958		Appr	Apparent water right	ight	Indicoted date of		
number and Plots 2 shest number	Diversion name ond/or owner	Source	Purpass	Extent and method	Amount diverted in acre-fest	Туре	Amaunt	Reference	oppro- priotion or first use	Description of diversion system	Ramorks
					BEAVE	- CREEK	BEAVER CREEK SUBUNIT	(Continued)			
M D 86 6 M									1		
46N/9W-33E1 (Sheet 10)	Virgil Roberte	Wast Fork McKinney Greek	Irrig.	(*)	None	Approp.	1	1	1864	Gravity; 0.4 mile of earth ditch.	Former owner: Fred Jensen. Previously supplemented 46N/9M-33Fl.
46N/9W-33F1 (Sheet 10)	Virgil Roberts	McKinney Creek	Irrig.	23 acres by flooding	23	Approp.	ı	ı	1864	Grevity; 1.1 miles of earth ditch.	Former owner: Fred Jensen. Previously received supplemental supply from 46N/9W-33EL.
46N/10W-23C1 (Sheet 9)	Lettoy Bagley	Collins Creek	Irrig. Domestic	4 acres by sprinkler Not meas.		Approp.	1	1	About 1886	Gravity; earth and rock dam with 0.3 mile of earth ditch and pipe.	Former owner: Dave Colline, Ownership changed to W. L. Holstein in 1959.
47N/7W-31B1 (Sheet 6)	R. Jennings	Dutch Creek	Irrig.	5 acres by flooding	Not meas.	Approp.	1	1	Prior 1900	Gravity; earth end rock dam with 0.2 mils of earth ditth.	Former owners: Weetern Sheep Company, Mrs. Walter Freshour.
47N/7W-31El (Sheet 6)	R. Jennings	Dutch Greek	Irrig.	6 acres by flooding*	Not meas.	Approp.	1	1	Prior 1900	Gravity; earth and rock dam with 0.6 mile of earth ditth.	Former owners: Western Sheep Company, Mrs. Walter Frashour, Previously Arrigated an additional 9 acres,
(Sheat 6)	William W. Mullin	Beaver Cresk	Irrig. Mining Domestic	3 acres by flooding Placer (a)	Not meas.	Riperian	1	ı	1900	Gravity, rock end timber dam 1 foot high, 15 feet long with 0.5 mile of earth ditch.	Former owners: Henry Barton, George Knight, Rafus Culp.
47N/8W-30F1 (Sheet 6)	Walter B. Stockett	Buckhorn Guleh	Irrig.	7 acres by flooding	Not meas.	(9)	1	ı	1957	Cravity; earth and rock dam with 4.2 miles of earth ditch.	
(Sheat 6)	Quigley-Lichane Dich	Beaver Greek	Irrig. Domestic	54 acres by flooding and sprinkler* 18 connections	3,307	Approp.	9.58 efs	A-2226b³ A-7282b³	1890	Gravity; concrete dam 60 feet long with 5.4 miles of ditch.	frigated an additional 1 acro. Amount diverted irritated an additional Acro. Acro. Amount in parenthese a 1959 measurement, are jointly with 468/94-13M. Amount in parenthese is a 1959 measurement, A-226 filed in name of L. L. Edith, Lichens, W. W. Gaigley, G. L. Edith, Alse, and C. O. Smith, A. R. Hegler, A-728 filed in name of Walter and Nellie Shumilin, name of Walter and
(Sheet 6)	Jesse R. DeAvilla	Miller Gulch	Irrig. Domestic	3 acres by sprinkler Not meas. Alparian (a)	Not meas.	Riparian	ı	1	1952	Gravity; earth and rock dam with 0.2 mile of 2-inch pipe.	Previously irrigated an additional 6 acres.
47N/8W-35K1 (Sheet 6)	Joe Freshour	Lumgrey Creek	Irrig. Stock.	(*) 50 head	*708	Approp.	1	ı	1891	Greatly; rock dam with 1.5 miles of earth ditch.	Amount diverted irrigated 26 acres jointly with 46N/8W-2Al.
* See remarks.	when.										

\* See remarks. Information not evailable.
For lettered footbootes, eee lest page of tabla.

-36-

	Remarks		Former owners: Antone DeVilla, Faul Dennia. Freviously irrigated 28 acres.	10000	R Pormer owner: Byrd Linderman, Genera- ng ting capacity of 4 powerplants on eans eyetam,		Former owner: Albert Paluca.	Pormer owners: Jordan, Heintz, Louis J. Roff. Amount diversed irrigated 63 acres Jointly with 36M/10M-32HL,	igh. Former owners: Summerville Mining Co., Malter of Collis, Malter annual eupply from 37M/114-9Al, Abourt in parentheese is a 1959 measurement.	Former owners: Summerville Mining Co., Lake, Amount diverted supplemented 97N/114-5Nl.	former owners: George Spooner, Fred Smith, Alexander Perkin, A. B. Ich Fernsworth and Gompany.	Former owners: Steele Homesteed, Barton, Amount diverted includes all water from 37M/11M-23G1,
	Description of diversion system	j	Gravity; rock and log dam with 1.3 miles of earth ditch.		Gravity; earth and log dam 6 frest high, 40 feet long with 2.2 miles of earth ditten and wood flume.		Gravity; rock dam Z feet. high, 10 feet long with 0.7 mile of earth ditch.	Gravity; earth and rock dam with 1.0 mile of earth ditch.	Gravity; log dam 5 feet high, 30 feet long with 0.3 mile of earth ditch.	Gravity; O.8 mile of earth ditch.	Gravity; log dam 2 feet high, 60 feet long with 3.7 miles of earth ditch and 22-inch pipe.	Gravity; earth and log dam with 0.8 mile of earth ditch and wood flume.
Indicated date of	oppro- priation or first use	Inved)	1921		1938		About 1870	Prior 1900	Prior 1900	Prior 1900	Prior 1900	Prior 1900
right	Rafarence	BEAVER CREEK SUBUNIT (Continued)	A-1134, A-4213	SUBUNIT	1		1	A-9078	1	1	1	A-11032 <sup>b</sup>
Apparent water right	Amount	EEK SUBI	2.36 cfe	CECILVILLE	1		1	0.55 cfe	1	1	1	L. C.
App	Туре	AVER CR	Арргор.	S	Wiperian		Kiparian	Approp.	67 <sub>8</sub> Approp.	Approp.	Approp.	Approp.
	Amount diverted in acre-feet	80	None		3,687		160	1,791	67 <sub>8</sub> (559)	771	5,050	1,412
Water use in 1958	Extent and method of use		(*)		9 commections 12 km		17 acree by flooding	(*) (2) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*	6 acres by flooding Placer	**	Placer (a)	10 kw
	Purpose		Irriga		Domestic		Irrig. Stock.	Irrig. Domestic Stock. Power	Irrig. Mining	Irrig. Wining	Mining Domestic	Power
	Source		Beaver Greek		Knownothing Greek		Big Bend Creek	mah Creek	Black Gulch	Black Gulch	South Fork Salmon Miver	Biind Horse Creek
	Diversion name and/or owner	1	Jesse R. DeAvilla Letha and Art Stanley		Winnie Carener Ted H. Finn Julia Linderman		William S. Johnson	Jordan Ditch E. W. Sawyer	Dennie Moody	Dennia Moody	Edward A. McBroom	b. N. Sawyer
Location	number and Plate 2 sheet number		3 D B & H 47N/9W-24H1 (Sheet 6)	N B & M	10N/8K-31G1 (Sheet 30)	M D B & M	37N/10W-4N1 (Sheet 36)	37N/10W-5D1 (Sheet 36)	37N/11W-3N1 (Sheet 36)	37N/11W-9Al (Sheet 36)	37N/11W-12N1 (Sheet 36)	(Sheet 36)

See remarks.
 Information not evailable.
 For lettered footnotes, ene last pare of table.

TABLE 4 (Continued)

DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN

KLAMATH RIVER HYDROGRAPHIC UNIT

Location				Water use in 1958		Appe	Apparent woter right	ight	Indicated		
number ond Plote 2 sheet number	Diversion name and/or owner	Source	Purpase	Extent and method of use	Amount diverted in acre-fest	Туре	Amount	Reference	oppro- prigation ar first use	Description of diversion system	Remorks
					öl-	בכוראוררו	SUBUNI	CECILVILLE SUBUNIT (Continued)	(F)		
H D B & M											
37N/11W-23G1 (Sheet 36)	E. W. Sawyer	Chine Greek	Power	(*)	3	<u> </u>	1	1	Prior 1900	Gravity; earth and log dam with 1.0 mile of earth ditch and natural channel.	Former ownsrs: Steels Nomestead, Barton. Amount diverted and extent of use reported under 37W/11W-13M1.
38N/10W-32H1 (Sheet 34)	Quass Ditch John W. Queas	Aush Creek	Irrig. Stock.	20 head	310	Approp.	1	ı	Prior 1900	Gravity; log dam 5 feet high, 30 feet long with 3.5 miles of sarth ditch.	Former owner: Lou Hill Mining Company. Amount diverted irrigated 63 acres jointly with 77N/10w-5DL.
38N/11W-17L1 (Sheat 34)	United States Klamath Mational Forest	Crawford Creek	irrig. Domestic	4 acree by flooding 20 persons	269	rit par i an	1	1	Frlor 1935	Gravity; rock dam 6 feet high, 10 feet long with 0.5 mile of wood flume end earth ditch.	
38N/11W-21A1 (Sheat 34)	Nestor A. Westover	East fork of South Power Fork of Salmon River	Power	l kw	2,661	Approp.	1	1	Prior 1900	Gravity; rock dam with 0.9 mile of earth ditch.	Former owners: Matthaws, Francia Georga,
38N/11W-29D1 (Sheet 34)	Shasta Mining Company	Crawford Creek	Irrig. Stock.	7 acres by flooding 18 head	327	<u> </u>	1	1	Prior 1914	Gravity; log dam 3 feet high, 20 feet long with 0.6 mile of sarth ditch.	Former owner: John McBroom.
38N/11M-2901 (Sheet 34)	Olyn W. Gould	Cecil Creek	Power	0.5 kw (a)	196	Approp.	0,3 cfs	A-14941 <sup>b</sup>	1952	Grewity; rock dam with 0.3 mile of 4-inch pipe and flume.	
38N/11W-30H1 (Sheet 34)	Mrs. John N. McBroom	Crawford Creek	Irrig.	5 acres by flooding	877	Approp.		1	Prior 1900	Gravity; log dam with 0.5 mile of earth ditch.	Former ownerst Sightman.
38N/11W-30MI (Sheet 34)	Jack Bosz Clarence M. Nance	Timber Gulch	Mining Domestic	Placer (*)	147	Approp.	2.0 cfs	A-11654 <sup>b</sup>	1936	Grevity; rock dam with 0.3 mils of earth ditch.	Former owners: Alphonso Pelaut, Clarence S. Murry.
39N/10M-15B1 (Sheet 31)	Glen Thornton	Six Mile Greek	Mining	Placer	296	Kiparian	1	1	About 1900	Gravity; wood box with 0.4 mile of 11-inch and 10-inch pipe.	Former owners: Charlie Johnson, Ella Mathews.
39N/10M-31D1 (Sheet 31)	Katarine C. George	East Fork of South Pork of Salmon River	Irrig. Mining Domestic	27 acres by flooding Placer (a)	1,991	Approp.	1	1	Prior 1900	Gravity; log dam 4 fest high, 20 feet long with 2.7 miles of wood flume and earth ditch.	Formar owners: Thomas Henry George, George Brown, Clarence and Francis George,

\* See remarks. Information not available. For lettered footnotes, see last page of table.

	Remarke			Former owners: Orockt, Doombs. Used for powers, domastic, and mining purposes until 1955 when system was washed out by flood. System rebuilt in 1959.			Arem irrigated racelved supplemental supply from 488/48-3411.	Amount diverted irrigated 28 acree jointly with 478/44-901 (Hornbrook Subunit)			Previously irrigated an additional 9 acres.	
	Description of diversion system		Gravity; earth dem with 200 feet of 7-inch pipe and 1,7 miles of earth ditch to a small reservoir.	Grevity; log dam 6 feet high, 40 feet long with 0.9 miles of serth ditch.		1	1	Gravity; earth dam with 300 feet of earth ditch.	-	1	Gravity; concrete dam 6 feet high, 8 feet long with 2.9 miles of earth ditch.	1
indicated date of	appre- priation ar first use	(pa	1892	Prior 1900		Prior 1958	Prior 1958	1948	Prior 1958	Prior 1958	1862	Prior 1958
right	Reference	SUBUNIT (Continued)	1	ı	SUBUNIT	1	1	1	1	Į.	4	1
Apporent water right	Amount	E SUBUNI	1	1	COPCO LAKE SUBUNIT	1	1	I	ı	ı	1	1
App	Туръ	CECILVILLE	Approp.	Kiperian	COPC	(0)	(e)	Riperian	©	<u> </u>	Approp.	(c)
	Amount diverted in ocre-feet	i ol	239	None	73	Not meas.	Not mess.	120*	Not mens.	Not meas.	Not meas. Approp.	Not meas.
Water use in 1958	Extent and method of use		32 acres by eprinkler 30 head	(e)		15 acres by flooding	22 meres by flooding	(#)	101 acree by flooding	65 acres by flooding	57 meres by flooding	92 acres by flooding
	Purpose		irrig. Stock.	Power** Domestic		Irrig.	irrig.	Irrig.	Irrig.	Irrig.	Irrig. Stock.	Irrig.
	Source		Nagro Crank	Methodist Creek		Tributary to Copco Lake	Snackenburg Cresk	Deer Creek	Klamath River	Klamath River	Elamath River	Klamath Klver
	Diversion name and/or awner		Georgs N. and Robert G. Godfrey	Robert R. Lord	H	F. L. and C. G. Lathrop	F. L. and C. G. Lathrop	E. G. Leman	Hassig Manch	Nessig Ranch	R. J. Brown	Nessig Ranch
Location	ond Plate 2 sheet number		M D B & M 39N/12W-17B1 (Sheet 31)	39N/12W-31L1 (Sheet 31)		47N/4W-1C1 (Sheet 7)	47N/4W-2CI (Sheet 7)	47N/4W-3M1 (Sheet 7)	48N/3W-14D1 (Sheet 4)	48N/3W-14D2 (Sheet 4)	48N/3W-27M1 (Sheet 4)	48N/3W-34G1 (Shest 4)

a See remarks.

Information not svailable.
For intrered footnotes, see last page of table.

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

				Light		ocated		[E3]				10
	Remorke			Former owner: Slakiyou Power and Light Company.	Former owner: Manuel Cravell.	Of area irrigated, 34 serses are located in Hornbrook Subunit.		Area irrigated received supplemental supply from 4.8W/4W-33RL.	Amount diverted supplemented LSN/4W-33Ql.	Amount diverted supplemented L/7N/LW-2Cl.	ÿ	
	Description of diversion system		I	1	Gravity; rock dem with 0.8 mile of earth ditch.	Gravity and storage; concrete dam 37 feethigh, LkG feet long with 0.4 mile of pipe, 0.3 mile of turnel and D.8 mile of earth ditch,	Gravity and storage; concrete dam 132 feet high, 415 feet long.	Gravity; small rock and concrete dam with 0.3 mile of earth ditch.	Gravity; earth and rook dam with 0.2 mile of earth ditch.	ł	ı	1
Indicated date of	oppro- priotion or first use	(par	Prior 1958	1906	Prior 1917	1925	1922	Prior 1880	Prior 1880	Prior 1958	Prior 1958	Prior 1958
right	Reference	COPCO LAKE SUBUNIT (Continued)	ı	ı	ı	ı	1	1	1	1	1	1
Apparent water right	Amount	KE SUBU	1	1	1	1	1	1	1	1	ı	1 -
Арр	Туре	PCO LA	(c)	3	dparian	(0)	©	Approp.	Approp.	(c)	(0)	(e)
	Amount diverted in acre-feet	8	Not meas.	Not meas.	779	Not mees.	1,923,118	Not meas.	Not meas. Approp.	Not meas.	Not meas.	Not meas.
Water use in 1958	Extent and method of use		ll acres by flooding	2,200 kw.	7 acres by flooding	32,000 km. A9 acres by flooding	27,500 km.	12 acres by flooding	(*)	(*)	l8 ecres by flooding	48 acres by flooding
	Purpose		Irrig.	Power	Irrig.	Power Irrig.	Power	Irrig.	Irrig.	Irrig.	Irrig.	Irria.
	Source		Klamath Miver	Fall Creek	West Fork Beaver Greek	Klamath River	Klamath Hiver	Deer Creek	Deer Greek	Parks Canyon	Snackenburg Greek	Preirie Greek
	Oversion name		Heseig Ranch	California-Oregon Power Company	Marren Tormay	California-Oregon Power Company	Copco Lake Californie-Oregon Power Company	J. Pugaalar	J. Pugaalar	F. L. and C. G. Lathrop	F. L. and C. G. Lathrop	F. L. and C. G. Lathrop
Locotion	and plate 2		M D B & M 48W/3W-35DI (Sheet 4)	48N/4w-19D1 (Sheet 4)	(Sheet 4)	(Sheet 4)	48N/4W-29P1 (Sheet 4)	(Sheet 4)	LBN/LM-33R1 (Sheet 4)	(Sheet 4)	48N/4W-35Pl (Sheet 4)	(%) (%) (%) (%) (%) (%) (%) (%) (%) (%)

s See remarks. -- Information not available. For lettered footnotes, see last page of table.

	Remorks			Former owners: Roberte, Samuel G. Sloan.		Former owner: Colline, Previously irrigated 3 acres,		Former owners: Fox Valley, Head Lumber Company.		Pormer owners: George Steiner, Gue Clingwald.		Former owner: Henry Powler.	
	Description of diversion system		1	Gravity; earth and rock d am with 1.2 miles of earth ditch.		Pump; 3-hp motor with 0.3 mile of 2-inch pipe.	Pump; 25-hp motor with 0.2 mile of 6-and 8-inch pipe.	Gravity; l.1 miles of earth ditch.	Gravity; eand bag dam with 0.7 mile of earth ditch.	Gravity; earth and log dam with 0,1 mile of earth ditch.	Gravity; earth and rock dam with 1.1 milee of earth ditch.	Gravity; log dam with 0.2 mile of earth ditch.	
Indicated date of	appro- priation or first use	ଚ୍ଚା	Prior 1958	Prior 1957		1923	1956	Prior 1955	1890	1932	1932	1941	
ight	Reference	COPCO LAKE SUBUNIT (Continued)	t	ı	UBUNIT	A-3431 <sup>b</sup>	ı	- 1	1	A-7342	A-7789 <sup>b</sup>	A-10343	
Apporent water right	Ameunt	SUBUNI	1	1	HAPPY CAMP SUBUNIT	0.37 cfe	1	1	1	1.0 of8	3.0 of	0.12 cfs	
Appe	Туре	CO LAKE	(3)	3	НАРРУ	Approp.	(6)	©	Approp.	Approp.	Approp.	Approp.	
	Ameunt diverted in ocre-feet	00	Not meas.	07		Not msas.	1,481	8	570	10	1,144	375	
Water use in 1958	Extent and method of use		28 acree by flooding	13 acres by flooding		9 connections (*)	Lumber mill	Lumber mill	17 acres by flooding 20 head	Placer	8 acres by flooding (a) 8 km.	4 acres by flooding (a)	
	Purpose		Irrig.	Irrig.		Domestic Irrig.	Indust.	Indust. Domestic	Irrig. Stock.	Mining	Irrig. Domestic Power	Irrig. Domsetic	
	Seurce		Prairie Greek	Pall Crock		Cade Creek	Klamath River	Spring tributary Indust. to Klamath River Domestic	Little Horse Creek	Cole Greek	East Fork Indian Greek	East Pork Indian Greek	
	Olversion name and/or owner		F. L. and C. G. Lathrop	California-Oregon Power Company	u	Earl K. Lee	Siekiyou Mille	Keystone Ditch Siskiyou Mills Treka Veneer	Prentie C. Hale	Mrs. Marton M. Kniffen	David M. Huey	Paul G, Beck Charles Hockedsy	
Location	number and Plate 2 sheet number		M D B & M 48N/4W-3611 (Sheet 4)	48N/5W-25Al (Shset 4)		H B & M 16N/7E-1H1 (Sheet 12)	16N/7E-1N1 (Sheet 12)	16N/7E-2F1 (Sheet 12)	16N/8E-17F1 (Sheet 12)	17N/6E-10R1 (g)	17N/7E-4G1 (Sheet 8)	17N/7E-4P1 (Sheet 8)	

\* See remarks. Information not available. For lettered footnotes, see last page of table.

Location				Water use in 1958		App	Apporent water right	right	tridicated date of		
oumber and Picte 2 sheet number	Owner County	Source	Purpose	Extent and method of use	Amount diverted in ocre-fest	Туре	Amonot	Reference	appro- priation or first use	Description of diversion system	Remarke
					НАРР	НАРРУ САМР	SUBUNIT	SUBUNIT (Continued)			
N B & M										0	
17N/7E-5L1 (Sheet 8)	Alice Jedros	Indian Creek	lrrig.	6 acres by flooding	Ħ	Approp.	1	1	Prior 1900	Grevity; earth and log dam with 0.5 mile of earth ditch.	Former owner: Gutler.
17N/7E-761 (Sheet 8)	Elmer E. McClimans	Spring tributary to Indian Greek	Irrig. Domestic	8 acres by sprinkler (a)	Not meas.	Approp.	0.08 cfs	A-16120 <sup>b</sup>	1924	Gravity; concrete box with 1,000 feet of 2-inch, 1.5-inch and 1-inch pipe.	
17N/7E-9E1 (Sheet 8)	Alice Sedros	East Fork Indian Greek	Irrig. Domestlo	16 acree by flooding (a)	3%	Approp.	1	ı	1893	Gravity; log dam with 0.4 mile of earth ditch.	Former owners: John F. Ince, Frank Swearin.
17N/7t=9E2 (Sheet 8)	Lee C. Waddell	East Fork Indian Greek	Irrig.	4 acres by flooding	359	Aparian	1	1	Prior 1900	Grevity; log dam with 0,2 mile of earth ditch.	
17N/7E-9E3 (Sheet 8)	Guy Head	bast Fork Indian Greek	Irrig.	53 acres by flooding	689	Approp.	1	1	1896	Gravity; log dam with 0.9 mile of earth ditch.	Former owners: Jack Ince, Harry Bryan, Area Irrigated received supplemental eupply from 178/72-924.
17N/7k_9F4 (Sheet 8)	Guy Head	East Fork Indian Greek	Irrig.	3	860	Approp.	ŀ	ŀ	1896	Gravity; log dam with 0.8 mile of earth ditch.	Former owners: Jack Ince, Narry Bryan, Amount diverted supplemented 178/75-953.
17N/7b-15N1 (Sheet 8)	Thomas Moberts	Luther Gulch	Irrig. Indust.	(a) (b)	<b>©</b>	Approp.	0.006 cfs	A-14456 A-144570	Prior 1910	Gravity; rock dam with 0.1 mile of earth ditch,	Amount diverted and extent of use reported under 17N/712-1642 water rights filed in name of Frank Kanig and Thomas Roberts.
17N/72-16A1 (Sheet 8)	J. F. Sharp Lumber Company	Indian Greek	Indust.	Lumber mill	Not meas.	Kiparian	1	1	1949	Aumps; 30 hp, 2 hp and two 25 hp motore with 300 feet of 6-inch pipe.	Name chenged from Yellow Fir Lumber Co. to J. F. Sharp Lumber Co. in 1958.
17N/75-16A2 (Sheet 8)	Thomas Moberts	Indlan Creek	Irrig.	44 ecres by flooding Plywood mill	\$80	(c)	1	1	1910	Gravity; rock dam with 1.3 miles of earth ditch.	Former owners: Fred Pine, Wright, Gray Eagle Mine. Other water user: Willametre Plywood Corp. Amount diverted includes all water from 17N/72-15N1.
17N/7L-1601 (Sheet 8)	Willamette Plywood Corp.	Spring tributary to Indian Greek	Indust. Domestic	Plywood mill 10 connections	Not meas.	Approp.	0.10 cfs	A-16296 <sup>b</sup>	1955	Gravity; wood box with 0.6 mile of 1.5-inch pipe.	
										1	

\* See remarks. -- Information not swallable. Por lettered footnotes, eee last page of table.

OESCRIPTIONS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT TABLE 4 (Continued)

Purpose Extent and method
Trig.
Tributary to Domestic 7 connections Indian Greek Stock.
Irrig. 10 scree by sprinkler
Stater Greek Irrig, 4 acres by flooding Domestic (a)
Spring tributary Domestic 15 connections to Indian Greek
Doolittle Greek Irrig. 12 acres by flooding Domestic (a)
Thompson Greek trig. 7 acres by sprinkler bomestic 9 connections
Indian Creek Mining Placer Donestic (a) Prover & kw.
Swearingon Gulch Irrig. 16 acres by flooding Domestic (a) and Stock. 15 head
lrrig. 12 scres by flooding Domestic (e)

\* See remarke, --- Information not available.
Por lettered footnotes, see lest pags of teble.

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

Location				Water use in 1958		App	Apporent woter right	right	indicated date of		
number and Plate 2 sheet number	Oiversion nome and/or cwner	Source	Purpose	Extent and method of use	Amount diverted in ocre-feet	Туре	Amount	Reference	appra- prietion or first use	Osscription of diversion system	Remorks
					0		THRUNG	SUBUNIT (Confinued)			
M D B & M									4		
47N/12W-32L1 (Sheet 5)	R. T. Hamer	Fort Goff Creek	Irrig. Mining	4 acree by flooding Placer	780	Approp.	1	ı	Prior 1880	Gravity; concrete and log dam with 0.5 mile of earth ditch.	Former owners: Charlee H. Bailey, Martin, Shulemar: Other water users: Collord, Henry, Leduc, Hartin, Savage.
47N/12W-32P1 (Sheet 5)	Chester H. Berton	Fort Goff Creek	Irrig.	6 acres by flooding	374	Riparian	1	1	Prier 1880	Gravity; rock dam 1 foot high, 30 feet long with 0.4 mile of earth ditch.	Former Ownert Martin.
						HORNB	HORNBROOK SUBUNIT **	BUNIT **		Ī	
46N/4W-15D1 (Sheet 11)	Etta O. Ensele	Parker Creek	Irrig.	€	*	Approp.	5.0 cfe	A-2973 <sup>b</sup>	1915	Gravity; earth and rock dam with 0.8 mile of earth ditch.	Former owners: Jerome and John Kuck. Amount diverted and extent of use reported under 46N/4M-15N1.
46N/4W-15M1 (Sheet 11)	Etts O. Ensele	Bogus Creek	Irrig.	305 acres by flooding	257*	Approp.	ţ	ı	About 1870	Gravity; earth and rock dam with 2.1 miles of earth ditch and 2.9 miles of natural stream channel to a storage reservoir.	Former owners: Diederich Kuck, Jerome and John Kuck. Amount diverted includee all water from 464/44-15D1.
46N/4M-28J1 (Sheet 11)	N. W. Thomason*	North Branch Willow Greek	Irrig.	35 acree by flooding	151	Kiperian	1	1	About 1860	Gravity; rock dam with 2.1 milee of earth ditch.	Former owners: Chandler, Coombs. Subsequent owner: Wm. J. Guardla.
46N/4W-32Al (Sheet 11)	Anthony J. Sylve	North Branch Willow Greek	Irrig.*	*	None	"iperian	1	I	Prior 1958	Gravity; earth and rock dam with 0.4 mile of earth ditch.	Former owners: Southern Pacific Co. Irrigated 22 acres until 1956.
46N/4W-3ZB1 (Sheet 11)	Anthony J. Sylva	Middle Branch Willow Greek	Irrig.	7 acree by flooding	Not meas. Approp.	Approp.	1	ı	Prior 1958	Gravity; O.6 mile of 6-inch pipe.	Former owners: Manual Sylva, George I. Sylva. Previously irrigated an additional 5 acres.
46N/4W-33D1 (Sheet 11)	Anthony J. Sylva	North Branch Willow Greek	Irrig.	5 acres by flooding	89	Approp.	1	ı	Prior 1958	Gravity; wood dam with 0.8 mile of earth ditch.	Former owners: Southern Pacific Co. Previously irrigated an additional B acres.
(B) (B) (B)	Donald S. and Avelyn L. Fehlman	Tributary to Willow Greek	Irrig.	*	None	Approp.	0.5 cfs	A-17342 <sup>b</sup>	About 1950	Pump; 15 hp motor with 0.1 mile of 4-inch pipe.	Former owners: Dickerson, Alanthorp. Portable pump also used at 46N/5W-7Al. Previously irrigated 83 acres.

\*\* See Addendum to Hornbrook Subunit for diversione located after preliminary edition was published.

# See remarks.
Toformetion not awaitable.

Locotion				Woter use in 1958		Арр	Apporent water right	right	Indicated date of		
ond Plote 2 sheet number	owner owner	Source	Purpose	Extent and method of use	Amount diverted in ocre-feet	Туре	Amount	Reference	oppro- prietion or first use	Description of diversion system	Remorks
					HOR	NBROOK	SUBUNIT	HORNBROOK SUBUNIT (Continued)			
M D B & M 46N/5W-7Al* (Sheet 11)	Donald E. and Avelyn L. Fehlman	Willow Creek	Irrig. Stock.	20 acree by eprinkler Not meas. 175 head	Not meas.	Approp.	0.45 cfe	A-17343b	About 1950	Pump; 15 hp motor with 0.3 mile of 4-inch pipe.	Pormer owners: Dickerson, Alanthorp. Portable pump also used at 46N/5M-5Ll.
46N/5W-7Hl* (Sheet 11)	Alan Williams	Willow Greek	Irrig. Stock.	48 acree by eprinkler Not meas. 50 head	Not meas.	Approp.	1	ı	Prior 1900	Pump; 15 hp engine with 0.5 mile of 3-inch pipe.	Former owner: Kegg, Portable pump location varies within O.4 mile of location indicated.
46N/5W-14Q1 (Sheet 11)	Masell Frederick	Tributary to Willow Greek	Irrig.	15 acres by sprinkler	199	Approp.	0.76 cfs	A-17765	About 1918	Gravity; earth dam with 0.2 mile of earth ditch.	Former owners: Browns, Moggle, Peter Buckley.
46N/5W-22ML (Sheet 11)	Benjamin H. Hager	Willow Greek	Irrig.	381 acres by flooding 1,041		Riparian	ı	ţ	Prior 1958	Gravity; 4.0 miles of earth ditch and 0.4 mile of natural channel.	Former owners: Anton, Bryant, Clevenger.
46N/5W-27A1 (Sheet 11)	Fred Reed*	Spring tributary to Willow Greek	Irrig.	•	Not mess. Riperien	Riperian	1	1	Prior 1958	Gravity; 0.8 mile of earth ditch.	Ownership changed to Welsey Huges in 1959. Amount diverted supplemented 46N/SW-Z7Fl.
(Sheet 11)	Fred Reed *	Springe tributary to Willow Greek	Irrig.	100 acres by flooding Not meas.	Not meas.	(3)	1	ı	1957	Gravity; earth dam 15 feet high, 400 feet long with earth ditch.	Ownership changed to Walesy Huges in 1955. Area irrigated received supplemental supply from 46N/5W-27Al.
46N/5W-28R1 (Sheet 11)	Clarence Kuck	Spring tributary to Willow Greak	Irrig.	26 acres by flooding	8	Approp.	1.1 cfe	A-16648	1956	Gravity; sump with 0.4 mile of earth ditch,	
16N/6W-6D1 (8)	Louis Ford	Printer Gulch	Mining*	(4)	None	Approp.	0.75 cfa	A-12745b	Prior 1900	Oravity; 0.7 mile of earth ditch.	Supplied a placer mine until 1957.
47N/4W-7JI (Sheet 7)	Chessbrough, W. E. McKensle	Cold Greek	Irrig. Stock.	(*) 120 head	388	Approp.	1	11	Prior 1890	Gravity; rock dam with 0.4 mile of earth ditch.	Former owner: George McCline, Sr., George McCline. Amount diverted aupplemented 47M/4W-1883.
47N/4W-8J1 (Sheet 7)	J. W. Edwards	Spring tributary to Iron Greek	Irrig. Stock.	75 acres by flooding Not mess. Approp. 20 head	Not mess.	Approp.	1	1	Prior 1910	Gravity; earth and rock dem with 0.4 mile of earth ditch.	Former owner: Freeman.
1	1										
					-						

<sup>\*</sup> See remarks. -- Information not available. Por lettered foatnotes, see lest page of table.

TABLE 4 (Confined)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

and Plate 2									1		
shest number	Diversion name and/or awner	Source	Purposs	Extent and method of use	Amount diverted in ocre-feet	Type	Amount	Raferance	appro- priation or first use	Description of diversion system	Ramorks
					5	RNBROO	K SUBUN	HORNBROOK SUBUNIT (Continued)	(pen	470 5	
M D B & M  ATM/4W-8q1  (Sheet 7)	J. W. Edvards	Spring tributary to Iron Creek	Irrig.	51 arres by flooding 3	Not mese.	Approp.	1	1	Prior 1910	Grewity; earth and rock dam with 0.8 mile of earth ditch.	Former Owner: Freeman.
Sheet 7)	Cold Creek Ranch Ralph J. Opdyke	Cold Greek	Irrig.	187 acres by flooding Not meas.	Not meas.	<u> </u>	:	ţ	Pr1or 1958	1	
kTM/4W-901 S (Sheet 7)	Silva-Linich Ditch E. O. Lemas Oliver A. and Floy M. Roaebush	Cold Creek	Irrig. Stock. Power	108 acres by flooding* 1,637* 1.6 kv.		Riperien	ı	:	Pr1or 1890	Orewity; earth and rock dam with 6.8 miles of earth ditches.	Former owners: J. Silva Stewart, Area irrigated located in Copco Take Subunit, Amount divarted irrigated an additional 28 acres joictly with 478/44-341 (Copco Lake Shbunit).
k711/44-1811 J	Jones Ditch Dr. Vogole	Spring tributery to Bogus Creek	Irrig. Stock. Power	362 acres by flooding 1,529*	1,529*	Approp.	ı	1	Prior 1900	oravity; 0.2 mile of 18-foch pipe and 7.0 miles of earth ditch.	Former owners: Jones Bros., Bradley. Sub- sequent owner (1958). J. J. Pendley & Sons. Previously irrigated an addition- al 21 serse. Amount diversed irrigated an additional & scree jointly with VFM/SW-1301 which is normally irrigated by VFM/SW-1341.
k7N/4W-18B2 E (Sheet 7)	Elsie Bloomingcamp J. M. Foster	Spring tributary to Cold Creek	Irrig. Domestic Power	€€ <sub>1</sub>	538°	Riperian	;	:	About 1925	Oravity; earth and rock dam with 1.1 miles of earth ditch.	Supplements 478/44-1811 and -1841 for use reported thereunder.
kTN/kW-18B3 C	Chessbrough W. E. McKezzie	Spring tributary to Cold Creek	Irrig. Stock. Domestic	101 acres by flooding 120 head (a)	830	Approp.	ė 3	t	About 1897	Oravity; earth and rock deam vith 1.5 miles of earth ditch.	Pormer owners: George McCline, Sr., George McCline. Area irrigated received supplemental supply from hTM/MM-731.
hTM/4W-18B4 C	Chessbrough J. M. Foster W. E. McNerzie	Spring tributary to Cold Creek	Irrig.	18 acres by flooding* 120 head	28t	Approp.	1	1	Prior 1890	Oravity; 1.9 miles of earth ditch.	Former owners: George McCline, Sr., George McCline. Previously irrigated an additional 30 acres.
(Sheet 7)	John B. Mtzgereld	Cold Creek	Irrig. Stock. Domestic	34 acres by flooding* 90 head (a)	766	Approp.	i	;	Pr1or 1880	Oravity; earth and rock dam with 1.1 miles of earth ditch.	Former owner: White, Irrigated an additional 13 acres jointly with hTM/5W-1301.
47M/44-1891 E (Sheet 7) J	Elsie Elcomingramp J. M. Poster	Bogus Creek	Irrig. Stock.	72 seres by flooding 160 head	1489	Approp.	;	:	Prior 1900	Gravity; concrete dam 7 feet high, 20 feet long with 1.3 miles of earth ditch.	
47X/4W-20P1 J	J. M. Poster	Little Springs Canyon	Irrig. Stock.	5 acres by flooding* 100 head	#55*	Riperien	:	:	Prior 1900	Oravity; 1.0 mile of earth ditch.	Former owners: Malloy, Eostbider, Dawitt, Boulder, Eatcher. Portion of amount diverted supplements 47M/4W- 20Ml for use reported thereunder.

e See remarks. -- Information act available.

-46-

				S. C. al and second		out o	the second second	ciant	Indicated		
number number	Diversion name and/or	Source			Amount				dote of	Osscription of	Remarks
Piote 2 shast number	Owner		Purpose	Extent and method of use	diverted in acre - feet	Туре	Amount	Reference	priotion or first use	diversion system	
					ОН	HORNBROOK		SUBUNIT (Continued)	2		
N D 8 & M											
47N/5W-11J1 (Sheet 7)	John B. Fitzgerald	Bullheed Creek	Irrig.	6 acres by flooding	Not mess.	Approp.	1	1	Prior 1880	Gravity; earth and rock dam with 0.3 mile of earth ditch.	Former ownere: Cheeebrough, White,
TMIT-MS/NL7	Mary Ann Quadros	Bullhead Creek	Irrig.	(a)	None	Approp.	1	1	About	th 0.8	Former owner: Joe Guadroe, Previouely
(Sheet 7)									7767	mile of earth ditch.	irrigated 15 acres.
47N/5W-12N1 (Sheet 7)	John B. Fitzgerald	Bullhead Craek	Irrig.	32 acres by flooding	Not mese.	Approp.	ı	ı	Prior 1880	Gravity; earth and rock dam with 0.7 mile of earth ditch.	Former owners: Chessbrough, White.
47N/5W-13G1 (Sheet 7)	L. F. Smud	Bogue Greek	Irig. Domestic	10 acree by flooding (s)	159	Approp.	1	ı	Prior 1900	Gravity; wood dam with 0.8 mile of earth ditch.	Former owner: C. White. Amount diverted irrigated an additional & acree jointy with \$47N/\$\delta \text{Main} \text
47N/5W-13M1 (Sheet 7)	D. B. O'Brian	Bogue Graek	Irrig.	<b>(e)</b>	None	Hi parian	1	1	Prior 1930	Gravity; concrete, earth and rock dam with 0.3 mile of earth ditch.	13 acres jointly with 47N/4w-18E1.  Former owner: Corminy. In 1958 the 6 acres normally irrigated by this diversion was irrigated by 47N/4w-18E1 and 47N/5w-13G1.
47N/5W-14E1 (Sheet 7)	Jees and Neleon Franklin Mary Ann Guadroe	Bogue Greek	Irrig.	13 acres by flooding	Not meas.	Approp.	1	1	Prior 1885	Gravity; wood dam with 0.7 mile of earth ditch.	Former owner: Lopes.
47N/SW-16D1 (Sheet 7)	California-Oregon Power Company	Bogue Greek	Irrig.	9 acrea by sprinkler	557	Alparian	ı	1	Prior 1958	Gravity; O.5 mile of earth ditch.	Former owners: John Franklin, Black, Bell,
47N/5W-17N1 (Sheet 7)	James Liskey	Klamath Miver	Irrig.	12 acree by sprinkler	OI.	Aperian	1	ı	1950	Pump; 20 hp gas engina with 6-inch pipelins.	Former owner: Charlee Liskoy.
47N/5W-19A1 (Sheet 7)	Leuran Paine	Klamath Hiver	Irrig.	3 acree by flooding	19	Kiparian	ı	ı	1848	Pump; alectric motor with O.2 mile of earth ditch.	Former owners: Dishl, Fred Moore, Manual Correll, Mershey Schollenberg.
47N/5W-19J1 (Sheet 7)	Lauran Paine	Klamath Hiver	lrrig.	22 acree by flooding	92	Riparian	1	11	Prior 1958	Pump; 10 hp motor with 0.6 mile of earth ditch.	1
1					ý						
th Set Year	remarks.										

a See remarks.

Information not aveilable.
For lettered footnotes, see lest page of teble.

TABLE 4 (Continued)

DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN

KLAMATH RIVER HYDROGRAPHIC UNIT

	Remorks		Romer ninere: Taint Movement Resite	Company, Louis Freitas.	r: Dessava. Previously 9 acres.	г: Вого.		re: Greevee, Luke Lange.			Former owners: David Hora, Cordosa. Previously irrigated an additional 5 acres. Irrigated as additional 19 acres jointly with 478/64-21M1.		r: David Horn.	Former owners: Fox, Sanders.		
					Former owner: Deser- irrigated 9 acres.	Former owner:	<u>.</u>	Former owners:	4		Pormer owner Previoual acree. I		Former owner:	Former orne		
	Description of diversion system		Pums 10 hn motor with 85 feet	of 11-inch pipe and 0.3 mils of earth ditch.	Oresity; earth and rock dem with O.4 mile of earth ditch.	Fump; 25 hp motor with 340 feet of 8-inch pipe to small reservoir and 0.3 mile of earth ditch.	Oravity; rock, graval and sand- bag dam 1.5 feet high, 12 feet long with 60 feet of lo-inch pipe and 0.6 mile of earth ditch.	Gravity; 0.8 mile of earth ditch.	Orarity; rock, timber and sheet metal dams fere high, 30 feet long with 50 feet of 24-inch pipe and 0.8 mile of earth ditch.		Gravity; rock and timber dam 3 feet high, 10 feet long with 2.4 miles of earth ditch.		Gravity; timber dam 30 feet long with 0.3 mile of earth ditch.	Oravity; timber and sheet metal dam 2.5 feet high, 12 feet long with My feet of 5-inch pipe to 0.3 mile of vood flume and earth ditch.	-	
indicated date of	oppro- prietien or firet use	(00)	Prior	1958	Prior 1914	Pr1or 1958	Prior 1940	Prior 1958	Pr1or 1958		1869		About 1965	Prior 1924		
right	Reference	SUBUNIT (CONTINUES)	:		1	:	A-11677 <sup>30</sup>	:			1		;	1		
Apporant woter right	Amount	- 1	3 6		1	1	0.008 cfs	1	•		ŀ		:	ŧ	1	
App	Туре	HORNBROOK	Riberian		Approp.	Riperian		<u> </u>	©		Approp.		Approp.	Riperian	·	
	Amount diverted in ocrs-feet	2	13#	à	Rone	ま	Hot meas. Approp.	514	227		1,157		256	%		
Water use in 1958	Extent and method of use		15 acres by flooding	Street, or serve or	<b>*</b>	18 acres by flooding	30 acres by flooding 60 head	26 acres by flooding 30 head	17 acres by flooding 50 head		29 acres by flooding*		14 acres by flooding	6 acres by flooding		
	Purpose		THE STATE OF THE S		Irrig.*	Irrig.	Irrig. Stock.	Irrig. Stock.	Irrig.		Irrig.		Irrig.	Irrig.		
	Source		Cleseth River	TOTAL TIMESTY	Little Bogus Creek	Kleanth River	Eutton Creek	Cottoswood Creek	Cottonwood Creek		Cottonyood Creek		Cottonwood Creek	Ditch Greek		
	Diversion nome ond/or cener		Kenneth Worston	No spor manuar	S. B. Cairns	Lem LeRoy full	Louis Alfonso	L. G. Robertson	Bill Rogers Alfred W. and C. F. Spearin		Ellis Ditch Bill Rogere Alfred W. and C.F. Spearin		C. F. Spearin	Boh Cumine		
Location	number and Plote 2 sheet number		N D B & M	(Sheat 7)	47H/5W-28H1 (Sheet 7)	47M/5W-30D1 (Sheet 7)	471/6V-631 (Sheet 6)	ATM/6W-TEL (Sheet 6)	WTM/6W-17D1 (Sheet 6)	દ	47H/6W-17F1 (Sheet 6)	(£)	47M/6W-17Q1 (Sheet 6)	4711/64-18E1 (Sheet 6)		

\* See remarks. -- Information not available for lettered footnotes, see last page of table.

Locotion				Wofer use in 1958		App	Apparent water right	right	indicated for		
number ond Plote 2 sheet number	Diversion nome ond/or owner	Source	Purpose	Extent and method of use	Amount diverted in ocre-feet	Type	Amount	Reference	oppro- priotion or first use	Description of diversion system	Remarke
					위	RNBROO	K SUBUI	HORNBROOK SUBUNIT (Continued)	(penu		
MOBEM											
47N/6W-19G1 (Sheet 6)	L. G. Rebertson	Ditch Creek	Irrig. Stock.	40 acres by flooding	223	<u> </u>	1	:	Prior 1957	Gravity; log and wheet metal dam 2 feet high, 8 feet long with 0.5 mile of earth ditch.	Former owners: Bill Smith, Greeves, Luke Lange.
47M/6W-18G2 (Sheet 6)	L. G. Rebertson	Ditch Creek.	Irrig. Stock.	11 acree by flooding*	79*	(e)	:	8 6	Prior 1958	Gravity; rock dam with 0.5 mile of earth ditch.	Former owners: Oreeves, Luke Lange. Portion of amount diverted supplemented 47H/64-1FE1 for use listed thereunder. Amount in perenthesee is a 1959 mess-
(f) 47M/6W-19P1 (Sheet 6)	Elmer and Robert Julies	Rancheria Gulch	Irrig.	12 acres by flooding*	167	(c)	:	1	Prior 1908	Gravity; rock and timber dam with 0.6 mile of earth ditch.	Former owners: Strobeck, McCalley, Wagner, Bradley. Previously irrigated an additional 48 acres.
47M/6W-20El (Sheet 6)	Hornbrook Water Company	Rancheria Gulch	Municip	Municip. 250 persons	1460	Арргор.	:	:	1904	Oravity; concrete dam 2 feet high, 12 feet long with 0.3 mile of pipe and earth ditch.	
LTM/6W-2OH1 (Sheet 6)	Black Mountain ** Ranch	Cettonwood Creek	Irrig.	23 acres by flooding	355	Approp.	:	:	About 1850	Grevity; rock and gravel dam 6 feet high, 40 feet long with 1.6 miles of earth ditch.	Former owner: Marshall Horn.
Lyn/6w-2lwl (Sheat 6)	Black Mountain * Ranch Alfred W. Spearin	Cottonwood Creek	Irrig.	21 acree by flooding*	1,147*	(°)	t	ı	Prior 1958	Orwity; rock and gravel dam 6 feet high, 30 feet long with 1.7 miles of earth ditch.	Former owner: Marshall Rorn. Amount diverted eupplements 47M/6W-27Hl for use reported thereunder. Irrigated an additional 19 acres jointly with LTM/6W-17Fl.
47N/6W-25D1 (Sheet 6)	Alfred A. Proteman	Klamath River	Irrig. Btock.	40 acree by flooding 150 head	199	Riperien	:	1	About 1908	Pump; 7.5 hp meter with 0.2 mile of 10-inch pipe and 0.6 mile of earth ditch.	Former owner: Marshall Horn.
47N/6W-25H1 (Sheet 6)	Alfred A. Proteman	Mamath River	Irrig.	26 acres by flooding	46	Riperian	1	1	About 1908	Pump; 7.5 hp motor with 0.2 mile of 8-inch pipe and 0.3 mile of earth ditch.	
LTN/6W-2TEL (Sheet 6)	Black Mountain *	Klamath River	Irrig.	249 acree by flooding*	86*	Riperien	1	:	Prtor 1958	Fump; 25 hp motor with 1.3 miles of earth ditch.	Former owner: Marshall Horn, Amount diverted aupplemented by 478/64-21M1 and -2782.
47N/6W-27H2 (Sheet 6)	Black Mountain * Ranch	Mamath River	Irrig.	<b>②</b>	91.	Riparien	1	;	Prior 1958	Pumps; two 15 hp motors with 1.0 mile of earth ditch.	Former owner: Marshall Rorn. Amount diverted supplemented 47N/64-27H1.
								1			

See remarks.
 Information not available.
 For lettered footnotes, see last page of table.

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

	Remorke			Former owners: Marshall Horn. Portion of amount diverted supplemented 47N/6W-28F1 for use listed thereunder.	Area irrigated received supplemental supply from 4/78/24CL.	Pormer owners: Central Pacific Hailroad Company, William and Laura Lowe.	Former owners: Bill Laird, Weyerhauser Realty Company. Previously irrigated an additional 5 acres.	Previously irrigated an additional pd acres. Amount in parentheses is a 1959 mesaurement. Portion of amount diverted supplements kTN/6W-1TML.	Former owners: Central Pacific Railroad Company, Samuel W. Clary, Charles T. Moore.	Former ownere: Sam Clary, Jese Wilkes.	Supplies community of Hilt.	Former owner: Meginald Parsons. Ownership changed to H. C. Watson in 1959.	Former owners: Marion Cummine, Swartz, Daly, Amount diverted irrigated 13 acres jointly with 47N/7W-12H2.	
	Osecription of diversion system			Gravity; gravel dam with 1.0 mile of earth ditch.	Gravity; earth and concrete dam with 0.2 mile of 12-inch pipe and 0.8 mile of earth ditch.	Rumpe; one 15 hp motor and one tractor powered, with 0.5 mile of earth ditch and pipeline.	Gravity; earth and rock dam with 0.5 mile of earth ditch.	Gravity; rock dam with 5,3 miles of earth ditch.	Gravity; timber dam 1 foot high, 20 feet long with 0.2 mile of earth ditch.	Gravity, timber dam 1,5 feet high, 25 feet long with 0,3 mile of earth ditch.	Gravity; timber dam 8 feet high, 45 feet long with approximately 4.0 miles of 4- and 6- inch pipe,	Gravity; log dam 3 feet high, 15 feet long with 1.5 miles of earth ditch and wood flume.	Gravity; rock and gravel dam with 0.4 mile of earth ditch.	1
Indicated date of	appro- priotion or first use	୍ଥି -	:	About 1850	Prior 1958	About 1890	Prior 1887	About 1867	Prior 1901	Prior 1918	1161	Prlor 1923	1909	
right	Rafarence	HORNBROOK SUBUNIT (Continued)		1	1	1	1	1	1	1	1	1	A-3697 <sup>b</sup>	
Apporent woter right	Amount	K SUBUNI		1	1	1	1	1	1	1	1	t	0.50 cfs	
App	Туре	RNBROO		(စ)	©	Riperlan	Alparian	Approp.	Miperian	<u> </u>	(e)	Riperian	Арргор.	
	Amount diverted in ocre-feet	위	*	229	<b>-</b>	155	53	1,349*	136	727	Not meas.	Not meas.	*25	
Water use in 1958	Extent and method of use		:	26 acres by flooding*	56 acres by flooding 15 head	22 scree by flooding and sprinkler	14 acres by flooding*75 head	268 acres by flooding*	11 acres by flooding 40 head	31 acres by flooding 100 head	*	47 acres by flooding	(*)	
	Purpose			Irri g.	Irrig. Stock.	Irrig.	Irrig. Stock.	Irrig.	Irrig. Stock.	Irrig. Stock.	Municip.	Irrig.	Irrig.	
	Source			Cottonwood Greek	Rocky Gulch	Klamath River	Willow Greek	Cottonwood Grack	Cottonwood Creek	Cottonwood Creek	Bogard Gulch	West Fork Cotton- wood Creek	Moore Gulch	ı
	Oiversion nome and/or owner		,	Black Mountain* Ranch	Fred Draggoo	George E. Callisch	Louie Freitae	Cottonwood Irrigetion and Mining Company	John Sylva	Herman Kurt	Fruit Growers Supply Company	Walter Wreden	S. D. Haworth	
Location	number ond Plate 2 sheet number		MDB&M	47N/6W-28Cl (Sheet 6) (f)	47N/6W-29E1 (Sheet 6)	47N/6W-33Dl (Sheet 6)	47N/6W-36A1 (Shaet 6)	47N/7W-1F1 (Sheet 6)	47N/7W-1F2 (Sheet 6)	(Sheet 6)	47N/7W-4Hl (Sheet 6)	47N/7W-5G1 (Sheet 6)	47N/7W-12H1 (Sheet 6)	

+ See remarks.
-- Information not available.
For lettered footnotes, see last page of table.

-50-

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

	Remorks		Former owners: Marien Cummine, Swarts, Daly, Amount diverted irrigated 13 acree jointly with 47M/7M-12H1.	Former ownere: Bray, Carl Cummine, Cunnane, Previously Irrigated an additional Al acres. Portlon of amount diversed supplemented 47M/64-29E1.		Former owners: Manuel and Mary Growell,	Former owners: Manuel and Mary Grovell, Elvee and Gileon.	Former owners: Rufus Cole, William J. Bray, E. W. Sawyer.	Former owner: Billue Cole. Area irrigated received supplemental supply from 48N/7W-15DL.	Former owners: Rufue Cole, Smith, E. W. Sawyer. Portion of amount diverted supplemented MSW/TW-15Co.	Former owners: Rufus Cols, Smith, E. W. Sawyer.	Amount diverted supplemented 47N/7M-4ML. Supplies community of Hilt.	Former owner: Reginald Parsons,
	Description of diversion system		Gravity; rock and gravel dam with 0.2 mile of earth ditch.	Gravity; rock dam with 4.2 miles of earth ditch.	Gravity; 1.5 miles of earth ditch.	Gravity; rock and gravel dam with 0.5 mile of earth ditch.	Gravity; rock and gravel dam with 1.4 miles of earth ditth.	Gravity; earth dam with 0.2 mile of earth ditch.	Gravity; earth dam with 1,2 milee of earth ditch.	Gravity; earth and rock dam with 0.5 mile of earth ditch.	Gravity; earth and rock dem with 1.7 milee of earth ditch.	Gravity; timber dam 10 feet high, 35 feet long with approximately 1.6 miles of 10-inch pipe.	Gravity; rock dem with 1.0 mile of earth ditch.
Indicated	oppra- priotion or first use		1909	Prior 1914	About 1889	About 1872	About 1872	About 1861	1862	Prior 1890	Prior 1890	1911	Prior 1955
right	Reference	HORNBROOK SUBUNIT (Continued	A-3697 <sup>b</sup>	1	1	1	1	ı	i	1	1	1	ı
Apparent water right	Amount	SUBUNIT	0.50 cfs	ı	ı	1	ł	1	1	ı	1	1	ı
App	Туре	0088	Approp.	Approp.	Riperian	Riperian	Riperien	Riperian	(9)	Riparian	Riperian	(6)	(°)
	Amount diverted in ocre-feet	, d	32*	* 828	719	166	191	388	829	315	30%	Not meae.	738
Water use in 1958	Extent and method of use		â	103 ecree by flooding 200 head	27 acres by flooding	ll acres by flooding	40 acree by flooding 150 heed	47 acres by flooding 250 head	67 acres by flooding*	10 acree by flooding*	15 acree by flooding 100 head	Lumber mill (*)	36 acres by flooding 40 head
	Purpose		Irrig.	Irrig. Stock.	Irrig.	Irrig.	Irrig. Stock.	Irrig. Stock.	Irrig.	Irrig.	Irrig. Stock.	Indust. Municip.	Irrig. Stock.
	Source		Moore Gulch	Ditch Greek	Camp Creek	Hutton Creek	Hutton Creek	Whisksy Creek	Cottonwood Greek	Spaulding Greek	Speulding Greek	Hunte Creek	West Fork Cotton- wood Creek
	Diversion nome ond/or owner	h.	S. D. Haworth	Fred Draggoo Allen Jespersen	Doen Madero	Lewrence Lemos	Lawrence Lemos	P. L. Burne	P. L. Surne	F. L. Surne	F. L. Burne	Fruit Growers Supply Company	Walter Wreden
Locotion	number ond Plote 2 sheet number		M D B & M 47N/7W-12H2 (Sheet 6)	47N/7M-24CI (Sheet 6)	48N/5W-21N1 (Sheet 4)	48N/6W-31Rl (Sheet 3)	48N/6W-32M1 (Sheet 3)	48N/7W-15C1 (Sheet 3)	48N/7W-15C2 (Sheet 3)	48N/7W-15D1 (Sheet 3)	48N/7W-21C1 (Sheet 3) (f)	48N/7W-28El (Sheet 3)	48N/7W-34F1 (Sheet 3)

\* See remarks, -- Information not svallable. For lettered footnotee, see last page of table.

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

				n 4		* - 3							7	
1	Remarks	~		Former owners: William Burrill, Martha Cooper. Normally irrigates to acrea Jointly with 100/Ap-375, but only 4 acres received irrigation in 1958.		Former owners: "illiam burrill, Marths Cooper, Normally irrigates 46 seres jointly with 10M/45-22Cl, but only 34 acres received irrigation in 1958,	Former owner: Mobinet Wood Products.		Former owners: Mussell, deed.				Former owners: Arthur Johnson, L. H. Thomas,	Forser owner: Butler.
	Osscription of diversion system			Gravity; rock dam with 0.6 mile of earth ditch.	Gravity; 10-inch pipe in waterfall with 0.4 mile of earth ditch and 8-inch pipe.	Gravity; rock dam with 0.3 mile of earth ditch and 8- and 6-inch pipe.	Pump; electric motor with short 8-inch pipe.	Gravity; concrets dam with 400 feet of pipe to storage tanks.	Pump; 5 hp motor with 50 feet of 6-inch pipe.	Pumpe; 30 hp motor and 2-20 hp motors with 2.3 miles of 3- and 2-inch pipe,		Gravity; log dam 6 feet high, 25 feet long with 0,6 mile of earth ditch, 300 feet of wood flume and 140 feet of ll-thoh ploe.	Gravity; wood dam 3 feet high, 40 feet long with 0.5 mile of sarth ditch and 300 feet of 11-inch pipe.	Gravity; log dam 3 feet high, 30 feet long with 600 feet of wood flums and 0.3 mils of earth ditch.
Indicated date of	oppro- priotion or first use			Prior 1850	Prior 1900	About 1850	1955	7661	Prior 1952	1950	-	Prior 1900	1917	About 1860
right	Reference		SUBUNIT	1	1	1	١	1	A-6456 <sup>b</sup>	A-13842 <sup>b</sup>	TINOBO	1	A-5257 A-8148b	1
Apporent water right	Amount		KLAMATH GLEN	1	1	1	1	I	0.14 cfs	0.0178 cfs A-13842 <sup>b</sup>	SALMON RIVER SUBUNIT	1	0.62 cfs 2.00 cfs	ı
Ap	Type		KLAMA	<u> </u>	<u> </u>	Approp.	<u> </u>	(e)	Approp.	Approp.	SALMO	Approp.	Approp.	Approp.
	Amount diverted in ocrs - feet			280	787	576*	212	Not mees.	Not meas.	16		717	1,241	77.7
Water use in 1958	Extent and method of use			*	5 km.	5 kv.	Lumber mill	6 connections	6 acres by flooding	120 persons		5 acres by flooding 3 kw.	10 acrss by flooding 2 kw.	(a) fores by flooding
	Purpose			Irrig.	Power	Irrig. Power	Indust.	Domestie	Irrig.	Domestic		lrrig. Powsr	Irrig. Power	Irrig. Domestic
	Source			Burrill Greek	Springs tributary to Burrill Greek	Burrill Greek	Klamath River	Tributary to Pacific Ocean	Branch Creek	High Prairie Creek		Crapo Greek	Hammel Creek	Butler Greek
	Oversion nome and/or owner			William Bow	Sam Jones	Homer Cooper	Simonson Lumber Company	Roy Thompson	R. L. Chaffsy	United States Air Force		Homer N. Bennett	Leo and Rose L. Brown	Iyan Charles John Martin
Location	number and Plats 2 shest number			10N/4E-32C1 (Sheet 29)	10N/4E-32El (Sheet 29)	10N/45-32F1 (Sheet 29)	13N/1E-15D1 (Shest 20)	LAN/IE-20KI (Sheet 17)	14N/1E-28N1 (Sheet 17)	14N/1E-33R1 (Sheet 17)		10N/75-2C1 (Sheet 30)	10N/7E-4P1 (Sheet 30)	(Sheet 27)

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

Locotion				Water use in 1958		App	Apporent water right	right	Indicated		
number ond Plote 2 sheet number	Diversion name and/or owner	Source	Purpose	Extent and method of use	Amount diverted in ocre-feet	Type	Amount	Reference	appro- priotion or first use	Description of diversion system	Remarks
					SALMO	N N N	SUBUNI	SALMON RIVER SUBUNIT (Continued)	F		
H B & M									1		
11N/7E-35P1 (Sheet 27)	Aubrey Y. Cripps	Crapo Craek	Mining	Placer	1,774	Approp.	14.7 cfs	A-9054	Prior 1900	Gravity; log dam lo feet high, 30 feet long with 0.6 mile of sarth ditch, 1,000 feet of wood flume and 250 feet of 15-inch pipe.	Pormer owneres John Bennstt, P. M. Snider, Andrew Green.
		200				SAWYE	SAWYERS BAR SUBUNIT	SUBUNIT			
M D B & M 39N/11W-2B1 (Sheet 31)	P. H. Buchella Frank J. Hartnett	Whitee Gulch	Mining	Flacar	3,652	Approp.	1	ı	Prior 1900	Gravity; log dam 15 feet high, 50 feet long with 1.3 miles	Former owners: Sam Finley, Meyere and Holehour.
194-WII/N6E	Gene Thomain	Live Yankee Creek	Mining	•	•	Approp.	1	1	Prior	of earth ditch and wood flume. Gravity; short earth ditch.	Former owner: C. P. Thomain, Amount
186-MII/N68	Gene Thomain	East Fork Eddy	Mining	Flacer	4,113*	Approp.	1	ı	Prior	Gravity; rock and log dam with	. diverted and extent of use reported under 39N/llW-981, Pormer owner: C. F. Thomain. Amount
(Shest 31)		Gulch		ll li					1900	0.1 mile of earth ditch and 950 feet of 15- and 12- inch pipe.	diverted includes all water from 39N/llW-4QL.
(Sheet 28)	Doug Eastlick	North Fork Salmon River	Indust. Domestic	Lumber mill * 6 connections	700	Approp.	1	ı	About 1900	Greatity; log dam 10 feet high, 50 feet long with 600 feet of 20-inch pipe and 0.5 mile of earth ditch.	Pormer owners: Finley, John NeFromi. Supplies forest service camp.
40N/llW-28Pl (Sheet 28)	Community of Sawyere Bar	North Fork Salmon River	Municip.	40 connections	1,795	Approp.	1	1	Prior 1900	Grevity; log dam 6 feet high, 100 feet long with 1.0 mils of earth ditch.	Former owner: Latricia Golden, Chris Berry, George Black.
(Sheet 28)	United States Klamath National Forest	Jessups Gulch	Power	2.5 km. (a)	239	Approp.	0.317 cfe	A-11123	1937	Gravity; concrete dam 10 feet high, 15 feet long with 0.9 mile of earth ditch.	
(Sheet 28)	Patricia Judge	Eddy Greek	Mining	Placer	675	Approp.	3.0 cfe	A-4053b A-5816b	About 1880	Gravity; log dem 8 feet high, 27 feet long with 1.0 mile of earth ditch.	Former owner: Jos Finley.
40N/12W-13L1 (Shest 28)	John Ahlgren	Little North Fork	Irrig. Stock.	9 acres by flooding	201	Riperian	1	ı	About 1890	Gravity; rock dam with 0.2 mile of earth ditch.	1
40N/12W-28F1 (Sheet 28)	William D. Sagaser	Oleen Greek	Mining Power	Placer 1 kw.	2,570	Approp.	25 cfs	A-9659 <sup>b</sup>	About 1880	Gravity; O.5 mile of earth ditch to a regulatory reservoir.	Pormer owner: Martin Oleen.
(Shest 28)	Richard T. Bendl	Big Creek	Power Mining	5 kw, (*)	319	Approp.	3 cfs	A-11476 <sup>b</sup>	1935	Gravity; rock dam with 0.3 mile of earth ditch and 8- inch pipe.	Previously supplied a placer mine.

See remarks.
 Information not eveilable.
 For lettered footnotes, see last page of table.

TABLE 4 (Continued)

DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN

KLAMATH RIVER HYDROGRAPHIC UNIT

	Remorks			Former owner: Elinor S. Gillespie.	Former owners: McCarthy, Kelle.	Former owners: Thompson, Kleever.		Former owner: Kelasy Creek Improvement Association.	Former owner: Livesey.	Former owners: Le Duc, Lighthill, Litchfield.	Former ownsre: Aeynolds Estate, Neebett Association.		
	Description of diversion system			Gravity; rock and timber dam with 0.6 mile of earth ditch and pipe.	Pump; 3 hp motor with 240 feat of 3-inch pipe.	Gravity; rock dam 1.5 feet high, 40 feet long with 0.6 mils of sarth ditch.	Gravity; rock and log dam with 1.1 miles of earth ditch and 6-inch pipe.	Gravity; earth, gravel and log dam with 1.0 mile of earth ditch.	Gravity; rock dam with 0.1 mile of 8-inch pipe.	Gravity; rock dam with 0.6 mile of earth ditch.	Gravity; rock dam with 0.3 mils of earth ditch.	Grevity; rock dam with 0.4 mils of earth ditch.	
Indicated	appra- pristion or first use			Prior 1958	1952	1878	About 1940	1936	About 1935	About 1870	About 1867	Prior 1890	
right	Reference	BUNIT		1	I	1 .	1	A-1206\$	A-8219 <sup>b</sup>	ı	ı	ı	
Apporent water right	Amount	BAR SUBUNIT		I	1	I	I	1.2 cfs	2.0 cfs	1	1	1	
App	Туре	SCOTT		Riperian	Kiperian	Riperian	<u> </u>	Approp.	Approp.	Riparian	Approp.	Approp.	
	Amount diverted in scre-fest			Not meas.	Not mess.	Not meas.	Not meas.	Not meas.	Not meas.	75.7	909	Not meas. Approp.	
Water uss in 1958	Extent and method of use			13 acree by sprinkler Not meas.	7 acres by sprinkler	13 acres by flooding (s) 15 kw. 18 head	8 acres by flooding 10 connections About 7.5 kw.	20 commections 30 km.	35 km.	6 acres by flooding (a)	18 acres by flooding 40 persons	6 ecres by flooding Ore mill	
	Purpose			Irrig.	Irrig.	Irrig. Domestic Power Stock.	Irrig. Domestic Power	Domestic Power	Power	Irrig. Domestic	Irrig. Domestic	Irrig. Mining	
	Source			McCarthy Gresk	Scott River	Tompkine Creek	Middle Creek	Kelsey Creek	Boulder Creek	Mill Greek	Bill Berry Gulch	Mill Graek	
	Oiversion nome and/or owner			William Faulknsr	Mrs. George Reeves	R. S. Smith	Gus Klsaver	United States Klamath National Forest	Brasil and Zella Price	Harry Krupa B. U. Nowdeshe George Skillens	Scott Bar Community Water Association	Scott Bar Mining Company Joseph Pournisr	
Lecotion	number and Plote 2 sheet number		N O B & M	(Sheet 16)	(Sheet 16)	(Shest 16)	(Sheet 16)	(Sheet 16)	(Sheet 16)	45N/10W-15R1 (Sheet 13)	45N/10W-21E1 (Shset 13)	45N/10M-2201 (Sheet 13)	

See remarks.
 Information not evailable.
For lettered footnotes, see lest page of table.

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

										-			
	Rsmorks			Pormer owner: Coeney.	Former owner: Coeney.	Former owners: Ike Gearheart, Jack O'Neil, Gillstrom,	Former owners: Ike Gearheart, Jack O'Well, Gillekrom.	Former owners: Ike Gearheart, Jack O'Neil, Gilletrom.	Pormer owners: Nathan L. Horgan, W. D. Morgan,	Former owners: W. Lichen, James Hainey, Charles Mainey.	Former owner: Goanay.	Former owners: Conrad Lichen, Lichen Bros., Frank Coffin, John Sylve, Larsen and Harmee Dredging Company, Charles W. Halmay.	Former owners: HcCain and Pickene, Conred Litchen, Litchen Broe., Frank Coffin, Laroon and Harmee Dredging Company, Charlee W. dainey.
	Description of diversion system			Gravity; rock dam with 0.6 mile of earth ditch.	Grevity; rock and timber dam with 0.5 mile of earth ditch.	Gravity; rock dam with 0.5 mile of earth ditch.	Gravity; rock and timber dam with 0.6 mile of earth ditch,	Gravity; rock dam with 0.5 mile of earth ditch.	Gravity; O,6 mile of earth ditch.	Gravity; rock dam with 0.9 mile of earth ditch,	Gravity; log dam with 0.3 mile of earth ditch.	Gravity; earth and rock dam with 0.2 mile of earth ditch.	Gravity; earth and rook dam with 0.6 miles of earth ditch.
Indicated date of	oppro- priation or first use			Prior 1880	Prior 1880	Prior 1900	Prier 1900	Prior 1900	About 1860	Prior 1890	Prior 1880	Prior 1890	Prior 1890
right	Reference	Finitalia	NO CO	t	ı	ŧ	ı	ŧ	1	t	I	1	1
Apparent water right	Amount	2 1 1 2 1		1	I	-	1	1	1	1	1	1	1
Арр	Туре	1 0 0 0 0 0		Riperian	Riperien	Riperian	Riperian	Miperian	Riperian	Riperien	Kiparian	Approp.	Арргор.
	Amount diverted in ocre-feat			712	286	169	776	305	361	765	777	153	575
Woter use in 1958	Extent and method of use			7 acres by flooding —	ll acree by flooding	7 acres by flooding	18 acree by flooding	28 acres by flooding	19 acres by flooding	45 acres by flooding	7 acres by flooding	11 acres by flooding 75 head	59 acree by flooding
	Purpose			Irrig. Stock.	Irrig.	Irrig.	Irrig.	Irrig.	Irrig.	Irrig.	Irrig.	Irrig. Stock,	Irrig.
	Source			Buckhorn Creek	Buckhorn Greek	Middle Graek	Niddle Creek	Middle Creak	Horse Creek	Horse Creek	Buckhorn Creek	Buckhoro Creek	Buckhorn Greek
	Diversion name and/or owner			V. B. Ward	V. B. Ward	Asa Robinson	Asa Hobinson	Asa Nobinson	A. A. Morgan	Fred Mainey	V. B. Ward	C. Robert Rainey	C, Robert Rainey
Location	number and Plate 2 sheet number		H D B & N	46N/10W-3M1 (Sheet 9)	46N/10W-3N1 (Sheet 9)	46N/10W-5F1 (Sheat 9)	46N/10M-5F2 (Sheet 9)	46N/10M-501 (Sheet 9)	(Sheet 9)	46N/10W-8J1 (Sheet 9)	46N/10W-9J1 (Sheet 9)	46N/10W-9R1 (Sheet 9)	46N/10M-9R2 (Sheet 9)

s See remarks.
Information not available,
For lattered footnotes, see lest page of table,

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion name								dote of		
	Source	Purpose	Extent and method of use	Amount diverted in ocre-feet	Type	Amount	Reference	oppro- priotion or first use	Description of diversion system	Remorke
				SEJA	D VALL	EY SUBUN	SEJAD VALLEY SUBUNIT (Continued)	(pa)		
Chester B. Barton Klamath Myer		Irrig.	*	None	Riperian	ı	I	1956	Pump; gasoline engine with 240 feet of 3-inch pipe.	Previously irrigated 14 ecres. Area was dry farmed in 1958.
Spring t Buckho	Spring tributary to Inc Buckhorn Creek	Indust.	Lumber mill	2,202	(e)	ı	ı	Prior 1958	Gravity; 0,3 mile of earth ditch.	
John N. Pickene Everill Greek		Irrig.	8 acree by flooding	12,	Riperlan	ı	1	Prior 1958	Gravity; 0.4 mile of earth ditch.	Former owners: John T. Everill, Alchard Everill.
W. Mobinson, Jr.   Seiad Creek		Irrig. Stock.	9 acree by flooding 20 head	439	Adjud.	0.30 cfs	(q)	Prior 1947	Gravity; rock and log dam with 0.4 mile of earth ditch.	Former owners: Chase, W. W. Mobineon, Sr.
Seiad Greek		Irrig. Stock.	20 ecree by flooding 65 head	24,2	Adjud.	0.06 cfe	(q)	Prior 1870	Gravity; rock and log dam with 0.8 mile of earth ditch.	
Stanley P. Schwarts Canyon Greek		Irrig. Stock.	17 acree by flooding 65 head	76	Act jud.	0.50 cfe	(P)	Prior 1900	Gravity; rock dam with 0.8 mile of earth ditch.	Former owners: 8. Mainey, Shadburne, Previouely irrigated an additional 6 acres.
Stanley P. Schwartz   Seiad Greek		Irrig. Stock. Mining	12 scree by flooding 65 head Placer	388	Adjud.	1.20 cfe	(P)	Prior 1900	Gravity; rock dam with 0.2 mile of earth ditch.	Former owner: 8. Mainey.
Stanley P. Schwarts Darkey Greek W. O. Simning		Irrig.	15 acree by flooding	16	Adjud.	1.20 cfe	(q)	Prior 1880	Gravity; earth and rock dam with 0.1 mile of earth ditch.	Former owner: Fallips. Area irrigated received eupliemental euplig from 46N/11M-7D2 until 1955.
Stanley P. Schwartz Selad Greek W. O. Simning		Irrig.	*)	None	Adjud	1.20 cfe	(q)	Prior 1880	Gravity; earth and rock dam l foot high, 8 feet long with 0.6 mile of earth ditch and wood flume.	Former owner: Phillips, Supplemented 46N/llW-7D1 until 1955 when diversion was washed out by flood waters.
Walker Creek		Irrig. Domestie	3 acree by flooding (a)	341	Approp.	0.67 cfe	A-7377 <sup>b</sup>	Prior 1890	Gravity, concrete and rock dam with 1.0 mile of earth ditch.	Previously irrigated an additional 10 acres.

\* See remarke.
Information not evailable.
For lettered footnotes, see lest page of table.

TABLE 4 (Continued)
OESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

Exist and mathad diverted of uss ocra-feet	
SEIAD VALLEY	SEIA
11 acree by flooding 374 (a)	acree by flooding
9 acres by flooding 529	
6 acree by flooding 145	acree by flooding
27 acree by flooding 480 Adjud.	acree by flooding 480 head
25 acree by flooding 898 Adjud.	acree by flooding 898 head
(*) 194 Hiparian	194
(*) 632 Approp.	632
26 acres by flooding 1,906 Approp.  Lumber mill 80 head	1,906
89 acree by flooding 323 Approp. and enrinkler 10 heed Placer	prinkler 323
(*) None Approp.	None

\* See remarks. Information not swellable. For lettered footnotes, see lest page of table.

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

Locotion				Woter use in 1958		App	Apparent water right	right	Indicated date of		
number and Plote 2 sheet number	Diversion nome ond/or owner	Source	Purpose	Extent and mathod of use	Amount diverted In ocre-feet	Туре	Amount	Reference	oppro- priotion or first use	Description of diversion system	Remorks
20 20 20 20 20 20 20 20 20 20 20 20 20 2						SOMES	SOMES BAR SI	SUBUNIT			
12N/6E-10F1 (8)	P. P. Dietz	Springs tributary to Klamath River	Domestic	(a) 1,2 km.	37	<u> </u>	1	I	1930	Gravity; rock dam with 0.1 mile of earth ditch and 1,000 feet of 6-, and 2-inch pipe.	Former owner: Jack Forman.
12N/6E_28M1 (Sheet 24)	Luther Hickox	Teneyck Greek	Mining Power	Placer 5.5 kw.	586	Approp.	1	}	Prior 1914	Gravity; rock dam and wood headworks with 900 feet of 18-inch pipe,	Former owners: Ward, Teneyck, Hall. Received supplies that 12%/62-28N1 and an unnamed stream which enters above sluice box.
12N/6E-28N1 (Sheet 24)	Luther Hickox	Natuket Creek	Mining	•	3,336	<u> </u>	1	1	1958	Gravity; rock dam with 0,2 mile of earth ditch.	Amount diverted supplemented 12N/6E-28M1.
12N/6E-34J1 (Sheet 24)	Meliesa Langford	Merrill Greek	Power	5 kv. (a)	257	Approp.	1	ı	About 1850	Gravity; log dam 6 feet high, 30 feet long with 1.7 miles of earth ditch.	Former owner: Andy Merrill.
13N/6E-5H1 (Sheet 21)	J. B. Ephraim	Tributary to Kennedy Creek	Power	3 kv.	7777	Kiparian	ı	ı	1950	Gravity; short wood flume to 450 feet of 6-inch pipe.	Former owner: James.
13N/6E-33G1 (Sheet 21)	L. H. Hayes	Stanchaw Creek	Irrig. Domestic Stock. Power	19 acree by flooding 5 connections 20 head 6 kw.	362	Riparian	I	I	About 1800	Gravity; rock and earth dam with D.7 mile of earth ditch.	Former owner: McMertree.
13H/6E-33M1 (Sheet 21)	Stenehaw Mines	Stanshaw Grook	Power Domestic	(e)	077	Approp.	1	ı	About 1890	Grevity; board dam 2 feet high, 8 feet long with 120 feet of 12-and 5-inch pipe.	Former owners: Stanshaw Mining Company, Fontana,
15N/7E-13B1 (Sheet 15)	W. E. Lemon	Malone Greek	Power	. 5 km.	*692	Riparian	1	ı	1952	Gravity; rock and earth dam with 0.5 mile of earth ditch and 250 feet of 5-inch pipe.	Amount diverted supplemented 15N/75-13G1.
15N/7E-13G1 (Shoet 15)	W. E. Lemon	Elk Greek	Irrig.	21 acres by flooding	304	Riparian	1	ı	About 1906	Gravity; 0.4 mile of earth ditch.	Former owner: Malone, Area irrigated received supplarental supply from 15N/7E-13B1.
15N/8E-29K1 (Sheet 15)	Rose Y. Kennedy	Stanza Greek	Irrig. Domestic	7 acres by flooding (a)	004	Approp.	ţ	1	1876	Gravity; earth and rock dam I foot high, 8 feet long with 0.2 mile of earth ditch.	Former owners: Fields, Dave Custer.
		1									

See remarks.
Information not seeilable.

-58-

TABLE 4 (Continued)
DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

Location				Water use in 1958		App	Apparent water right	right	Indicated date of		
number ond Plate 2 eheet number	Diversion name and/ar awner	Source	Purpose	Extent and method of use	Amount diverted in acre-feet	Туре	Amount	Reference	oppro- priation or first use	Description of diversion system	Remorks
		3			SON	SOMES BAR	SUBUNIT	(Continued)	<b>a</b>		
H 8 & M 16N/7E-9F1 (Sheet 12)	Hugh Wright	Little Grider Greek	Irrig. Stock Mining	57 acres by flooding and sprinkler* 80 head (*)	Not meas.	Approp.	1	\$	1875	Gravity; concrete dam 10 fest high, 40 feet long with 1.4 miles of sarth ditch.	Former owners: Grider, Davis. Ares irrigated received supplemental supply from 16M/7E-15F1 and 16M/7E-16H1. Previously supplied a placer mins.
16N/7E-14M1 (Shest 12)	Happy Camp Improvement, Inc.	Elk Creek	Municip.	800 persons	599	Apprep.	1 ofs 2 ofs 1 ofs	A-8139 <sup>b</sup> A-10427 <sup>b</sup> A-12932 <sup>b</sup>	1956	Pumps; two 20 hp motors with 1.5 miles of 6- and 10-inch pipe.	
16N/7E-14N1 (Sheet 12)	Dorothy Hill	Elk Cresk	Irrig.	*	Nons	Approp.	1	I	Prior 1900	Gravity; log dam with 0.6 mils of sarth ditch.	Former owners: Effman, High, McKee Co., Glen Hill. Irrigated 15 acres until 1955.
16N/7E-15F1 (Sheet 12)	Hugh Wright	Springs tributary to Klamath River	Irrig. Stock.	<b>€</b>	Not meas.	Approp.	0.15 cfs	A-9102b	About 1875	Gravity; concrete dam 20 feet high, 20 feet long with 0.2 mlle of 4-inch pipe and earth ditch.	Former owners: Grider, Davis, Disssen. Amount diverted supplemented 16N/7E-9Pl.
16N/7E-16H1 (Sheet 12)	Hugh Wright	Springs tributary to Klamath Miver	Irrig. Domestic (a)	(*)	Not meas.	Approp.	0.13 cfs	4-9096b	About 1875	Gravity; 0.1 mile of earth ditch.	Former owners: Grider, Davis, Disssen. Amount diverted supplemented 16N/7E-9PL
16N/8E-32B1 (Sheet 12)	L. R. Smith	East Fork	Domestic Mining Power	(a) Placer 1 kw.	1,275	Approp.	ı	1	About 1900	Gravity; 0.4 mile of earth ditch.	Former owners: Walch, Burke.
						WEITCHPEC		SUBUNIT			
11N/5E-25J1 (Sheet 27)	Orlsans Venser and Lumber Company	Sime Gulch	Domestic	Domestic 63 connections	Not meas.	<u> </u>	1	1	1955	Gravity; concrete dam 2 feet high, 20 feet long with 0.5 mile of 2-inch pipe.	The State of the S
11N/6E-20F1 (Sheet 27)	Lerry Knudsen	Wilson Cresk	Irrig. Stock.	by flooding	Not meas.	Riparian	1	I		Grewity; rock dam with 0.2 mile of wood flume.	Former ownere: Hanns Lawsen, Hanns Knudsen, Walter Knudsen.
11M/6E-20J1 (Sheet 27)	Agnes Borsz	Springe tributary to Whitmore Croek	Power	0.8 kw.	8	Riparian	1	1	Prior 1947	Oravity; 0.2 mile of wood flume, penstock and 6-inch pipe.	Former owner: Bill Adams.
11M/6E-21E1 (Sheet 27)	United States Six Rivers Retional Forest	Whitmore Greek	Power	10 kv.	345	Approp.	0.8 cfs	A-11692 <sup>b</sup>	1946	Gravity; O.2 mile of wood flume, penstock and 6-inch pipe	Former owners: Edward Laughlin, Antone Shoenhauffer, Wallace, Williams.
11N/62-31M1 (Sheet 27)	Orleans Venser and Lumber Company	Mamath River	Indust.	Lumber mill	3,530	(c)	:	1	1955	Pumps; two diesel engines with 0.3 mile of 14-inch pipe.	

\* See remarks. Information not available, For lettered fortnotes, see last page of table.

DESCRIPTIONS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT TABLE 4 (Continued)

	Remarks		ormer owners: John A. Fearsh, P. L. Young. Amount diverted includes all water from 11X/6E-32A2.	Former owners: John A. Pearch, P. L. Young. Amount diverted and extent of use reported under 11N/6E-32Al.					y 47M/4W-18B2,	у 47и/44-18ве.	y 47H/4W-20Pl.	Spearin, Supplemented E2 and -1802.	Former owner: Spearin, Supplemented ATM/6M-17E1 for use listed thereunder	Spearin. Supplemented	remer owner: Spearin, Previously irrigated an additional 12 acres.	mented by 47M/6W-28Cl.	Reginald Parson.
			, pr	Former owners: Young. Amou					Supplemented by 47M/4W-18B2.	Supplemented by 47M/44-18B2.	Supplemented by 47%/4W-20Pl.	Former Openin Spearin, Su by 47H/6W-17E2 and -18D2.	Former owner: ATM/6W-1TEL	Former owner: 8	Former owner: irrigated an	Former owner:	Former owner:
	Description of diversion system		Gravity; rock dam 2 feet high, 3 feet long with h,280 feet of vood flume and 8-inch pipe	Oravity; rock dam with wood	Oravity; concrete dam 4 feet high, 30 feet long with 100 feet of 2-inch pipe.				Gravity; concrete dem 6 feet high, 14 feet long with 0.6 miles of earth ditch.	Gravity; concrete dam 4 feet high, 14 feet long with 0,4 miles of earth ditch.	Gravity; wood dam 2 feet high, 20 feet long with 1.5 miles of earth ditch.	Oravity; earthdam & feet high, 20 feet long with 0.1 mile of earth ditch.	Oravity; direct diversion to a short earth ditch.	Gravity; earth dam 3 feet high, 15 feet long with 0.2 mile of earth ditch.	Gravity; 0.3 mile of earth ditch.	Grevity; O.7 mile earth ditch.	Gravity; 0.5 mile of earth
Indicated date of	oppro- priction or first use	(pen)	1899	1899	1950			SUBUNIT	1890	1890	1890	1864	1864	ebout 1864	1864	1	1864
right	Reference	SUBUNIT (Continued)	1	:	A-13942b	SUBUNIT	eubunit)	HORNBROOK	1	1	;	:	ı	1	:	:	1
Apparent water right	Amount		1	ŀ	0.019 cfs 0.006 cfs	CREEK SL	(No divertions located in this aubunit)	2	:	:	:	1	+	1	1	1	1
App	Туре	WEITCHPEC	Riperien	Riparian	Approp.	WOOLEY C	tons locat	ADDENDUM	Riperian	Riperien	Riperten	Riparian	Riparian	Riperian	Riperian	Riparian	Riperian
	Amount diverted in ocre-feet	₩ WB	1,224*	3	Not Meas.	¥	(No diver	. ₽I	Not Meas. Riparian	Not Meas.	Not Meas.	Not Meas.	Not Meas.	Not Meas.	Not Meas.	Rot Meas.	Not Mess.
Woter use in 1958	Extent and method of use		Domestic 20 persons Fower 75 kv.	€;	•				69 acres by flooding*	23 acres by flooding*	23 acres by flooding*	17 acres by flooding*	4	13 acres by flooding*	33 acres.	31 acres by flooding*	7 acres by flooding
	Purpose		Dome & tic Power	Domestic Power	Domestic				Irrig.	Irrig.	Irrig. Stock	Irrig.	Irrig.	Irrig.	Irrig.	Irrig.	Irrig.
	Source		Perch Creek	Tributary to Ferch Creek	Spring tributary to Perch Creek				Bogus Creek	Bogus Creek	Bogue Creek	Ditch Creek	Ditch Creek	Buffalo Creek	Tributary to Cottonwood Creek	Cottonwood Creek	Cottonwood Creek
	Diversion nome and/or owner		Roy McGain	Roy McGain	United States Six Rivers National Forest				J. M. Foster	J. M. Foster	J. M. Foster	G. M. Grieb	G. M. Grieb	G. M. Grieb	G. M. Grieb	Black Mountain Ranch	Homer C. Watson
Locotion	number and Plote 2 sheet number		11M/6E-32A1 F	11N/6E-32A2   F	11N/6E-32B1 (Sheet 27)				ATM/kW-18L1 J	(Sheet 7)	(Sheet 7)	(Sheet 6)	47M/6W-17E2 (Sheet 6)	47M/6W-17M1 (Sheet 6)	k7M/6W-18J1 (Sheet 6)	kTN/6W-28F1 1	48N/TW-22R1

c Inaufficient information to determine type of water right.

d Selad Creek Adjudication.

a Domestic use by less than 5 families or connections.

e See Remarke. -- Information not evailable.

<sup>-60-</sup>

## Records of Surface Water Diversions

Periodic or continuous measurements of surface water diversions were made by the Department of Water Resources during 1958, whenever it was feasible to measure the flows. Substantially all diversion measurements were started by April 1958, prior to the commencement of intensive irrigation, and continued through the irrigation season. Some of the diversions were not located until late in the survey and no measurements or estimates of these were attempted. When feasible, the measurement of a diversion was made at a location above the area of first use and as close to the diversion intake as possible, but below any regulatory spill.

The total amount of water diverted at the 192 diversions for which measurements are reported was about 2,033,000 acre-feet of which 62,300 acre-feet were for irrigation, 1,933,200 acre-feet for power production, 1,500 acre-feet for domestic, 25,200 acre-feet for mining, 2,500 acre-feet for municipal purposes, and 8,300 acre-feet for industrial uses.

Of the 148 irrigation diversions measured during 1958, the records at 135 were judged to be sufficiently complete during the major portion of the irrigation season, April through September, to evaluate irrigation practices. During this period, approximately 43,200 acre-feet were diverted for irrigation of about 4,300 acres, at an overall rate of 10 acre-feet per acre. The average seasonal diversion rates of individual diversion systems varied from less than one to more than 170 acre-feet per acre. These figures included minor domestic and stockwatering uses in conjunction with irrigation.

Diverted quantities were determined by measurement of open channel flow and testing of pumps. Periodic current meter measurement of open channel flows were made during the diversion season to obtain channel ratings. The water stage was recorded either by weekly observations of staff gage or with continuous recorder, from which quantities of flow were calculated. Pumps were similarly rated and quantities of flow were calculated from operation or power records. Power records were obtained for COPCO No. 1 Powerplant, from which quantities of flow were computed.

The results of the diversion measurements are summarized in Table 5. Monthly quantities diverted are shown for each diversion if the record was sufficiently reliable. If the record for a diversion was incomplete or missing, one of the following notations was used:

"---\*\*---" monthly quantities unreliable, total estimated superscript "e" monthly quantity with 10 days or more estimated "--NR--" period for which no record was obtained

#### Index to Surface Water Diversions

For convenience of the reader, an alphabetical index of diversion owners or diversion names, along with the subunit location of each diversion and references to the sheet number of Plate 2 and page numbers of the text or appendixes on which data concerning each appear, is shown in Table 6, page 79.

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958 TABLE 5

	Remorks										Amounts for November and December include an satimated 10f at, 50 and 57 af respec- tivaly, which were spilled below point of measurement.						
	Total				100	76	299	10	251	289	672	364	850	72	272	112	
	Dac				я	オ	36		0	18	92.	97	0	0	0	0	
	> oZ				ส	ゴ	8		0	35	4 76	99	%	0	19	ч	
	\$00 60				15	13	0		*07	39	25	73	128	4	4.5	m	
	Sept				16	12	<del>ゴ</del>		32	8	25	8	130	7	35	15	
-feet	Aug				12	17	21		36	43	8	8	306	00	53	33	
in ocre	in-				a	13	517	**	59	98	90	*3	290 E	4	120	• 99	
Amount diverted, in ocre-feet	Jun				12	11.	83		3	07	2			н	1	-	
ount di	Moy				ļ	1	8		°9;	0,	8			9			
Am	Apr	FINDR	eubunit)	UNIT			200		0	0	0 0	NB	NR	0	White Spring Street,		
	Mar	ER Su	in this	K SUB	NR	NH-	NE		0	0	0			0	N.	NR	
	Jon Feb	APPLEGATE RIVER SUBUNIT	(No diversions located in this eubunit)	BEAVER CREEK SUBUNIT			2 5 6 7 9 9 9 0 0		0	0	0			0			
Method of	observation and	APPL	(No diver	98	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Estimats	Staff gage and dspth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gags and depth-flow relationehip	Staff gage and depth-flow relationship	Pump teet and power record	Staff gege and depth-flow relationship	Staff gage and depth-flow	
Point of	measurement or estimote				O.1 mile below intake	0.2 mile below intake	O.1 mile below intake	1	200 feet below intaks	60 feet below intake	120 feet below intake	250 feet below intake	300 feet below intake	At sprinklers	50 feet below intake	100 feet below intake	
	Use				Ming Domestia	Industrial Domestic Mining	Mining	Irrigation Stockwatering Domestic	Irrigation	Irrigation	Irrigation	Irrigation	Irrigation	Irrigation	Irrigation	Irrigation	
	Diversion name or ewner				Charles Coolle	L. S. Jacobson	Thomas M. Clyburn	T. C. Woods	Emma Pearl Freshour Irrigation	Richard Freshour W. W. Rogers	Joe Freehour	W. W. Nogers	Richard Jones Mason Meek Richard Pack	St. Francis Invest- Irrigation	Richard Jones Mason Meek Richard Peck	W. W. Rogers	
	number number				M D B & M	45N/8W-10R1	46N/7M-2A1	46N/7W-21D1	46N/8W-1A1	46N/8W-1F1	46N/8W-2A1	THE-M6/N97	THE-M6/N97	TDL-M6/N97	46N/9w-10D1	46N/9W-10D2	ł

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958 TABLE 5 (Continued)

	Remorks						Total amount includes an estimated 1,47% af spilled back to creek.	Total amount includes an estimated 464 af spilled back to orsek.										
	Tatol			а	909	100	1,670	818	220	٤	110	110	8	8	8	8	8	
	Dec				0	0	7	103	07	0	0	0	0	0	0	0	0	
	Nov				19	0	199	66	27	0	0	0	0	0	0	0	0	
	0ct				130		526	103	39						8			
	Sept				777		208	107	39		*				7.	*		
a-feet	Aug				140		217	122	8	*			The special section of the section o		25			
in ocre	ja j				170		298		<b>°</b> జ		and the state of t			*	°R			
Amount diverted, in ocre-feet	Jun					0		150		Ì	0				0	0	0	
nount d	May	_				0	210			0	0				0	0	0	
Am	Apr	(tinued)				:	120	9		*	<b>±</b>				30°	2	*	
	Mar	T (Con			NR.	0	>	N. N	NR-	0	0			0	0	0	0	
	Feb	UBUN				0	0			0	0			0	0	n	0	
	Jon	RE RE				0	0			0	0			o	0	0	0	
Jo Kodie	observation and	BEAVER CREFK SUBUNIT (Continued)		Estimate	Staff gege and depth-flow relationship	Estimate	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Estimate	Бегітате	Estimate	Stimate	Estimate	Staff gage and depth-flow	Estimate	Estimate	
9000	meosurement or estimate			1	O.1 mile below intake	50 feet below intake	At intake	0.5 mile below intake	100 feet below intake	75 feet below intake	400 feet below intake	I	1	an a	200 feet below intake	150 feet below intake	O.1 mile below intake	
	Use			Irrlgation	Irrigation	lrrigation	Irrigation	Irrigetion	lrrigation	Irrigation	Irrigation	lrrigation	Irrigation	lrrigation	Irrigetion	Irrigation	Irrigation	
	Oiversian name ar awner			Carl W. Schedler	Circle Two Ranch	Circle Two Ranch	Circle Two Manch	Bert C. Jackson	Simer and Frank Lang	Circle Two Manch	Circle Two Ranch	Circle Two Hanch	Circle Two Manch	Circle Two Wanch	Circle Two Ranch	Circle Two Manch	Circle Two Ranch	
	Lacation		H DB & H		DHE1-M6/N97	46N/9W-13N1	46N/94-13N2	46N/9W-16N1	768/94-2311	46N/9W-24.D1	468/94-2451	46N/94-24E2	46N/9W-24F1	46N/9W-24F2	46N/94-24KI	1797-M9/197	46N/94-25A1	

\* See remorks
e Monthly volude estimoted
-- \* \*- - Oliversion estimoted for period indicated
-- N R -- No record for period indicated

-64-

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

	Remorks						Amounta for October and November spilled back to creek,	Ditch picked up an satisated 0,2 ets of continuos flow from fish Gulch about 0,5 mila below point of sessurement which was not incloded in total, 1959 records in parenthases.	Amounts for November and Deember include an estimated 130 af, 67 and 63 af respec- tively, which were spilled below point of measurement.		An estimated 60 af transporta- tion loss shows gags not included in total.		Total amount includes 427 af applied to Ogase Ditch (38%),08%-32Ml), An setimated 70 af transportation loss above gage not included in total.	1959 records in parentheses.	
	Totol			272	106	132	233	3,307	708		3,687	160	1,791	653)	
	Dec			S	7	7	0	2	76		293		123	F	
	Nov			12	8	12	<b>*</b>	741	* 76		287		191	0	
	Oct 1			26	8	15	*87	054	91		287		156	7	
	Sept 0			25	19	%	147	573	%		298		14.7	7	
-feet	Aug Si			17	হ	%	59	782 NB	8		383		157	24. NR	
n ocre	Jul			<b>°</b> 8	°9	S	°2	2557	°8		379		153	*o1	
erted, i	, unc							9.24	°%		300°	1	150	0	
Amount diverted, in ocre-feet	Мау							977	°%		300°		150	0	
Amo	Apr M	(penul							°&		530°		150°	0	
	Mor A	(Cont		-NB-	-NB-	NR-	NR	(0)	0	TINIT	300°		150	0	
		IBUNIT						(0)	0	SUBI	270		140	0 (311)	
	Jan Feb	REEKS						(38)	0	CECILVILLE SUBUNIT	300		150°	0 (3/4)	
Method of	observation and calculation	BEAVER CREEK SUBUNIT (Continued)		Staff gage and depth-flow relationship	Staff gage and dapth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow	Water-etage recorder and depth-flow relationehip	Staff gags and depth-flow relationehip	,ʊ	Staff gage and depth-flow relationship	Estimate	Staff gage and depth-flow relationship	Staff gage and depth-flow ralationehip	
Point of	meosurement or estimote			300 feet below intake	100 feet below intake	300 feet below intake	400 feet below intake	400 feet below intake	30 feet below intake		0.5 mile below intake	1	1,2 miles below intake	0.1 mile below intake	
	Use			Irrigation	Irrigation	Domestic	Irrigetion	Irrigation Domestic	Irrigation Stockwatering		Domestic Power	Irrigation Stockwatering	irrigation Domestio Stockwatering Power	Irrigation Mining	
Diversion nome	or owner			Elmer and Frank Lang	Elmer and Frank Lang	Kenneth R. Duncan	Virgil Roberte	Ouigley-lichene Ditch	Joe Freshour		Winnie Carener Ted H. Finn Julia Linderman	William S. Johnson	Jordan Diteb	Dennis Moody	
Locotion	number		M D B & M	46N/9M-2681	46N/9M-26K1	46N/9M-28E1	46N/9W-33F1	47N/8W-31F1	47N/8W-35K1		10N/8E-31G1	37N/10M-4N1	371/104-501	SYN/11M-3N1	

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

		90 0000	Method				Ā	Amount diverted, in ocre-feet	iverted,	in ocre	-feet						
Diversion name or owner	e s	medsurement or estimate	observation and	nop	Feb	Mor	Apr	Moy	L o o	Jo C	Aug	Sept	0ct	Ž OZ	Dec	Total	Remorks
			CECILVILLE	//LE	SUBUN	17 (Con	SUBUNIT (Continued)										
Dennia Hoody	Irrigation Mining	O.1 mile below intake	Staff gage and depth-flow relationship	0	0	0	0	<b>*</b> 8	° 8	°8	1.8	18	17	4	4	124	
Edward A. McGroom	Ming Domestin	200 feet below intake in penetock	Price meter in penetock and depth-flow reletionship	138	125	789	1,282 1,325	1,325	908	139	138	134	138	134	0	5,050	1
W, Savyer	Power	Near intake	Nozzle rating and depth-flow relationship	120	108	120	116	120	116	120	120	116	57. 57.	116	120	1,412	
Quass Ditch	Irrigation Stockwatering	2.5 miles below intake	Staff gage and depth-flow relationship	0	0	0	°8	<sup>#</sup> 08	°2	88	39	0	ಟ	0	0	310*	Total amount doce not include an additional 427 af received from Jordan Ditch (37N/10M-501).
United States Klamath National Porest	Irrigation Domestic	0.3 mile below intake	Staff gege and depth-flow relationship			NR		8 8 8	907	63	97	র	z z	88	°07	5%	
Nestor A. Westover	Power	At intake	Staff gege and depth-flow reletionship	260	240°	270	260°	260°	260°	230°	109	147	157	238	230	2,661	
Sharta Mining Go.	Irrigation Stockwatering	0,3 mile below intake	Staff gege and depth-flow reletionship		8 8 8 8 8 8	NR			<b>"</b> R	75	31.	8	23	%	*9	327*	An estimated 30 af transports- tion lose not included in total.
Olyn Could	Power	At nossle	Nozele rating	16	15	17	97	17	16	17	17	16	17	16	16	196*	Small domestic use not included in total.
Mrs. John N. McBroom	Irrigation	0.2 mile below intake	Staff gage and depth-flow relationship	99	°Q	°99	°99	150	140°	124	72	37	×	94	907	877	
Jack Boss Clarence R. Mance	Mining Domestic	At nozela	Nozzle rating	64	39	777	ಸ	1			NH-				1	14.7	Small domestic uee not includad in total.
Glen Thernton	Mining	At nossle	Nozzle reting	0	0	0	2774	283	71/2	136	0	0	0	0	0	296	
Katarine C. George	Irrigation Mining Domestic	1.5 miles below intake	Staff gage and depth-flow relationship	120	110	120	°श्	82	430°	328	227	95	46	701	1200	1,991	
George R. and Robert G. Godfrey	Irrigation Stockwatering	At area of use	Sprinkler test and operation record	0	0	*9	°9	<b>8</b>	°R	~	-	•	~	0	0	237	-
			8														

See remarks
 Morthly you've estimated
 Morevialon estimated for period indicated
 No record for period indicated
 No record for period indicated

-66-

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

Mecord obtained from the California-Oregon Power Co. Remarks 1,923,118 120 0,7 1,481 8 1,144 \$ 2,0 2 375 11 390 359 Totol 19 0 0 130 167 8 R 28 17 Dec 18 176 122,602 136,895 7/ 22 300 69 8 33 No. 0 32 19 180 Ħ 7.4 210 29 Ä 31 19 Oct 305 17 35 0 15 R Ħ 4 8 63 16 Sept 0 16 226 17 977 173 99 2 107 67 Amount diverted, in acre-fee Aug 33 0 174,600 187,767 151,555 123,063 286 5 ୍ଦିୟ 190 8 55 75 407 127 dun 0 69 0 May 89 Apr HAPPY CAMP SUBUNIT COPCO LAKE SUBUNIT 0 Mor 0 0 Feb 193,391 Jon Staff gage and depth-flow relationship Staff gage and depth-flow reletionship Staff gage and depth-flow relationship Staff gage and depth-flow relationehip Staff gage and depth-flow relationship Staff gage and depth-flow relationship Staff gage and depth-flow relationship Pump test and power record Method of observation and calculation Staff gage and depth-flow relationship Staff gage and depth-flow relationship Estimate 3 Estimate 0.2 mile below intake 400 feet below intake 300 feet below intake 0.1 mile below intake 300 feet below intake 200 feet below intake 0.5 mile below intake 0.3 mile below intake 25 feet below intake 75 feet below intake Point of measurement or estimate 3 At intake At pump Irrigation Stockwatering Se Se Irrigation Domestic Power Industrial Irrigation Domestin Irrigation Domestic Irrigation Irrigation Irrigation Irrigation Irrigation California-Oregon Power Company Diversion name or owner Paul C. Seck Charles Mockaday Prentie C. Hale Siskiyon Mills Keystone Ditch Mrs. Marion M. Kniffen Lee C. Waddell David M. Huey Alice Sedroe Lemas Lake œ. 16N/8E-17FL 17N/6E-10R1 -7N/7E-9F2 17N/7E-9EL Location TUN/TE-4GL 17N/7E-4P1 17N/7E-511 48N/4N-21C1 .8%/4A-29PI 4.8K/5K-25A. 16N/7E-1NL 16K/7E-2F1 7K/42-3KL H & W H

See remarks
Monthly volue estimated
Oversion estimated for period indicated
No record for period indicated

# 0% • Z

TABLE 5 (Continued)
MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

	Remorks															
	Total		689	098	280	45	я	133	670	8	26	780	374		257	151
	Dec		9	0	\$	M	0	ន	133	9	0	108	9		10	র
	No.v		5	8	24	г	0	ನೆ	1115	6	2	130	35		9	র
	000		77	191	78	ч	8	18	23	•	75	901	39		139	র
	Sept		977	118	108	ដ	6	18	57	eg	33	#	61		18	8
-reer	Aug		702	289	158	8	6	オ	154	16	15	121	12		র	র
100 01	13		216	2%	130	16	m	17	184	35	12	124	88		719	23
iverred,	Jun		a granus				0	20°				8	902		120	R
Amount diverted, in occepted	Мау	{ par					0						The distribution of the control of t			
	r Apr	Contin	NB	NB	NB.	NRNR	0	-NB	N. I.	-NR-	NR	-NB	NR NR	TINO	- NR	NR-
	Mar	BUNIT					0							OK SUE		
	n Feb	HAPPY CAMP SUBUNIT (Continued)					0							HORNBROOK SUBUNIT		
	Joh	CAM							_					HOH		
Method of	observation and colculation	HAPP	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Pump test and operation record	Staff gage and depth-flow reletionship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship		Staff gage and depth-flow relationship	Staff gage and depth-flow relationship
Point of	measurement or estimote		200 feet below intake	300 feet below intake	400 feet below intake	400 feet below intake	At pump	0.5 mile below intake	0.1 mile below intake	400 feet below intake	400 feet below intake	100 feet below intake	300 feet below intake		3.8 miles below intake	150 feet below intake
	Use		Irrigation	Irrigation	Irrigetion Industrial	Domestic	Irrigation	Irrigation Domestic	Mining Domestic Power	Irrigation Domestic Stockwatering	Irrigation Domestic	Urrigation Mining	Irrigetion		Irrigation	Irrigation
Divergion nome	or owner		Ouy Nead	Cuy Head	Thomas Roberts	Aubrey A. Hall	Aubrey A. Hall	Edward Nead	Daane N. Curry	W. H. Bussert	Nolly Thomas	R. T. Hamer	Chester M. Barton		Etta O. Encele	R. W. Thomason
Continu	number	E E	17N/7E-9E3	17N/7E-9E4	17N/7E-15N1 17N/7E-16A2	17N/7E-22B1	17N/7E-26E1	17N/7E-34F1	18N/6E-25L1		140K-WZ1/N971	17N/12M-3ZII	47N/12M-32P1		46M/4W-15M1	46N/4W-28JI

See remorks
 Monthly volue estimated
 Monthly volue estimated
 Monthly volue estimated
 No record for period indicated
 No record for period indicated

<sup>-68-</sup>

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

Staff gage and depth-flow relationship   Staff gage and flow relationship   Staff gage and flow relationship   Staff	Amount diverted, in ocre—feet Jon Feb Mar Apr Moy Jun Jul Aug  BROOK SUBUNIT (Continued)  NR———————————————————————————————————
Method observotion colculorition observotion colculorition observotion occupation of the colculorition of the colculorition of the colculorition of the colculority o	Staff gage depth-Trelations  50 feet below intake Geth-Trelations  100 feet below intake Geth-Trelations  100 feet below intake Geth-Trelations  20 feet below intake Geth-Trelations  30 feet below intake Geth-Trelations  20 feet below intake Geth Geth-Trelations

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958 TABLE 5 (Continued)

	Remorks				0.	<b>9</b>	٠	3		52	9		Diversion dam washed out July 20.	Total amount includes some water received from Cotton-wood Irrigation and Mining Company ditch.	Amounts for November and December include an estimated 19 12 af epilled below gage. 1959 recorde in parenthesee.	Total amount includes an esti- mated 70 af epilled below gage.
	Total		557	9	19	92	134	76	214	1,157	. 52%	722	~	\$223	0	, 49t
	Dec		0		٥	0	0	0	m	3₹	0	0	0	18	30°	* R
	Nov		30°		٥	0	0	0	\$	39	0	0	0	45	28	27
	Oct		76		0	0	0	6	108	192	0	0	0	39	70	ね
	Sept		69		**	ε <sub>γ</sub>	0	91	\$	106	r R	0	0	র	6	13
- feet	Aug		27		9	28		90	*	Ħ	77	36	0	52	3	ន
Amount diverted, in ocre-feat	Jul		22		60	я	88	23	36	242	36	ZZ	*9	7	3 NR.	10°
verred,	Jun		011		0	77	13	ส	110	163	99	°07	°8	22	0	°8
onut div	May		07		0	~	775	15	8	250	<b>°</b> 3	°8		° 07		30,0
Am	Apr	(panu	° 07		0	0	প্র	6	1	ŧ	-			0	R	0
	Mor A	Confi	0		0	0	0	0					-NR-	0	(2)	0
	Feb	BUNIT	0		0	0	0	0	NR.	NN.B.	-N.R.	NR		0	(6)	0
	Jan Fi	HORNBROOK SUBUNIT (Continued)	0		ь	0	0	0				THE REAL PROPERTY OF THE PERTY		٥	(8)	0
Method of	observation and colculation	HORNB	Staff gage and depth-flow	relationehip Estimate	Pump test and power record	Pump teet and power record	Pump teet and power record	Pump test and power record	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gege and depth-flow relationship	Staff gage and depth-flow reletionship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship
Point of	measurement or estimate		25 feet below intake	1	At pump	At pump	At pump	At pump	150 feet below intake	80 feet below intake	450 feet below intake	0.5 mile below intake	200 feet below intake	400 feet below intake	150 feet below intake	400 feet below intake
	Use		Irrigation	Irrigation	Irrigation	Irrigation	Irrigation	Irrigetion	Irrigation Stockwatering	Irrigation Stockwatering	Irrigation	Irrigation Stockwatering	Irrigation	Irrigetion Stockwatering	Irrigation Stockwatering	Irrigation
Divareion nome	or owner		California-Oregon Power Company	James Liskey	Lauran Paine	Lauran Paine	Kenneth Houston	Lem LeRoy Tull	L. G. Robertson	Ellis Ditch	C. F. Spearin	Bill Rogere Alfred W. and C. F. Spearin	Bob Cureaine	L. G. Robertson	L. G. Roberteon	Elmer and Robert Julien
1 ocotion	number		M D B & M	47N/5W-17N1	47N/5W-19A1	47N/5W-19J1	47N/5W-19P1	7N/5N-3001	47N/6W-7E1	177/64-17F1	47N/6M-17Q1	TTL/64-173	47N/6W-18E1	478/6W-18G1	47N/6W-18G2	1461-M9/NL7

<sup>. -70-</sup>

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

	Remarks			Total amount includes come water picked up from Rancherla Gulch.								Total amount to for two pumpe.		1959 recorde in parentheses.		
	Total		091	355	1,147	199	76	*8	931	523	-	155	23	2,349	136	727
	Dec		56	п	0	0	0	0	0	0	0	0	0	7	0	8
	Nov		17	I/A	32	0	0	0	0	0	٦	0	7	139	0	*8
	Oct		91	7	157	15	0	0	0	0	ч	16	4	163	প্র	77
	Sept		18	8	82	7	\$	7	100	0	н	19	N	194	8	52
a-feet	Aug		37	zi	83	52	01	64	51	0	4	82	9	252 NR	17	R
Amount diverted, in ocre-feet	) ja		67	\$	217	%	17	8	35	オ		33	23	417	19	86
iverted,	Jun		877	116	252	98	15	0	0	105		22	0	415	ຶຂ	91
nount d	Moy		28	150	330	53	23	0	0	0011		R		167	077	,000 100 100
An	Apr	inued)	19	-		0	0	0	0	0	NR	19		0		
	Mor	T (Can	36	-		0	0	0	0	0	N	0	-NB-	0 (8)		8
	Feb	UBUNI	50°	NR	N. N	0	0	0	0	0		0		0 (56)	NB	N. T.
	Jon	HORNBROOK SUBUNIT (Continued)	°29			0	0	0	0	0		0		0 (73)		
Method of	observation and	HORNB	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Pump teet and power record	Pump test and power record	Pump test and power record	Pump teet and power record	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Pump tests, power record and operation record	Staff gage and depth-flow relationship	Water stage recorder and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship
400	measurement or estimate		300 feet below intake	0,2 milebelow intake	0.1 mile below intake	At pump	At pump	At pump	At pump	0.5 mile below intake	50 feet below intake	At pumps	0.1 mile below intake	400 feet below intake	400 feet below intake	100 fact balow intake
	Use		Municipal	Irrigation	Irrigation	Irrigation Stockwatering	Irrigation	Irrigation	Irrigation	Irrigation	Irrigation Stockwatering	Irrigation	Irrigation Stockwatering	Irrigation	Irrigation Stockwatering	Irrigation Stockwatering
	Diversion name or awner		Hornbrook Water Company	Black Mountain Ranch	Black Mountain Ranch Alfred W. Spearin	Alfred A. Proteman	Alfred A. Protsman	Black Mountain Ranch	Black Mountain Ranch	Black Mountain Manch	Fred Draggoo	George E. Calllech	Louie Freitas	Cottonwood Irrigation and Mining Company	John Sylva	Herman Kurt
	Location	M 0 80 21 21	47N/6W-20E1	47N/6W-20H1	TM12-M9/NL7	47N/6M-25D1	47N/6M-25H1	47N/6M-27H1	47N/64-27H2	47N/6M-28C1	47N/6W-29EL	47N/6M-33D1	47N/6W-36A1	47N/74-1F1	47N/74-1F2	47N/74-1G

See remorks
 Monthly volue stimoted
 Monthly volue stimoted
 See Divestion estimoted for period indicoted
 No record for period indicoted

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958 TABLE 5 (Continued)

									Amou	4	And in		T-as						
Frigation   LOT feet balow intake   Staff gage and posterior   Staff gage	Lacation	Diversian name ar awner	Use	Paint of measurement or estimate	Methad af abservation and calculation					al de	טר טר	II A							
S. O. Hanorth   Irrigation   100 feet below intake   Staff gaps and location   Irrigation   Irrigation   Staff gaps and location   Irrigation   Irrigation   Staff gaps and location   Irrigation   Ir																	-		
3. 0. Namerth irrigation (100 feet balow intake (100 feet balow intake) (100 f	88 88				HORN	BROOKS	UBUNIT	Cantin	(pan)										
From Everyon   Irrigation   Contract ballow intake   Staff gage and	4/7W-12H1		Irrigation	400 feet below intake	Staff gage and depth-flow relationship	0	0	0	0		100	10	0	0	0			20	
Principality   Prin	4/74-12H2		Irrigation	400 feet below intake	Staff gage and depth-flow relationship	0	0	0	0	30°	٥	0	-	0	0			8	
December   Irrigation   1.50 feet below intake   Shaff gags and shaff case   Shaff gags and shaff case   Shaff gags and shaf	N/74-24C1	Fred Draggoo	Irrigation Stockwetering	200 feet below intake	Staff gage and depth-flow relationship	0	0	0										80	
Lawrence Lemas   Irrigation   150 feet below intake   Sinff gage and soft soft soft soft soft soft soft soft	4/5W-21M	Doan Madero	Irrigation	0.5 mile below intake	Staff gage and depth-flow relationship		N.B.			°8		77	9	0	0	0		4	
Intigation   Successful   Supplementary   Supplementary   Successful   Supplementary   Successful   Supplementary   Successful   Succ	4/6W-31R1	Lawrence Lemos	Irrigation	150 feet below intake	Staff gage and depth-flow relationship	0	0		. S	°92	19	6			ຄ	10		9	
F. L. Burns Irrigation Societations (15) feat balow intake Saff gags and company of the company	1/6W-32ML	Lawrence Lemos	Irrigation	0.1 mile below intake	Steff gage and depth-flow relationehip	0	0		907	70°					e 0	0		- cl	
F. L. Burne Irrigation 150 feet below intake Staff gage and Carping and Carpin	1/74-15CL	P. L. Burne	Irrigation Stockwetering	300 feet below intake	Staff gage and depth-flow relationship	0	0	0		160			23		23	0		· 100	
F. L. Burne Irrigation	N/7W-1502		Irrigation	150 feet below intake	Staff gage and depth-flow relationship	0	0	0			123				57	0		9:	
F. L. Burne Stockwatering	N/7W-1501	F. L. Burne	Irrigetion	30 feet below inteke	Staff gage and depth-flow relationship	0	0	0		1100	19		72		4.5	0			s come a Cotton-
Malter Wredon   Irrigation   O.3 mila below intake   Staff gage and   O O O O O O O O O O O O O O O O O O	N/7M-21C1		Irrigation Stockwatering	0.6 mile below intake	Staff gage and depth-flow relationship	0	0	0		100	8		93		23	0		<del>-</del>	
	N/74-34P1		Irrigation Stockwatering	0.3 mila below intake	Staff gage and depth-flow	0	0	0					69					88	
					<u> </u>	AMATH G	LEN SU	BUNIT											
Sam Jones Power 0.1 mile below intake Nozzle reting 41 37 41 40 41 42 40 41 40 42	8 & M		Irrigation	. 1	Estimate	Providente de sinde de la Company									0 0 0			9	
	N/4E-32EL		Power	0.1 mile below intake	Nozzle reting	73	37	177	07	41	07		4					£	

See remarks
 Monthly volve estimated
 Oiversion estimated for period indicated
 NR -- No record for period indicated

-72-

MDNTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

Hecord obtained from Kingely Field Installation Superintendent. Total amount includes some water received from Counts Gulch. Remorks 3,652 10\* 576 212 717 77,7 1,774 1,795 1,241 4,113 8 Totol 150 78 38 Ħ 0 127 0 61 124 15 Dec 36 17 14 65 69 1 146 0 0 0 124 No. 9 2 777 151 61 97 36 000 74.7 58 8 65 55 52 746 0 Sept Amount diverted, in ocre-feet Aug 81 8 19 66 59 151 0 0 157 150 283 315 977 63 7 61 150 59 ٦٥ 007 160 6 8 N 29 120 57 977 617 630 Jun 20. 160 61 637 59 151 9 8 130 May 160 907 KLAMATH GLEN SUBUNIT (Continued) 7 59 116 15 977 617 630 Apr SALMON RIVER SUBUNIT 160<sub>e</sub> 007 8 19 28 15 638 650 SAWYERS BAR SUBUNIT 151 Mor 150 907 588 0 2 13 136 576 55 106 Feb °2 160 e 0 9 8 120 15 150 908 650 Jon Operation record and depth-flow relationship Operation record and depth-flow relationship Staff gage and depth-flow relationship Staff gage and depth-flow relationship Method of observation and colculation Staff gage and depth-flow relationship Nozzle rating Wozale rating Nozzle rating Nozzle rating Estimate \* 0.5 mile below intake 0.7 mile below intake 275 feet below intake 500 feet below intake Point of meosurement or estimate \* nozale At nozele At nozzle At nozzle At intaka At Use Irrigation Power Irrigation Power Irrigation Power Irrigation Domestio Industrial Industrial Municipal Mining Mining Mining F. H. Buchella Prank J. Hartnett United States Air Force Diversion name or owner Aubrey Y. Cripps Nomer M. Bennett Simoneon Lumber Company Leo and Rose L. Brown Community of Sawyers Bar Ivan Charles John Martin Doug Enetlick Gene Thomain Homer Cooper 39N/11W-981 39N/11W-4QL 40N/11W-13J1 1982-W11/NC4 11N/7E-35P1 39W/11W-2B1 11N/7E-19H1 13N/1E-15D1 14N/1E-33R1 10H/4E-32F1 H D B & N Location 10N/7E-2C1 10N/7E-4P1 NBEH

\* e \*

See remarks
Monthly volue estimated
Diversion estimated for period indicated
No record for period indicated

TABLE 5 (Continued)
MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

	Ramorks			Small domestic uss not included in total.			Small domestic use not included in total.	Total amount does not include an estimated 1.0 cfs con-	timuously epilled at head of penstock.									
	Totol			239	675	201	2,570	319			757	909		712	286	169	377	302
	Dec			8	0	16	71	27			78	101		17	0	0	0	0
	Nov			8	0	BD	7	%			81	103		18	0	0	0	0
	Oct			8	0	9	15	23			8	107		11.5	27	6	12	ជ
	Sept			8	0	16	77	26			99	110		122	59	75	র	62
-feet	Aug			8	0	8	15	27			8	115			°8	67	\$2	88
Amount diverted, in ocre-feet	Jul			8	0	z	र्देश	12			*99	70 e		170	902	°08	909	138
verted.	Jun			8	0	°01	232	%			-	P-10-10-10-10-10-10-10-10-10-10-10-10-10-		740	్జ			1
ount di	Мау			8	0	8	419	12										
Am	Apr	(panu		8	169	°8	907	%					. 1					
	Mor	(Conti		8	34.9	°8	419	12		TINO		NR.	LBUNIT	N. N	N.B.	NH.	NR	#X
	Feb	TINUBI		19	157	** &	379	25		R SUB	18 A		EY S		80 80 80 90 90 90 90 90 90 90 90 90 90 90 90 90			
	Jon	SAR SU		8	0	°8	617	8		SCOTT BAR SUBUNIT			SEIAD VALLEY SUBUNIT		and was the same of the same o			
Mathod of	observation and colcutation	SAWYERS BAR SUBUNIT (Continued)		Nozzle rating	Nozsle rating	Staff gage and depth-flow relationship	Nozzle reting	Nossle rating		0000	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	- SEI/	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship
Point of	measurement or estimote			At nossle	At notale	O.l mile below intake	At nozzle	At noszle			50 feet below intake	80 feet below intake		150 feet below intake	O.1 mile below intabo	200 feet below intake	250 feet balow intake	150 feet below intake
	Use			Power Domestle	Mining	Irrigation Stockwatering	Mining Power	Power			Irrigation Domestie	Irrigation Domestic		Irrigation Stockwatering	Irrigation	lrigation	Irrigation	Irigation
Diversion dome	or owner			United States Klamath Nationsl Forest	Patricia Judge	John Ahlgren	William D. Sagaser	Richard I. Bendl			Harry Krupe B. U. Nowdeshe George Skillens	Scott Bar Community Water Association		W. Ward	V. B. Ward	Asa Robinson	Asa Mobinson	Asa Robinson
Locotion	number		H D B & M	40M/11W-32E1	40N/11W-33P1	40N/12M-13L1	LON/124-28F1	40N/12N-32C1			4,5N/10W-15RL	4,5N/10M-21E1		146N/10W-3H1	1NE-MOT/N97	145-MOI/N97	46N/10M-5F2	TDS-MOT/N97

-74-

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

	Remorks														Water diverted after October 15 was for domestic use only,		
	Total		361	765	24.7	153	675	2,202	124	667	242	92	388	16	34.1	374	23
	Dec		8	12	0	64	٥	59	<b>A</b>	13	m	2	87	٠,	ð	27	79
	No.		99	12	0	-	0	332	7	7	35	ao	23	4	<b>4</b> g	56	001
	0 ct		07	32	ส	25	8	7447	IJ	55	87	10	72	0	72	78	8
	Sept		29	128	8	07	83	457	19	100	80	70	89	0	39	78	86
re-feet	Aug		%	185	64	39	124	31.7	%	86	37	0.	67	٦	971	29	88
, in ocr	Jag In		3	3%	17	07		°269	38	132	2	37	46	9	72	99	99
diverted	Jun			i i	007		110				30°						
Amount diverted, in ocre-fest	May	ଗ			°C7		110			0	° &						
A	Apr	ontinue	H.		30	NR	°8	-NR	H H	0	1	-NR-	NR	-NR-	NR	-NB	-N.R
	Mor	NIT (C	N. W. B.	N.W.	0	N		26	NBNB-	0	NR			X			
	Feb	SUBU			0		N.W.			0							
	Jon	SEIAD VALLEY SUBUNIT (Continued)			0					0	0 0 0 0 0 3						
Method of	observation and	SEIAD	Staff gage and depth-flow	Staff gage and depth-flow relationship	Staff gage and depth-flow reletionship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow reletionship	Staff gage and depth-flow relationship	Staff gage and depth-flow reletionship	Staff gage and depth-flow relationship	Staff gage and depth-flow relationship	Staff gage and depth-flow reletionship	Staff gage and depth-flow relationship	Staff gage and depth-flow reletionship	Staff gage and depth-flow relationship	Staff gage and depth-flow reletionship
Point	measurement or estimote		200 feet below intake	O.1 mile below intake	30 feet below intake	100 feet below intake	300 feet below intake	50 feet below intake	0.1 mile below intake	100 feet below intake	50 feet below intake	200 feet below intake	O.1 mile below intake	300 feet below intake	At intake	0.3 mile below intake	30 feet below intake
	Use		Irrigation	Irrigation	Irrigetion	Irrigetion Stockwatering	Irrigation	Industrial	Irrigetion	Irrigation Stockwatering	Irrigation Stockwatering	Irrigation Stockwatering	Irrigetion Stockwetering Wining	Irrigetion	Irrigation Domestic	Irrigetion Domestie	Irrigation Domestic
	Diversion nome or owner		A. A. Morgan	Fred Rainey	V. S. Ward	C. Robert Rainey	C. Robert Rainey	Leon Mandley	John N. Pickene	W. W. Robinson, Jr.	R. G. Priddy	Stanley P. Schwarts	Stanley P. Schwarte	Stanley P. Schwarte W. O. Simning	N. C. Hammon	O'Neil Creek Ditch	Hamburg Ditch
	Location		152-MOT/N97	46N/10M-8J1	46N/10M-9J1	146N/10M-9RI	46N/10W-9R2	IC91-WOI/N97	76N/10M-21Q1	46N/11W-5B1	46N/11W-5F1	46N/11W-6G1	46N/11W-601	102-MIT/N97	46N/11W-18EL	46N/11W-28A1	46N/11W-35Q1

See remorks
 Monthly value stimpted
 No Netsion stimpted for period indicated
 No record for period indicated
 No record for period indicated

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958 TABLE 5 (Continued)

Diversion nome	vameu	Point of	Method of				Am	Amount diverted, in ocre-test	errea, i	ocre.	- feet				-	T	
Ď.	Use	medsurement or estimote	observation and calculation	Jon	Feb	Mar	Apr	May	Jun	Jul.	Aug	Sept 0	Oct >	Nov D	Dec To	Total	Remorks
			SEIAD	VALLEY SUBUNIT (Continued)	SUBUN	1 (Cor	finued)										
Irrigetion	g	20 feet below intake	Staff gage and depth-flow			NR			1	ଛ	56	97	35	53	6	14.5	
Irrigation Stockwatering	ring	0.2 mile below intake	Staff gege and depth-flow reletionship	0	0	0	0	0		1115	82	1.1	100	*8	0	087	
Irrigation Stockwatering	n ring	100 feet below intake	Staff gage and depth-flow relationship	0	0	0	0	0		206 1	181	193	198	°2	0	898	
Irrigation Stockwatering	nring	300 feet below intake	Staff gage and depth-flow relationship	0 00 00 00 00 00 00 00 00 00 00 00 00 0		N. R		1	° &	32	47	52	ra ra	18	ন	194	
Irrigation	c	O.1 mile below intake	Staff gage and depth-flow relationship			NRNR		) 0 1 2 2 4	1	100	103	122 1	777	80	113	632	
Irrigation Industrial Stockwetering	n 1 ring	At intake	Staff gage and depth-flow relectionship			NR		1	900	130	170	737	34.5 4	705	386	1,906	
Benjamin F, Irrigation Mapleaden St. Francie invest- ment Company	n ring	3.5 miles below intake	Staff gage and depth-flow relationship		10 to		NR	0	100 m m m m m m m m m m m m m m m m m m	[	56	87	8	36	15	र्द्ध	
			- 44	SOMES BAR SUBUNIT	AR SI	BUNIT											
																4	
Domestic		At noarle	Nozzle rating	01	6	٥	0				N.R.				1	37,	Small domestic use not included in total.
Maning Fower		At nozzle	Nozzle reting	20	45	20	87	2	87	8	S	877	8	877	64	2886	
Maring		At notsle	Nozzle rating	528	11.77	528	510	528	510	255	0	0	0	0	0	3,336	
Power		0.7 mile below intake	Staff gage and depth-flow relationship	° 8	8	å	° 8	8	ನ	52	21	18	52	8	8	257	
Power		At noszle	Nozzle reting	17	16	17	17	17	17	€0	7	7	2	7	7	1744	
Irrigation Domeetic Stockwatering Power	n ring	At nezzle	Nozzle rating and operetion record	78	53	88	23	32	¥.	36	36	75	88	<b>%</b>	8	362*	Small domestic use not included in total,

MONTHLY RECORDS OF SURFACE WATER DIVERSIONS IN KLAMATH RIVER HYDROGRAPHIC UNIT, 1958 TABLE 5 (Continued)

		Келогка		Small domestic use not included in total.				Total amount is for two pumpe.						Small domestic use not included in total.					
	1	Total		407	269	307	007	*662	1,275		33	345	3,530	1,22					-
		Dec			17	я		31	130		0	19	303	707			-		1
		Nov			16	63		&	125		0	19	284	100					
		Oct			16	8		57	129		0	19	303	100,					
		Sept			16	78		9	125		0	19	293	101					
1	1001	Aug			17	52		27	129		0	19	295	10,					
Annual distriction of the control of	100	פיי			17	10°		97	129		0	19	303	101					
iver ted	INGLICATION I	Jun			র		*	35	125		~	19	287	101					
o ioi	1000	Моу			8		0	%	129		9	57	301	104					
à	Ĭ	Apr	(panu)		87		9 4 5	1	125		10	27	292	100	≌l	bunit)			
+		Mar	(Cont		8	N.A.			129	드	9	73	295	107	SUBUN	this su			
		Fab	TRUNIT		12			N.H.		SUBU	2	39	2/17	76	EEK EEK	ited in			
		Jon	SOMES BAR SUBUNIT (Continued)		8				N.R.	WEITCHPEC SUBUNIT	9	3	303	104	WOOLEY CREEK SUBUNIT	ions loca			
	Method of	calculation	SOMES	Estimats	Nozzle rating	Staff gage and depth-flow relationship	Estimate -	Pump teet and power record	Hozzle rating	WEIT	Nozzle rating	Nozzla rating	Pump tset and operation record	Nozzle rating	ON	(No diversions located in this subunit)			
	Point of	negarement or estimate		I	At nozzle	O.1 mile below intake	1	At pump	At nozzle		At nottle	At nozale	At pump	At nozzle					
	1	eso		Power Domestic	Power	Irrigation	Irrigation	Municipal	Domestic Mining Power	-1)	Power	Power	Industrial	Domestic Power				-	
	Diversion name	or owner		Stanshaw Mines	W. E. Lemon	₩. Е. Lетол	Rose Y. Kennedy	Happy Camp Improvement, Inc.	L. R. Smith		Agnee Bores	United States Six Aivers National Forest	Orleans Veneer and Lumber Company	Roy McCain					
	Locotian	number		H B & M 13N/6E-33M	15N/7E-13B1	15M/7E-13@	15N/8E-29k1	16N/7E-14M1	16N/8E-3281		11M/6E-20J1	11N/6E-21E1	11N/6E-31V1	11M/6E-32A1 11M/6E-32A2					

Sas remorks
 Monthly volus satimoted
 Sas remorks satimoted
 Sas remorks satimoted
 No racord for pariod indicoted
 No racord for pariod indicoted

## Imports and Exports

No surface water was imported to or exported from the Klamath River Hydrographic Unit.

## Consumptive Use

In the Klamath River Hydrographic Unit, the largest consumptive use of applied water is for irrigated agriculture. Consumptive use of water is defined as water consumed by vegetative growth for transpiration and building of plant tissue, and the water evaporated from adjacent soil, from water surfaces, and from foliage. It also includes water similarly consumed and evaporated by urban and other nonvegetative land use.

Based on the unit consumptive use values given in Department of Water Resources Bulletin No. 83, "Klamath River Basin Investigation", the consumptive use of applied water during 1958 is estimated to have been 10,300 acre-feet for irrigated agriculture. In addition, approximately 940 acre-feet were used for domestic and municipal purposes, and 1,000 acre-feet for industrial purposes in the production of lumber, plywood, and other wood products. The consumptive use of water involved in the production of power and for mining purposes is negligible and consists primarily of evaporation from canal surfaces.

Significant increases in the unit consumptive use values are indicated on the basis of studies now underway in the Department.

Revision of the above estimates are not considered to be warranted until these studies are completed and the new values adopted. As a later phase of this investigation, estimates of future water requirements will be made utilizing the new values.

TABLE 6
INDEX TO SURFACE WATER DIVERSIONS
KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion name	Lacation	0		References
ar owner	number	Subunit	Plate 2 Sheet No.	Text and oppendixes Page No.
Ahlgren, John	40N/12W-13L1	Sawyers Bar	28	53,74,109
Alfonse, Louis	47N/6W-6B1	Hornbrook	6	48,106,C-17
Attebery, Arthur	17N/7E-26P1	Нарру Сатр	8	43,104
Attebery, Frank Hockaday, Alve	17N/7E-16R1	Happy Camp	8	43,103
Bagley, LeRoy	46N/10W-23CL	Beaver Creek	9	36,100
Devites Manager II	46N/10W-15Q1	0-1-3 11-33	^	c/ 222
Barton, Chester H.	47N/12W-32P1	Seiad Valley Happy Camp	9 5	56,111 44,68,104
Pook Poul C	17N/7E-4P1	Happy Camp	8	41,67,103,C-16
Beck, Paul G. Hockaday, Charles	I(N/ (E-4PI	nappy Camp	0	41,07,103,0-10
Bendl, Richard T.	40N/12W-32CL	Sawyers Bar	28	53,74,C-16
Bennett, Homer H.	10N/7E-2CL	Salmon River	30	52,73,109
Black Mountain Ranch	47N/6W-20HL	Hornbrook	6	49,71,107
Cardoza, Frank R.	47N/6W-27HI	Hornbrook	6	49,71,107
Cardoza, Frank N.	47N/6W-27H2	Hornbrook	6	49,71,107
	47N/6W-28C1	Hornbrook	6	50,71,107,108
	47N/6W-28F1	Hornbrook	6	60,108
Black Mountain Ranch Spearin, Alfred W.	47N/6W-21M1	Hornbrook	6	49,71,107
	1.mx /1.xx 2.000	77 2-		1.6 60 205
Rloomingcamp, Elsie Foster, J. N.	47n/4w-18b2 47n/4w-18ql	Hornbrook Hornbrook	7 7	46,69,105 46,69,105
Boaz, Jack Nance, Clarence R.	38N/11W-30MI	Cecilville	34	38,66,C-17
Borsz, Agnes	11N/6E-20J1	Weitchpec	27	59,77
Bow, William	10N/4E-32CL	Klamath Glen	29	52,72,109
Brown, Leo and Rose L.	10N/7E-4P1	Salmon River	30	52,73,109,0-12,0-1
Brown, R. J.	48n/3w-27ml	Copco Lake	4	39,102
			22	F2 F2
Buchella, F. H. Hartnett, Frank J.	39N/11W-2B1	Sawyers Bar	31	53,73
During F T	48N/7W-15Cl	Hornbrook	3	51,72,108
Burns, F. L.	48N/7W-15C2	Hornbrook	2	51,72,108
	48N/7W-15D1	Hornbrook	3	51,72,108
	48N/7W-21.C1	Hornbrook	3 3 3 3	51,72,109
Bussert, W. H.	18N/7E-32BL	Нарру Сатр	1	43,68,104
Byer, J.	46N/12W-14NL	Seiad Valley	9	57,76,111
Valpey, Norman				
Cairns, S. B.	47N/5W-28HL	Hornbrook	7	48,106

TABLE 6 (Continued)

INDEX TO SURFACE WATER DIVERSIONS

# KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion nome or owner	Location number		References		
		Subunit	Plote 2 Sheet No.	Text and appendixes Page No.	
California-Oregon Power Company	47N/5W-16D1 48N/4W-19D1 48N/4W-29N1 48N/5W-25A1	Hornbrook Copco Lake Copco Lake Copco Lake	7 4 4 4	47,70,106 40 40,102,108 41,67,103	
Callisch, George E.	47N/6W-33D1	Hornbrook	6	50,71,108	
Cardoza, Frank R.	See Black Mount	ain Ranch			
Carnes, Charley Howard, C. T.	17N/7E-27H1	Нарру Сатр	8	43	
Carsner, Winnie Finn, Ted H. Linderman, Julia	10N/8E-31G1	Cecilville	30	37,65	
Chaffey, R. L.	14N/1E-28N1	Klamath Glen	17	52,109,C-13	
Charles, Ivan Martin, John	11N/7E-19H1	Salmon River	27	52,73,109	
Chessbrough Foster, J. N. McKenzie, W. E.	47N/4W-7J1 47N/4W-18B3 47N/4W-18B4	Hornbrook Hornbrook Hornbrook	7 7 7	45,69,105 46,69,105 46,69,105	
Circle Two Ranch Hegler, Arthur A., Ida M., Mable M., and Merle R.	46N/9W-13M1 46N/9W-13N2 46N/9W-24D1 46N/9W-24E1 46N/9W-24E2 46N/9W-24F1 46N/9W-24F2 46N/9W-24K1 46N/9W-24L1 46N/9W-25A1	Beaver Creek	10 10 10 10 10 10 10 10 10 10	34,64,99,100 34,64,99,100 34,64,99,100 34,64,100 35,64,100 35,64,100 35,64,100 35,64,100 35,64,100 35,64,100	
Clyburn, Thomas M.	46N/7W-2Al	Beaver Creek	10	33,63,c-17	
Cold Creek danch Opdyke, Halph J.	47N/4W-9Fl	Hornbrook	7	46,105	
Conrad, Loy Jensen, Fred	46N/12W-12H1	Seiad Valley	9	57,76,111	
Coolie, Charles	45N/8W-1L1	Beaver Creek	(g)	33,63	
Cooper, Homer	10N/4E-32F1	Klamath Glen	29	52,73,109	
Copco Lake	48N/4W-29Pl	Copco Lake	4	40,67	
Cottonwood Irrigation and Mining Company	47N/7W-1F1	Hornbrook	6	50,71,107,108	
Cripps, Aubrey Y.	11N/7E-35P1	Salmon River	27	52, 73,c-15	
Cummins, Bob	47N/6W-18E1	Hornbrook	6	48,70,107	
Curry, Duane H.	18N/6E-25L1	Happy Camp	1	43,68,c-15,c-17	
DeAvilla, Jesse R.	47N/8W-32Nl	Beaver Creek	6	36,101	

TABLE 6 (Continued)

INDEX TO SURFACE WATER DIVERSIONS

KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion name	Location		References		
or owner	number	Subunit	Plate 2 Sheet Na.	Text and appendixes Page No.	
DeAvilla, Jesse R. Stanley, Art and Letha	47N/9W-24H1	Beaver Creek	6	37,101,C-12	
Dietz, P. P.	12N/6E-10F1	Somes Bar	(g)	58,76	
Draggoo, Fred	47N/6W-29E1	Hornbrook	6	50,71,108	
Draggoo, Fred Jesperson, Allen	47N/7W-24Cl	Hornbrook	6	51,72,108	
Duncan, Kenneth R.	46N/9W-28E1	Beaver Creek	10	35,65	
Eastlick, Doug	40N/11W-13J1	Sawyers Bar	28	53,73	
Edwards, J. W.	47N/4W-8J1	Hornbrook	7	45,105	
34,02,40 y 0 v v	47N/4W-8Q1	Hornbrook	ż	46,105	
Ellis Ditch Rogera, Bill Spearin, Alfred W. and C. F.	47N/6W-17F1	Hornbrook	6	48,70,107	
T	1. Cay/byy 3 cm3	Y	22	44,104,C-12	
Ensele, Etta O.	46n/4w-15dl 46n/4w-15ml	Hornbrook Hornbrook	17 17	44,68,104	
Ephraim, J. B.	13N/6E-5HL	Somes Bar	21	58,76	
Faulkner, William	144N/11W-2BI	Scott Bar	16	54,110	
Fehlman, Donald E. and Avelyn L.	46N/5W-5L1 46N/5W-7A1	Hornbrook Hornbrook	(g)	44,104,C-21 45,105,C-21	
Finn, Ted H.	See Carsner, Win	onie			
Fitzgerald, John B.	47N/4W-18EL	Hornbrook	7	46,69,105,106	
riozgerata, com b.	47N/5W-11J1	Hornbrook	ż	47,106	
	47N/5W-12N1	Hornbrook	7	47,106	
Ford, Louis	46N/6W-6DL	Hornbrook	(g)	45,C-18	
Foster, J. N.	47N/4W-18L1	Hornbrook	7	60,105	
100001, 01 111	47N/4W-18ML	Hornbrook	7	60,105	
	47N/4W-20ML	Hornbrook	7	60,105	
	47N/4W-20Pl	Hornbrook	7	46,69,105,106	
	See also Bloomin				
Fournier, Joseph	See Scott Bar M	ining Company			
Franklin, Jess and Nelson	47N/5W-14E1	Hornbrook	7	47,106	
Quadros, Mary Ann					
Frederick, Russell	46N/5W-14Q1	Hornbrook	11	45,69,105,C-21	
Freitas, Louie	47N/6W-36A1	Hornbrook	6	50,71,108	
Freshour, Emma Pearl	46N/8W-1A1	Beaver Creek	10	33,63,99	
Freshour, Joe	46N/8W-2AL	Beaver Creek	10	33,63,99	
	47N/8W-35K1	Beaver Creek	6	36,65,99	
Freshour, Richard Rogers, W. W.	46n/8w-lfl	Beaver Creek	10	33,63,99	

TABLE 6 (Continued)

INDEX TO SURFACE WATER DIVERSIONS

KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion name	Location	ation	References	
or owner	number	Subunit	Plate 2 Sheet No.	Text and oppendixes Page No.
Fruit Growers Supply Company	47N/7W-4ML	Hornbrook	6	26,50
real droners supper something	48N/7W-28E1	Hornbrook	3	26,51
Fugaalar, J.	48N/4W-33Q1	Copco Lake	4	40,102
rugaarar, J.	48N/4W-33RL	Copco Lake	4	40,102
	,		0.7	
George, Katarine C.	39N/10W-31D1	Cecilville	31	38,66,101
Godfrey, George R. and	39N/12W-17BL	Cecilville	31	39,66,101
Robert G.				
Gould, Olyn W.	38N/11W-29Q1	Cecilville	34	38,66, <b>c-1</b> 9
	1.627/2.027.2.1.02	0 1 1 11 11	_	57 76 333
Grider Creek Club	46N/12W-14C1 46N/12W-14E1	Seiad Valley Seiad Valley	9	57,76,111 57,76,111
	40M/ 12M-14ML	perad variey	7	7, 10, 10, 1111
Grieb, G. M.	47N/6W-17E1	Hornbrook	6	60,106
	47N/6W-17E2	Hornbrook	6	60,106
	47N/6W-17NL	Hornbrook	6	60,107
	47N/6W-18J1	Hornbrook	6	60,107
Hager, Benjamin H.	46n/5w-22Ml	Hornbrook	11	45,69,105
Hale, Prentis C.	16N/8E-17F1	Happy Camp	12	41,67,103
Hall, Aubrey A.	17N/7E-22BL	Happy Camp	8	43,68,
nall, Audrey A.	17N/7E-26EL	Нарру Самр	8	43,68,104,c-20
·				
Hamburg Ditch Hamburg, Community of	46N/11W-35Q1	Seiad Valley	9	26,57,75,111
Hamer, R. T.	47N/12W-32LL	Happy Camp	5	44,68,104
Hammon, H. C.	46N/11W-18F1	Seiad Valley	9	56,75,111,c-13
Handley, Leon	46N/10W-16J1	Seiad Valley	9	56,75
Happy Camp Improvement, Inc.	16N/7E-14ML	Somes Bar	12	26,59,77,C-14,C-18
Hartnett, Frank J.	See Buchella, F	. н.		
Haworth, S. D.	47N/7W-12H1	Hornbrook	6	50,72,108,C-12
111.11.01.01.j. 5. 5.	47N/7W-12H2	Hornbrook	6	51,72,108,C-12
Hayes, L. H.	13N/6E-33G1	Somes Bar	21.	58,76,112
Head, Edward	17N/7E-34F1	Happy Camp	8	43,68,104
Head, Guy	17N/7E-9E3	Нарру Сатр	8	42,68,103
acom, and	17N/7E-9E4	Happy Camp	8	42,68,103
Hegler, Arthur A., Ida M., Mable M., and Merle R.	See Circle Two	Ranch		
Hessig Ranch	48N/3W-14D1	Copco Lake	4	39,102
	48N/3W-14D2	Copco Lake	4	39,102
	48N/3W-34G1	Copco Lake	4	39,102
	48N/3W-35DL	Copco Lake	4	40,102
				-0 -(
Hickox, Luther	12N/6E-28M1	Somes Bar	24	58,76
	12N/6E-28N1	Somes Bar	24	58,76
Hill, Dorothy	16N/7E-14NL	Somes Bar	12	59,112

TABLE 6 (Continued)

INDEX TO SURFACE WATER DIVERSIONS

KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion name or owner	Location	Location		References	
	number	Subunit	Plote 2 Sheet No.	Text and appendixes Page No.	
Hockaday, Alve	See Attebery, Fr	rank			
Hockaday, Charles	See Beck, Paul (	3.			
Holstein, W. L.	See Bagley, LeRo	ру			
Hornbrook Water Company	47N/6W-20EL	Hornbrook	6	26,49,71	
Houston, Kenneth	47N/5W-19P1	Hornbrook	7	48,70,106	
Howard, C. T.	See Carnes, Char	rles			
Huey, David M.	17N/7E-4G1	Нарру Самр	8	41,67,103,C-14	
Hughes, Welsey	See Reed, Fred				
Jackson, Bert C.	46N/9W-16H1	Beaver Creek	10	34,64,100	
Jacobson, L. B.	45N/8W-10R1	Beaver Creek	14	33,63, <b>c-1</b> 4	
Jennings, R.	47N/7W-31B1 47N/7W-31E1	Beaver Creek Beaver Creek	6 6	36,100 36,100	
Jensen, Fred	46N/12W-12Fl See also Conrad	Seiad Valley , Loy	9	57,76,111	
Jesperson, Allen	See Draggoo, Fre	ed			
Johnson, William S.	37N/10W-4N1	Cecilville	36	37,65,101	
Jones Ditch Dr. Vogel	47N/4W-18B1	Hornbrook	7	46,69,105,106	
Jones, Richard Meek, Mason Pack, Richard	46n/9w-3Ml 46n/9w-10Dl	Beaver Creek Beaver Creek	10 10	33,63,99 34,63,99	
Jones, Sam	10N/4E-32EL	Klamath Glen	29	52,72	
Jordan Ditch Sawyer, E.W.	37N/10W-5D1	Cecilville	36	37,65,101,C-15	
Judge, Patricia	40N/11W-33P1	Sawyers Bar	28	53,74,C-12,C-13	
Julien, Elmer and Robert	47N/6W-19P1	Hornbrook	6	49,70,107	
Kennedy, Ross Y.	15N/8E-29K1	Somes Bar	15	58,77,112	
Keystone Ditch Siskiyou Mills Yreka Veneer	16N/7E-2F1	Нарру Сатр	12	41,67	
Kleaver, Gus	44N/11W-8R1	Scott Bar	16	54,110	
Kniffen, Mrs. Marion M.	17N/6E-10R1	Нарру Сатр	(g)	41,67,C-13	
Knudsen, Larry	11N/6E-20F1	Weitchpec	27	59,113	
Krupa, Harry Nowdesha, B. U. Skillens, George	45N/10W-15R1	Scott Bar	13	54,74,110	
Kuck, Clarence Kurt, Herman	46N/5W-28RL 47N/7W-1GL	Hornbrook Hornbrook	11 6	45,69,105,c-20 50,71,108	

TABLE 6 (Continued)

INDEX TO SURFACE WATER DIVERSIONS

KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion name	Location		References		
or owner	number	Subunit	Plate 2 Sheet No.	Text and appendixe Page No.	
	. / . /		10	211 611 200	
Lang, Elmer and Frank	46N/9W-23L1	Beaver Creek	10	34,64,100	
	46N/9W-26B1	Beaver Creek	10	35,65,100	
	46N/9W-26K1	Beaver Creek	10	35,65,100	
Langford, Melissa	12N/6E-34J1	Somes Bar	24	58,76	
Lathrop, F. L. and C. G.	47N/4W-1Cl	Copco Lake	7	39,102	
nation, is no mid to de	47N/4W-2Cl	Copco Lake	7	39,102	
	48N/4W-34J1	Copco Lake	4	40,102	
		Copco Lake	4	40,102	
	48N/4W-35Pl			40,103	
	48N/4W-36H1	Copco Lake	4		
	48N/4W-36Ll	Copco Lake	4	41,103	
Lee, Earl K.	16N/7E-1H1	Happy Camp	12	41,103,C-12	
Lemas, E. G.	47N/4W-3Ml	Copco Lake	7	39,67,102	
Demas, D. G.	See also Silva-		•	0,,,,===	
	2 511 /517 3 673	C D	3.5	58,77,112	
Lemon, W. E.	15N/7E-13B1	Somes Bar	15		
	15N/7E-13G1	Somes Bar	15	58,77,112	
Lemos, Lawrence	48N/6W-31R1	Hornbrook	3	51,72,108	
Lenos, Lawrence	48N/6W-32Ml	Hornbrook	3	51,72,108	
	40N/0N-32NI	HOPHOPOOK	,	72,12,100	
Linderman, Julia	See Carsner, Wi	innie			
Liskey, James	45N/5W-17N1	Hornbrook	7	47,70,106	
Lord, Robert R.	39N/12W-31L1	Cecilville	31	39	
Madero, Doan	48N/5W-21N1	Hornbrook	4	51,72,108	
Maplesden, Benjamin F. St. Francis Investment Company	47N/10W-26F1	Seiad Valley	5	57,76,101,112	
Martin, John	See Charles, Ivan				
	1/22/2222 0/22	0		ra a(	
Martin, Kate McCulley, Rose R.	46N/11W-36R1	Seiad Valley	9	57,76,111	
McBroom, Edward A.	37N/11W-12N1	Cecilville	36	37,66	
McBroom, Mrs. John N.	38N/11W-30H1	Cecilville	3 <sup>1</sup> 4	38,66,101	
McClimans, Elmer E.	17N/7E-7G1	Happy Camp	8	42,103,C-19	
McCulley, Rose R.	See Martin, Kat	te			
McGain, Roy	11N/6E-32A1	Weitchpec	27	60,77	
	11N/6E-32A2	Weitchpec	27	60,77	
McGinnis, Mrs. Felix H.	17N/8E-17C1	Happy Camp	8	43,104	
McKenzie, W. E.	See Chessbrough	n			
Meek, Mason	See Jones, Rich	nard			
Moody, Dennis	37N/11W-3N1	Cecilville	36	37,65,101	
rioug, Demits	37N/11W-9A1	Cecilville	36	37,66,101	

TABLE 6 (Continued)

INDEX TO SURFACE WATER DIVERSIONS

KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion name or owner	Location	0	References		
	number	Subunit	Plate 2 Sheet No	Text and appendixes Page No.	
Morgan, A. A.	46N/10W-7G1	Seiad Valley	9	55,75,110	
Mullin, William W.	47N/8W-19Ml	Beaver Creek	6	36,100	
Nance, Clarence R.	See Boaz, Jack				
Nowdesha, B. U.	See Krupa, Harr	y			
O'Brien, D. B.	47N/5W-13M1	Hornbrook	7	47	
O'Neil Creek Ditch Robles, Nels	46N/11W-28A1	Seiad Valley	9	57,75,111	
Opdyke, Ralph J.	See Cold Creek	Ranch			
Orleans Veneer and Lumber Company	11N/5E-25J1 11N/6E-31M1	Weitchpec Weitchpec	27 27	26,59 26,59,77	
Pack, Richard	See Jones, Richa	ard			
Paine, Lauran	47N/5W-19Al 47N/5W-19Jl	Hornbrook Hornbrook	7 7	47,70,106 47,70,106	
Pickens, John N.	46N/10W-21Q1	Seiad Valley	9	56,75,111	
Priddy, R. G.	46N/11W-5F1	Seiad Valley	9	56,75,111	
Price, Brazil and Zella	44N/11W-27K1	Scott Bar	16	54,C-14	
Protsman, Alfred A.	47N/6W-25Dl 47N/6W-25Hl	Hornbrook Hornbrook	6 6	49,71,107 49,71,107	
Quaas Ditch Quaas, John W.	38N/10W-32H1	Cecilville	34	38,66,101	
Quadros, Mary Ann	47N/5W-11M1 See also Frankl:	Hornbrook in, Jess and Nelson	7	47,106	
Quigley-Lichens Ditch	47N/8W-31F1	Beaver Creek	6	36,65,100,C-12,C-1	
Rainey, C. Robert	46N/10W-9RL 46N/10W-9R2	Seiad Valley Seiad Valley	9	55,75,111 55,75,111	
Rainey, Fred	46N/10W-8J1	Seiad Valley	9	55,75,110	
Reed, Fred	46N/5W-27Al 46N/5W-27Fl	Hornbrook Hornbrook	11 11	45,105 45,105	
Reeves, Mrs. George	44N/11W-2K1	Scott Bar	16	54,110	
Roberts, Thomas	17N/7E-15N1 17N/7E-16A2	Happy Camp Happy Camp	8 8	42,68,103,C-19 42,68,103	
Roberts, Virgil	46N/9W-28N1 46N/9W-33E1 46N/9W-33F1	Beaver Creek Beaver Creek Beaver Creek	10 10 10	35 36 36,65,100	
Robertson, L. G.	47N/6E-7E1 47N/6E-18G1 47N/6E-18G2	Hornbrook Hornbrook Hornbrook	6 6 6	48,70,106 49,70,107 49,70,106,107	

TABLE 6 (Continued)

INDEX TO SURFACE WATER DIVERSIONS

KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion nome or owner	Location number	Subunit	References		
			Plate 2 Sheet No.	Text and appendixes Page No.	
Robinson, Asa	46n/10w-5F1 46n/10w-5F2 46n/10w-5Q1	Seiad Valley Seiad Valley Seiad Valley	9 9 9	55,74,110 55,74,110 55,74,110	
Robinson, W. W., Jr.	46N/11W-5B1 47N/11W-32J1	Seiad Valley Seiad Valley	9 5	56,75,111 57,112, <b>c-1</b> 6	
Robles, Nels	See O'Neil Cree	k Ditch			
Rogers, Bill Spearin, Alfred W. and C.F.	47N/6W-17DL See also Ellis		6	48,70,107	
Rogers, W. W.	46N/9W-3El 46N/9W-3M2 46N/9W-10D2 See also Fresho	Beaver Creek Beaver Creek Beaver Creek ur, Richard	10 10 10	33,63,99 33 34,63,99	
Rosebush, Oliver A. and Floy M.	See Silva-Linic	h Ditch			
Rosten, Ed	See Black Mount	ain Ranch			
Sagaser, William D.	40N/12W-28F1	Sawyers Bar	28	53,74,C-15	
Sawyer, E. W.	37N/11W-13ML 37N/11W-23Gl See also Jordan	Cecilville Cecilville Ditch	36 36	37,66°,0-16 38,66	
Sawyers Bar, Community of	40 <b>N/11W-</b> 28P1	Sawyers Bar	28	26,53,73	
Schedler, Carl W.	46N/9W-10J1	Beaver Creek	10	34,64,99	
Schwartz, Stanley P.	46N/11W-6G1 46N/11W-6Q1	Seiad Valley Seiad Valley	9 9	56,75,111 56,75,111	
Schwartz, Stanley P. Simning, W. O.	46N/11W-7D1 46N/11W-7D2	Seiad Valley Seiad Valley	9	56,75,111 56	
Scott Bar Community Water Association	45N/10W-21F1	Scott Bar	13	26,54,74,110	
Scott Bar Mining Company Fournier, Joseph	45N/10W-22D1	Scott Bar	13	54,110	
Sedros, Alice	17N/7E-5L1 17N/7E-9E1	Нарру Сатр Нарру Сатр	8 8	42,67,103 42,67,103	
Sharp, J. F. Lumber Company	17N/7E-16A1	Нарру Самр	8	42	
Shasta Mining Company	38N/11W-29DL	Cecilville	34	38,66,101	
Silva-Linich Ditch Lemas, E. G. Rosebush, Oliver A. and Floy M.	47N/4W-9G1	Hornbrook	7	46,69,102	
Simning, W. O.	See Schwartz, S	tanley P.			
Simonson Lumber Company	13N/1E-15D1	Klamath Glen	20	52,73	
Siskiyou Mills	16N/7E-1NL See also Keyston	Happy Camp ne Ditch	12	41,67	

TABLE 6 (Continued)

INDEX TO SURFACE WATER DIVERSIONS

KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion name	Location	0	F	References	
or owner	number	Subunit	Plate 2 Sheet No.	Text and appen	
Skillens, George	See Krupa, Harry	•			
Smith, L. R.	16N/8E-32B1	Somes Bar	12	59,77	
Smith, R. S.	44N/11W-3M1	Scott Bar	16	54,110	
Smud, L. F.	47N/5W-13G1	Hornbrook	7	47,69,106	
Spearin, Alfred W.	See Black Mounta See also Ellis D See also Rogers,	itch			
Spearin, C. F.	47N/6W-17Ql See also Ellis D See also Rogers,		6	48,70,107	
Stanley, Art and Letha	See DeAvilla, Je	esse R.			
Stenshaw Mines	13N/6E-33Ml	Somes Bar	21	58,77	
St. Francis Investment Company	46N/9W-701 See also Maplesd	Beaver Creek len, Benjamin F.	10	34,63,99	
Stockett, Walter B.	47N/8W-30Fl	Beaver Creek	6	36,100	
Sylva, Anthony J.	46N/4W-32A1 46N/4W-32B1 46N/4W-33D1	Hornbrook Hornbrook Hornbrook	11 11 11	44,104 44,104 44,69,104	
Sylva, John	47N/7W-1F2	Hornbrook	6	50,71,108	
Thomain, Gene	39N/11W-4Q1 39N/11W-9B1	Sawyers Bar Sawyers Bar	(g) 31	53,73 53,73	
Thomas, Holly	46N/12W-30P1	Happy Camp	9	43,68,104	
Thomason, R. W.	46N/4W-28Jl	Hornbrook	11	44,68,104	
Thompson, Roy	14N/1E-20Kl	Klamath Glen	17	52	
Thornton, Glen	39N/10W-15B1	Cecilville	31	38,66	
Tormey, Warren	48N/4W-21C1	Copco Lake	4	40,67,102	
Tull, Lem LeRoy	47N/5W-30D1	Hornbrook	7	48,70,106	
United States Air Force	14N/1E-33R1	Klamath Glen	17	52,73,C-18	
United States Klamath National Forest	38N/11W-17L1 40N/11W-32E1 44N/11W-20R1	Cecilville Sawyers Bar Scott Bar	34 28 16	38,66,101 53,74,C-16 54,C-17	
United States Six Rivers National Forest	lln/6E-2lEl lln/6E-32Bl	Weitchpec Weitchpec	27 27	59,77, <b>C-</b> 17 60, <b>C-</b> 18	
Valpey, Norman	See Byer, J.				
Volgo, Dr.	See Jones Ditch				
Waddell, Lee C.	17N/7E-9E2	Happy Camp	8	42,67,103	

# TABLE 6 (Continued)

# INDEX TO SURFACE WATER DIVERSIONS KLAMATH RIVER HYDROGRAPHIC UNIT

Diversion name	Location		R	eferences
ar owner	number	Subunit	Plate 2 Sheet No.	Text ond appendixes Page No.
Ward, V. B.	46n/10w-3Ml 46n/10w-3Nl 46n/10w-9Jl	Seiad Valley Seiad Valley Seiad Valley	9 9 9	55,74,110 55,74,110 55,75,111
Watson, H. C.	48N/7W-22Rl See also Wreden, W	Hornbrook alter	3	60,109
Westover, Nestor A.	38N/11W-21A1	Cecilville	34	38,66,
Willamette Plywood Corporation	17N/7E-16Q1	Happy Camp	8	42, <b>C-1</b> 9
Williams, Alan	46N/5W-7HL	Hornbrook	11	45,105
Woods, T. C.	46N/7W-21D1	Beaver Creek	10	33,63,99
Wreden, Walter	47N/7W-5Gl 48N/7W-34Fl	Hornbrook Hornbrook	6 3	50,108 51,72,109
Wright, Hugh	16N/7E-9Pl 16N/7E-15Fl 16N/7E-16Hl	Somes Bar Somes Bar Somes Bar	12 12 12	59,112 59,112,0-15 59,112,0-15
Yreka Veneer	See Keystone Ditch	1		

#### CHAPTER III. LAND USE

The results of a survey of water uses and water facilities in the Klamath River Hydrographic Unit were presented in Chapter II. In this chapter are reported the results of a survey of present land uses as related to water use and a brief summary of historical conditions. A thorough knowledge of the nature and extent of land and water uses under past and existing conditions is one of the primary requisites in evaluating future water requirements within the hydrographic unit.

# Historical Land Use

Development of the Klamath River area is associated with the rush for gold. As the deposits became worked out, many of the miners moved on to more promising regions but some remained to settle the valley areas, to plant crops, and to raise livestock. Diversion systems which supplied water for the miners were used to supply irrigation water.

An early land use survey, including Klamath River Hydrographic Unit, was recorded in two reports by Frank Adams: (1) "Irrigation Resources of Northern California," published in "Report of the Conservation Commission of the State of California," January 1, 1913, and (2) Bulletin 254 by the U. S. Department of Agriculture, Office Experiment Station,
"Irrigation Resources of California and Their Utilization," published in 1913. Mr. Adams reported that in 1912 there were some 9,600 acres of irrigated lands in the hydrographic unit.

#### Methods and Procedures

A detailed survey of land uses in the Klamath River Hydrographic Unit was conducted in 1958 as a part of this investigation. The land use survey was accomplished by plotting field observations on the aerial photographs which had previously been used to locate surface water diversions. Stereoscopes were used to assist in the field mapping procedure. As the use of each parcel of land was determined, it was delineated on the photographs. The hydrographic unit was traversed by automobiles as completely as roads and terrain permitted. Where necessary, inspections were made on foot. An example of land use delineated on an aerial photograph is shown on page 91.

After completion of the field mapping, the data delineated on the photographs were transferred to copies of U. S. Geological Survey quadrangle maps reproduced at a scale of 1:24,000. This procedure was necessary to bring the delineated areas to a common scale for accurate determination of acreages, since the scale of the aerial photographs used is not uniform. A series of these maps showing the location of all diversions and the fields, including idle and fallow lands associated with each irrigation diversion, was colored according to the land use categories and was reviewed by local parties concerned. These work maps were then used in the preparation of Plate 2.

Another series of these maps was used in computing the acreages of the land uses. Each delineated area on these maps was manually cut out and was carefully weighed on an analytical balance. These weights were converted to acreages using ratios determined for each of



Example of Land Use Delineated on Aerial Photograph

# Symbols used on this photograph:

iPl - irrigated alfalfa

iP3 - irrigated mixed pasture

iGl - irrigated miscellaneous hay and grain

nPl - dry-farmed alfalfa

nGl - dry-farmed barley

nG2 - dry-farmed wheat

nGF - dry-farmed grain-fallow

nG6 - dry-farmed miscellaneous hay and grain

- urban

UI3 - urban industrial-storage yard

UI6 - urban industrial-sawmill

RC - recreation commercial

Il - idle-usually cropped or

irrigated

NV - native vegetation

the individual maps. This method has proven to be a very expedient and accurate means of area determination where a large number of small parcels are involved.

# Present Land Use

The land uses, as mapped in the survey, are tabulated as they relate to water use such as irrigated lands, dry-farmed lands, urban lands, recreational lands, and naturally high water table lands. Lands not falling into any of these categories were mapped and are tabulated as native vegetation. Sheets 1 through 36 of Plate 2 are maps detailing this land use. The acreages of land uses within each subunit are presented in Table 7, page 98. These values represent gross acreages, including nonwater service areas such as roads, ditches, building and storage areas, and miscellaneous rights-of-way, which occur within the mapped areas.


#### Irrigated Lands

Irrigated lands, as designated in this report, include all agricultural lands which receive water artificially applied. Acreages of irrigated lands are reported in Table 8, page 99 by surface water diversion or by ground water and by subunits showing the crop grown.

These irrigated lands are segregated into pasture, alfalfa hay and meadow pasture, grain, hay, truck and field crops, orchard, and idle and fallow irrigated lands. Pasture is further subdivided into mixed, native, and pasture; the latter comprising native pasture lands having a high water table induced by the application of irrigation water. Grain is subdivided into barley and wheat. Idle irrigated lands are those lands which were not irrigated in the year of survey but which had been irrigated within the



Seiad Valley





preceding three years. Fallow irrigated lands are those cultivated lands which may be irrigated during the year of survey, but which at the time of survey were only tilled and not planted to a crop.

The lands irrigated by surface water are identified on the work maps by diversion and by crop irrigated. The lands irrigated by ground water are identified by crop only. On Plate 2 they are grouped into three categories only: (1) those lands which received full irrigation during the year of survey; (2) those lands which received only partial irrigation because of insufficient water supply; and (3) those lands usually irrigated but which were idle or fallow in 1958.

# Naturally High Water Table Lands

In addition to the lands which receive applied water as described above, there are lands supporting vegetation utilizing water from a naturally high water table, such as mountain meadows or lands adjacent to lakes and streams. These are shown in Table 7 as "Meadowlands" and on Plate 2 as "Naturally irrigated meadowlands." If standing water was observable in an area on which tules, cattails, bullrushes, and similar vegetation was growing, the area is shown in Table 7 and on Plate 2 as "Marsh lands."

# Dry-farmed Lands

Dry-farmed lands are those lands normally planted to a crop but which do not receive applied water. This includes all lands so farmed whether or not a crop is produced in the year of survey. Although lands are mapped as "dry-farmed idle" if uncultivated in the year of

survey and "dry-farmed fallow" if tilled but without a crop, they are shown in Table 7 and on Plate 2 as "dry-farmed lands." Lands which had been uncultivated for more than three years and appear to have reverted to "native vegetation" were so mapped.

It should be noted that the term "dry-farmed" as used herein refers to the farming practice on these lands and not to a lack of soil moisture.

Since noncultivated rangelands are usually indistinguishable from similar lands not used for grazing purposes, both are designated as native vegetation. Water use in both cases is essentially the same and is dependent upon precipitation.

#### Urban Lands

Urban lands include the total areas of cities, towns, small communities, industrial plots, and military reservations which are large enough to be delineated. Also included are parks, golf courses, race tracks, and cemeteries within or near urban boundaries. The acreages represent gross delineations, including streets and vacant lots, and are therefore not necessarily fully developed at the present time. In this survey the boundaries of urban communities were delineated to include all lands with a density of one house or more per two acres. Military reservations are included in their entirety regardless of the extent of development.

# Recreational Lands

Recreational lands are mapped on aerial photographs in the field in four categories: (1) residential, (2) commercial, (3) camp and trailer sites and, (4) parks. Recreation residential lands include

permanent and summer home tracts within a primarily recreationaly area. The estimated density of homes per acre was also indicated. Recreational commercial lands include those containing motels, resorts, hotels, stores, restaurants, and similar commercial establishments in primarily recreational areas. Lands mapped in the camp and trailer sites category include those areas so used within primarily recreational areas. There are no existing federal or state parks within the Klamath River Hydrographic Unit. Obviously, nearly all of the mountainous and water surface areas are suitable for some use such as hunting, fishing, hiking, picnicking, and other recreational activities of this nature. For the purpose of this land use survey, however, consideration is given only to those lands where some fairly intensive development occurs requiring water service.

All recreational lands are combined into one group in Table 7 and on Plate 2. As in the case of urban lands, the areas delineated are not necessarily fully developed.

#### Native Vegetation

Lands which are essentially in a native state and not included in any of the above categories are mapped as native vegetation. These lands are generally used for mining, commercial timber production, livestock range, and recreational activities such as fishing, hunting, hiking, and picnicking. They total approximately 2,123,730 acres of 99 percent of the Klamath River Hydrographic Unit. Included in these areas some farm building and storage areas, water surfaces, scattered residences, and other isolated uses covering a few acres or less which are too small to be mapped separately.

The native vegetation lands are not included in Table 7.



Left: Town of Happy Camp

Below: Fishing on the Klamath River



TABLE 7

LAND USE IN

KLAMATH RIVER HYDROGRAPHIC UNIT, 1958

(In acres)

Subunit and County	Irrigated	Natural water tab		Ory-farmed	Urban	Recreationa
Í	lands	Meadowlands	Marsh lands	lands	lands	lands
Applegate River Siskiyou County	0	310	0	0	0	10
Beaver Creek Siskiyou County	660	70	0	20	10	70
Cecilville Siskiyou County	160	530	0	0	0	60
Copco Lake Siskiyou County	650	180	0	30	20	30
Happy Camp Siskiyou County	240	200	0	10	350	220
Hornbrook Siskiyou County	4,090	40	20	12,560	350	40
Klamath Glen Del Norte County Humboldt County	130 50	160 10	40 0	480 20	500 20	310 840
Salmon River Siskiyou County	30	320	0	0	0	30
Gawyers Bar Siskiyou County	10	500	0	0	60	70
Scott Bar Siskiyou County	70	360	0	10	10	100
Seiad Valley Siskiyou County	490	180	0	30	60	70
Somes Bar Humboldt County Siskiyou County	0 120	0	0	0 10	50 0	10 90
Weitchpec Del Norte County Humboldt County Siskiyou County	0 10 0	10 20 0	0 10 0	0 70 0	0 100 0	0 150 0
Nooley Creek Siskiyou County	0	670	0	0	0	0
SUMMARY:						
Del Norte County Humboldt County Siskiyou County	130 60 <u>6,520</u>	170 30 4,400	40 10 20	480 90 12,670	500 120 880	310 1,000 <u>790</u>
TOTAL	6,710	4,600	70	13,240	1,500	2,100

TABLE 8
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In ocres)

Notive   Notice   Notive   Notice   N						2	Truck Sald	Outhord	1	1.40	College	4040
T. C. Woods  T. C. Woods  Emma Pearl Freshour  W. W. Rogers  Joe Freshour  W. W. Rogers  Joe Freshour  W. W. Rogers  St. Francts Invest- ment Company  Bichard Jonee Mason Meek Hichard Pack  St. Francts Invest- ment Company  Grinderd Pack  W. W. Rogers  Carl W. Schedler  Circle Two Ranch  Gircle Two Ranch  Circle Two Ranch			Meadaw	pasture Bartéy	Wheat	you.	crops	Orenard	Irrigated	0	3010	19191
T. C. Woods  T. C. Woods  Emma Pearl Freshour  Richard Freshour  W. W. Rogers  Joe Freshour  W. W. Rogers  St. Francis Invest-  ment Company  Richard Jonee  Mason Week  Richard Pack  St. Francis Invest-  ment Company  Richard Jonee  Mason Meek  Richard Jonee  Mason Meek  Richard Jonee  Mason Meek  Carl W. Schedler  Circle Two Ranch  Circle Two Ranch  Circle Two Ranch			41_	APPLEGATE RIV	RIVER SUBUNIT	FI.						
T. C. Woods  T. C. Woods  T. C. Woods  Emma Pearl Freshour  M. W. Rogers  Joe Freshour  W. W. Rogers  Joe Freshour  W. W. Rogers  Asson Meek  Richard Jones  Richard Jones  Richard Jones  Richard Jones  Richard Jones  Richard Jones  Mason Meek  St. Francis Invest-  Asson Meek  Richard Jonee  Mason Meek  Michard Pack  W. W. Rogers  Jo  Carl W. Schedler  Gircle Two Ranch  Circle Two Ranch			(No d	  Tversions located 	in this subur	ait)						
T. C. Woods  T. C. Woods  Buma Pearl Freshour  Richard Freshour  Joe Freshour  Joe Freshour  Joe Freshour  Joe Freshour  W. W. Rogers  Richard Jones  Mason Week  Richard Pack  St. Francis Invest-  ment Company  Richard Jonee  Mason Week  Hichard Pack  St. Francis Invest-  Mason Week  Michard Pack  Carl W. Rogers  Carl W. Schedler  Circle Two Ranch				BEAVER CREE	K SUBUNIT							
T. C. Woods  T. C. Woods  Emma Pearl Freshour  Richard Freshour  W. W. Rogers  Joe Freshour  W. W. Rogers  Hichard Jones  Richard Jones  Richard Jones  Richard Jones  Richard Jones  Mason Meek  Richard Pack  W. W. Rogers  Carl W. Schedler  Circle Two Ranch  Circle Two Ranch  Circle Two Ranch				- AND PARK								
Burna Pearl Freshour       4       8         W. W. Rogers       39       2         Joe Freshour       15       2         W. W. Rogers       39       29         Mchard Jones       60       29         Mason Meek       7       29         Mchard Pack       7       31         Mchard Jonee       18       31         Mchard Jonee       18       31         Mason Meek       W. W. Rogers       10       2         Carl W. Schedler       2       2         Circle Two Ranch       2       2         Circle Two Ranch       7       7         Circle Two Ranch       7       7	Moods	7							2	77		23
Richard Freshour       4       8         W. W. Rogers       39       2         Joe Freshour       15       2         W. W. Rogers       39       29         Richard Jones       60       29         Mason Meek       7       2         Richard Pack       7       31         Mason Meek       18       31         Michard Jonee       18       31         Mason Meek       W. W. Rogers       10         Carl W. Schedler       2         Circle Two Ranch       2         Circle Two Ranch       8         Circle Two Ranch       7         Circle Two Ranch       7	earl Freshour	~		10					13			13
W. W. Rogers       39         W. W. Rogers       39         Richard Jones       60         Richard Pack       7         St. Francis Invest-       7         Mason Meek       18         Mason Meek       18         Mason Meek       10         W. W. Rogers       10         Carl W. Schedler       2         Circle Two Ranch       2         Circle Two Ranch       8         Circle Two Ranch       7	d Freshour Rogere	4		€					12			12
W. W. Rogers       39         Richard Jones       60         Mason Meek       7         Altchard Pack       7         St. Francis Invest-       7         Manut Company       18         Richard Jonee       18         Mason Meek       10         W. W. Rogers       10         Carl W. Schedler       2         Circle Two Ranch       2         Circle Two Ranch       8         Circle Two Ranch       7	eshour	15		2		6			56	8		78
##chard Jones Mason Meek Alchard Pack St. Francts Invest- ment Company Hichard Jonee Mason Meek Hichard Pack W. W. Rogers Carl W. Schedler Circle Two Ranch	Rogers	39							39			39
St. Francis Invest-       7         ment Company       18         Richard Jonee       18         Mason Meek       31         Mchard Pack       10         W. W. Rogers       10         Carl W. Schedler       2         Circle Two Ranch       2         Circle Two Ranch       8         Circle Two Ranch       7	se y	09		59					89			88
## Chard Jonee 18  Mason Meek Hichard Pack W. W. Rogers  Carl W. Schedler  Circle Two Ranch  7	encis Invest- Company	7							7			7
W. W. Rogers       10         Carl W. Schedler       10         Circle Two Ranch       2         Circle Two Ranch       8         Circle Two Ranch       7	d Jonee Meek i Pack	18		31					67			67
Carl W. Schedler         10           Circle Two Ranch         2           Circle Two Ranch         8           Circle Two Ranch         7		01							01			92
Circle Two Ranch Circle Two Ranch Circle Two Ranch	. Schedler								10			9
Circle Two Ranch Circle Two Ranch	Two Ranch			8					α			7
Circle Two Ranch	Two Ranch			80					60			80
	Two Ranch			2					7			7
						-						

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In ocres)

	010			77	13	4	5	4	7	m	∞	12	7	9	ц	23	4	5	15	m	7	55	97
	Mollow																						
	9 5				7														6			н	
Total	lands Irrigated			72	6	7	20	7	7	m	∞.	12	7	9	п	-33	7	2	9	2	7	75	97
	Orchord Drong			2	~									Ф.									
Truck	crops																			Ī		2	·
	H d y	(Continued)															<del></del>						
c	Wheat																						
Grain	Bartey	CREEK SUBUNIT														10							
Alfalfa	pasture	BEAVER CRE		10	7		2	7	7	6	∞	12	7					20				お	33
	Meadow	BEA														1	1						
Pasture	Notive														•								
	Mixed			9	т	77								ω	п	51	7		9	ω	7	788	13
Diversion name	owner.			Bert C. Jackson	Elmer and Frank Lang	Circle Two Ranch	Elmer and Frank Lang	Elmer and Frank Lang	Virgil Roberts	LeRoy Bagley	R. Jennings	R. Jennings	William W. Mullin .	Walter B. Stockett	Quigley-Lichens Ditch	Quigley-Lichens Ditch Circle Two Ranch							
000	ragunu		MDB&M	TH9T-M6/N97	46N/9M-23L1	46N/9W-24D1	46N/9W-24E1	46N/9W-24E2	46N/9W-24FI	46N/9W-24F2	46N/9W-24K1	L46N/9W-24L1	46N/9W-25Al	46N/9W-26B1	46N/9W-26K1	46N/9W-33F1	16N/10W-23C1	47N/7W-31B1	47N/7W-31E3	TW6T-M8/N27	47N/8W-30F1	47N/8W-31F1	47N/8W-31F1 46N/9W-13H1

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In acres)

							_		 	 								
H	0.00			6	88	9	12	799		17	63	9	7	7	٠٠	27	32	191
1	<b>3</b> 0000 L						I	0									-	0
	e 0			9	58		12	83										0
Totol	Irrigoted			~		99		579		17	63	9	7	7	2	27	32	161
- Control of the cont	B L Duck							01									1	0
Truck	crops						1	R										0
200		nued)					1	6									1	0
	Wheat	CREEK SUBUNIT (Continued)					1	0	SUBUNIT								1	0
Grain	Borley	K SUBUN					1	OI									1	0
Alfolfo	posture						1	526	CECILVILLE								1	0
	Meodow	BEAVER						0							Ī		-	0
Pasture	Notive							0			8						1	ନ
	Mixed			~		8	1	322		17	73	9	7	7	5	27	32	141
Oiversion nome	owner			Jesse R. DeAvilla	Jesse R. DeAvilla Letha and Art Stanley	Benjamin F. Maplesden St. Francis Invest- ment Company	Lands irrigated by ground water	Total Beaver Creek Subunit		William S. Johnson	Jordan Ditch Quaas Ditch	Dennis Moody	United States Klamath National Forest	Shasta Mining Company	Mrs. John N. McBroom	Katarine C. George	George R. and Robert G. Godfrey	Total Cecilville Subunit
Locotion	number		MDB&M	47N/8W-32N1	47N/9W-24H1	47N/10W-26F1 (Seiad Valley Subunit)	Lands irrig	Total		37N/10W-4N1	37N/10W-5D1 38N/10W-32H1	37N/11W-3N1 37N/11W-9A1	38N/11W-17LJ	38N/11W-29Dl	38N/11W-30H1	39N/10W-31D1	39N/12W-17B1	Total

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In acres)

Toto1				15	8	78	108	101	99	99	92	7	7	15	12	18		
i di cu																		
4	1016									6								
Total	Irrigated			15	22	58	108	101	99	57	92	11	7	15	12	18		
Orehord																	4	
Truck	crops																	
3	103																	
in	Wheat	SUBUNIT																
Grain	Barley	COPCO LAKE S		Ŧ														
Alfalfa	pasture	СОРСО								11								
	Meadow							~			9							
Pasture	Notive			15	9		17						2		to	-		
	Mixed				16	8	91	96	69	94	98	H		15	77	Ħ		
Diversion name	owner			F. L. and C. G. Lathrop	F. L. and C. G. Lathrop	E. C. Lemas Silva-Linich Ditch	Silva-Linich Ditch	Hessig Ranch	Hessig Ranch	R. J. Brown	Hessig Ranch	Hessig Ranch	Warren Tormey	California-Oregon Power Company	J. Fugaalar	F. L. and C. G. Lathrop		
tacation	number		MDB&M	47N/4W-1C1	47N/4W-2C1 48N/4W-34J1	47N/4W-3M1 47N/4W-9G1 (Hornbrook Subunit)	47N/4W-9Gl (Hornbrook Subunit)	48N/3W-14D1	48N/3W-14D2	48N/3W-27M1	48N/3W-34G1	48N/3W-35D1	48N/4W-21C1	48N/4W-29N1	48N/4W-33Q1 48N/4W-33R1	48N/4W-35P1		

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In acres)

	Total			87	28	£1	649			8	17	w	7	9	80	16	4	53	3	01
	Fallow					1	0													
	o i o						6			Э										OI OI
1040 F	lands Irrigated			87	88	13	049				17	ω	7	9	00	16	4	53	73	
	Orchard					I	0								2	m				
Tenor	and field crops					1	0													
	Ноу	ued)				1	0													
Grain	Wheat	SUBUNIT (Continued)				1	0	SUBUNIT												
G	Bartey	_				1	0	CAMP												
Alfolfa	hay and pasture	CO LAKE					п	НАРРУ			00							77		
	Meadow	COPCO				1	6													
Pasture	No → i · e						9									7	7		38	
	Mixed			87	28	13	999				6	ω	7	9	9	9		39	9	
Diversion name	Owner		1	F. L. and C. G. Lathrop	F. L. and C. G. Lathrop	California-Oregon Power Company	Total Copco Lake Subunit			Earl K. Lee	Prentis C. Hale	David M. Huey	Paul G. Beck Charles Hockaday	Alice Sedros	Elmer E. McClimans	Alice Sedros	Lee C. Waddell	Guy Head	Thomas Roberts	Frank Attebery Alve Hockaday
	Lacation		MDB&M	48N/4W-36H1	48N/4W-36L1	48N/5W-25A1	Total		H B & M	16N/7E-1H1	16N/8E-17F1	17N/7E-4G1	17N/7E-4P1	17N/7E-5L1	17N/7E-7G1	17N/7E-9E1	17N/7E-9E2	17N/7E-9E3 17N/7E-9E4	17N/7E-16A2 17N/7E-15N1	17N/7E-16R1

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In ocres)

	Oiversian name		Pasture		Alfalfa	Grain	ci		Truck		Tatal			
ragunu	owner	Mixed	Native	Meadaw	hay and posture	Barley	Wheat	Ноу	crops	Orchard	lrrigated	ld e	Fallow	Total
				HAPPY	YCAMP	SUBUNI	SUBUNIT (Continued)	(pa						
H B & M														
17N/7E-26E1	Aubrey A. Hall	5			5						10			07
17N/7E-26P1	Arthur Attebery		4								7			77
17N/7E-34F1	Edward Head	2							8	8	12			12
17N/8E-17C1	Mrs. Felix H. McGinnis	77	е .								2			2
18N/7E-32B1	W. H. Bussert	16									16			16
MDB&M														
46N/12W-30P1	Holly Thomas		ਬ								12			12
47N/12W-32L1	R. T. Hamer	4									77			77
47N/12W-32P1	Chester H. Barton	9	1	1	1	1			1	1	9	1	1	9
Total	Total Happy Camp Subunit	126	89	0	27	0	0	0	6	7	231	13	0	7777
					——————————————————————————————————————		TINUBUS							
146N/4W-15M1 46N/4W-15M1	Etta O. Ensele	53	13	12	2112	16					305			305
46N/4W-28JI	R. W. Thomason				35						35			35
46N/4W-32A1	Anthony J. Sylva												22	8
46N/4W-32B1	Anthony J. Sylva				7						7		2	12
46N/4W-33D1	Anthony J. Sylva				2						2		₩	13
46N/5W-5L1	Donald E. and Avelyn L. Fehlman			1									83	89

TABLE B (Confinued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In acres)

	0			8	148	15	37.7	100	8	75	51	187	383	101	84	34	69	23	72	53
-	WOIIOW																			
2	9 0												21		%					
Totol	irrigated			20	84	15	377	100	%	75	51	187	362	101	18	34	69	23	72	eg .
40	Orchora																			
Truck	crops																			
3	, or	linued)																		
Grain	Wheat	SUBUNIT (Continued)					39										L			
Gre	Borley						196													
Alfalfa	posture	HORNBROOK		8	84	4	774	100												
	Meadow	O H																		
Pasture	Native												80		18		17			
	Mixed					п	89		56	75	51	187	354	101		34	55	33	72	23
Diversion name	Owner			Donald E. and Avelyn L. Fehlman	Alan Williams	Russell Frederick	Benjamin H. Hager	Fred Reed Fred Reed	Clarence Kuck	J. W. Edwards	J. W. Edwards	Cold Creek Ranch	Jones Ditch	Chessbrough W. E. McKenzie	Chessbrough J. M. Foster W. E. McKenzie	John B. Fitzgerald	J. N. Foster Elsie Bloomingcamp	J. N. Foster Elsie Bloomingcamp	Elsie Bloomingcamp J. N. Foster	J. N. Foster J. N. Foster
Locotion	number		MDB&M	46N/5W-7A1	tht-ws/n94	1641-W5/N94	46N/5W-22M1	46N/5W-27F1 46N/5W-27A1	46N/5W-28R1	47N/44-8JJ	47N/4W-801	146-W1/NL4	47N/4W-18B1	47N/4W-18B3 47N/4W-7J1	47N/4w-18B4	47N/4W-18E1	47N/4W-18L1 47N/4W-18B2	47N/4W-18M1 47N/4W-18B2	47N/4W-18Q1	htn/4w-20ml htn/4w-20pl

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In acres)

	10101			5	9	13	32	91	9	13	13	0	12	m	8	15	6	18	30	%	17
:	Foilow W																				
	<u>•</u>					13															
Total	irrigated			5	9		32	10	9	13	13	6	12	m	8	15	6	18	30	56	17
	Orchard															a					
Truck	craps																		1		
3	тоу	nued)	•										ω			-				13	
e.	Wheat	SUBUNIT (Continued)															1	1			
Grain	Barley	1 1			-																
Alfolfo	pasture	HORNBROOK											7			13		6			17
	Meadow	HOH																			
Pasture	Native																			4	,
	Mixed			2	9		32	01	9	13	13	6		m	8		6	6	30	6	
Diversion name	Owner			J. N. Foster	John B. Fitzgerald	Mary Ann Quadros	John B. Fitzgerald	L. F. Smud	L. F. Smid Jones Ditch	L. F. Smid John B. Fitzgerald	Mary Ann Quadros Jess and Nelson Franklin	California-Oregon Power Company	James Liskey	Lauran Paine	Lauran Paine	Kenneth Houston	S. B. Cairns	Lem LeRoy Tull	Louis Alfonse	L. G. Robertson	G. M. Grieb G. M. Grieb L. G. Robertson
Location	number		MDB&M	47N/4W-20P1	LTI-W5/NZ77	TMIT-MS/NLh	LUST-WS/NT4	47N/5W-13G1	47N/5W-13G1 47N/4W-18B1	47N/5W-13G1 47N/4W-18E1	4711/54-14E1	1091-M5/NZq	INTI-W2/NT4	47N/5W-19A1	1791-W5/NT4	47N/5W-19P1	LH85-W5/NT4	47N/5W-30D1	147N/6w-6B1	LTN/6w-TEL	47N/6w-17E1 47N/6w-17E2 47N/6w-18G2

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In acres)

		_																	_
	Tatal			34	19	14	13	17	9	04	11	45	09	SS	21	Off	98	549	56
:	Fallow																		
	<b>e</b>			2								12	778						
Total	irrigated			59	19	17	13	17	. 9	04	11	33	12	23	23	Off	%	549	92
	Orchard						**			∞	11								
Truck	crops																		
2	y ay	nued)					7	હ		56									
Grain	Wheat	SUBUNIT (Continued)										8							
Gra	Barley	SUBUNI																38	
Alfalfa	pasture	HORNBROOK		23	19	17		15	m	2		16		23	เร			113	%
	Meadow	HOR																	
Pasture	Native												12						
	Mixed			9			9		3	ч		15				04	%	88	
Diversion name	owner			Ellis Ditch	Ellis Ditch Black Mountain Ranch Alfred W. Spearin	C. F. Spearin	G. M. Grieb Cottonwood Irrigation and Mining Company	Bill Rogers Alfred W. and C. F. Spearin	Bob Commins	L. G. Robertson	L. G. Robertson	G. M. Grieb	Elmer and Robert Julien	Black Mountain Ranch	Black Mountain Ranch Alfred W. Spearin	Alfred A. Protsman	Alfred A. Protsman	Black Mountain Ranch Black Mountain Ranch Black Mountain Ranch Alfred W. Spearin	Black Mountain Ranch
Location	number		MDB&M	L471/6W-17F1	47N/6W-17F1 47N/6W-21M1	47N/6W-17Q1	LTI/6W-17N1 LTI-WT/NT4	471/64-17D	47N/6W-18E1	47N/64-18G1	47N/6W-18G2	LTB/64-18J	1461-W9/N74	LHOS-W-20H1	47N/6W-21M1	47N/6W-25D1	47N/6W-25H1	47N/6w-27H1 47N/6w-27H2 47N/6w-21M1	47N/6W-28C1

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In acres)

	Total		31	26	%	19	292	п	31	Lη	13	144	34	27	Ħ	04	74	19	01	
:	Follow					72	9													
	e l d						18					Tħ								
Tatal	irrigated		31	99	22	14	268	п	31	147	13	103	34	27	11	100	74	£9	10	
	Orchard						4		Q											
Truck	craps																			
3	nay	nued)					19													
ni	Wheat	T (Continued)																		
Grain	Barley	SUBUNIT					27	•												
Alfalfa	posture	HORNBROOK	31	98	22		159		8		13	Н			∞	42	า			
	Meadow	HOR																		
Pasture	Native						8		12					27				٧	10	
	Mixed			30		14	39	11	15	147		102	34		m	16	36	62		
Diversion name	owner		Black Mountain Ranch Black Mountain Ranch	Fred Draggoo Fred Draggoo Allen Jespersen	George E. Callisch	Louie Freitas	Cottonwood Irrigation and Mining Company	John Sylva	Herman Kurt	Walter Wreden	S. D. Heworth S. D. Heworth	Fred Draggoo Allen Jespersen	California-Oregon Power Company	Doan Madero	Lawrence Lemos	Lawrence Lemos	F. L. Burns	F. L. Burns F. L. Burns	F. L. Burns	
Lacation	number	M D B & M	47N/6W-28F1 47N/6W-28C1	47N/6W-29E1 47N/7W-24C1	47N/6W-33D1	47N/6W-36A1	htn/tw-lfl	47N/7W-1F2	47N/7W-1G1	47N/7W-5G1	47N/7W-12H1 47N/7W-12H2	htn/tw-24c1	48N/4W-29N1 (Copco Lake Subunit)	148N/5W-21N1	48N/6W-31R1	48N/64-32M1	48N/74-15C1	48N/7W-15C2 48N/7W-15D1	48N/7W-15D1	

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In acres)

Tatal 0 4,086 15 36 101 156 9 124 130 176 10 25 Fallow 129 0010 0 0 120 ld e 188 12 12 0 Total lands irrigoted 15 36 3,769 124 34 10 10 101 34 164 52 Orchard 27 001 0 0 Truck and field crops 0 0010 0 0 001 75 0 0 Hay HORNBROOK SUBUNIT (Continued) SUBUNIT SUBUNIT SUBUNIT Wheat 8 0 0 0 0 0 13 Grain KLAMATH GLEN Barley RIVER SAWYERS BAR 310 0 0 33 SALMON Alfalfa hay and pasture 1,122 0 0 Meadow 0010 12 0 0 Native Pasture 158 0 0 15 Mixed 9 01 0 154 유취 형 2 ទ 34 25 36 2,005 Lands irrigated by ground water Lands irrigated by ground water Leo and Rose L.Brown Diversion name or Total Klamath Glen Subunit Total Salmon River Subunit Homer H. Bennett Total Sawyers Bar Subunit Homer C. Watson William Bow Homer Cooper R. L. Chaffey OWNer Walter Wreden Ivan Charles John Martin John Ahlgren Total Hornbrook Subunit F. L. Burns Total Del Norte County Total Humbbldt County 10N/4E-32C1 10N/4E-32F1 14N/1E-28N1 40N/12W-13L1 Location 48N/7W-21C1 48N/7W-22R1 48N/7W-34F1 11N/TE-19H1 10N/TE-2C1 10N/TE-4P1 MDB&M MDB&M H B & M

TABLE B (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In ocres)

Location	Diversion name		Pasture		Aifalfa	Grain	nin		Truck		Total		1	
number	OWNer	Mixed	Notive	Meadow	pasture	Bcrley	Wheat	, de la composition della comp	crops	Orchara	Irrigated	• D	MOIDA	0 0 0
					SCOTI	BAR	SUBUNIT							
MDB&M														
44N/11W-2B1	William Faulkner	13									13			13
LXZ-MII/N44	Mrs. George Reeves	7									7			7
TME-MII/N777	R. S. Smith	5			5					m	13			13
LAN/11W-8R1	Gus Kleaver	60									20			00
45N/10W-15R1	Harry Krupa B. U. Nowdesha George Skillens	~								4	9			9
45N/10W-21E1	Scott Bar Community Water Association	15								m	18			18
45N/10M-22D1	Scott Bar Mining Co. Joseph Fournier	9	1	-	1	1	1	- 1	1	1	9	1	- 1	9
Total	Total Scott Bar Subunit	56	0	0	٠,	0	0	0	0	10	7.1	0	0	77
					c	>								
					SEIAU	SEIAU VALLET	T NORON							
46N/10W-3M1	V. B. Ward	7									7			7
10E-MOI/N97	V. B. Ward	11									11			1
46N/10W-5F1	Asa Robinson	7									2			7
46N/10W-5F2	Asa Robinson	18									18	1		10
105-W01/N94	Asa Robinson	28									28			28
16N/10M-7G1	A. A. Morgan	19									19			19
IC8-WCI/N97	Fred Rainey	45									45			517

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In ocres)

	Total			7	п	59	14	10	6	8	23	12	15	13	#	6	9	27	25	31	56
	Fallow																				
	e p						77				9			10							
Totol	Irrigated			7	11	59		20	6	8	17	12	15	т	п	6	9	27	25	ĸ	56
	Orchord														77						
Truck	crops																				
:	60	linued)																			
ë	Wheot	SUBUNIT (Continued)																			
Groin	Barley																				
Alfolto	posture posture	AD VALLEY						8												N	
	Meodow	SEIAD												1							
Posture	Notive								2	8	17	12	₩	m		9			7	হ	6
	Mixed			7	п	65		9	9				7		7	9	9	27	72	60	17
Oiversion name	owner			V. B. Ward	C. Robert Rainey	C. Robert Rainey	Chester H. Barton	John N. Pickens	W. W. Robinson, Jr.	R. G. Priddy	Stanley P. Schwartz	Stanley P. Schwartz	Stanley P. Schwartz W. O. Simning	H. C. Hammon	O'Neil Creek Ditch	Hamburg Ditch	Kate Martin Rose R. McCulley	Fred Jensen	Loy Conrad Fred Jensen	Grider Creek Club	J. Byer Norman Valpey
doito	number		MDB&M	16-MOI/N97	DH6-MOT/N97	46N/10M-9R2	1051-W01/N97	16N/10M-2101	46N/11W-5B1	46N/11W-5F1	16N/11W-6G1	109-MII/N97	167-W11/N54	46N/11W-18E1	46N/11W-28A1	168/11W-35Q1	46N/11W-36R1	46N/12W-12F1	46N/12W-12H1	46N/12W-14C1 46N/12W-14E1	76N/12M-14N1

TABLE 8 (Continued)
IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In ocres)

i o to E	1010			53	7	763			19	77	7	57	15	211	119			
1010	MOLIDA				-	0								00	0			
1	9				η̈́	33							15	0 21	15			
Total	Irrigated			\$	1	094			19	77	7	57		104	104			
Page 4010	Display					4				П				0 -	1			
Truck	crops				1	0								୦୦	0			
3	Á	nued)				0				<b>'</b>				04	٧.			
c	Wheat	SUBUNIT (Continued)			1	0	SUBUNIT							00	0			
Grain	Barley					0	BAR							00	0			
Alfolfo	posture	SEIAD VALLEY			1	N	SOMES							00	0			
	Meadow	SEIA			-	0								00	0			
Pasture	Notive				1	105								00	0			
	Mixed			&	1	349			19	15	7	57		088	86			
Oiversian name	owner			Benjamin F. Maplesden St. Francis Invest- ment Company	W. W. Robinson, Jr.	Total Seiad Valley Subunit			L. H. Hayes	W. E. Lemon	Ross Y. Kennedy	Hugh Wright	Dorothy Hill	Total Humboldt County Total Siskiyou County	Total Somes Bar Subunit			
Location	raguno		MDB&M	47N/10W-26F1	47N/11W-32J1	Total		H B & M	13N/65-33G1	15N/7E-13G1 15N/7E-13B1	15N/8E-29K1	16N/7E-9P1 16N/7E-15F1 16N/7E-16H1	16N/7E-14N1	Total Humber Total Sisk	Total			

IRRIGATED LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT, 1958
(In ocres) TABLE 8 (Continued)

	5				7	-1	7					909	<b>⊉০</b> আ	Q.	
												6, 406	124 0 113	6,702	
Follow						0	0					00 621	000	129	
7	5					0	0					13	000	353	
Total	Irrigated				2	1	-					6 14 5,948	124	6, 220	
Orchord						이	0					2006	000	29	
Truck	crops					0	0					000	000	N	
2		F				0	0		SUBUNIT	subunit)		0068	000	89	
ri	Wheat		1			ी	0			(No diversions located in this subunit)		00	000	8	
Grain	Barley	- OHOLIS				0	0	- (	WOOLEY CREEK	fons locat		287	000	320	
Alfalfa	pasture	3	:			이	0	= 0	o - M	(No divers		0 0	000	1,393	
	Meadaw					0	0					21	000	21	
Pasture	Notive					0	0					0 0 111	000	1114	
	Mixed				2	7	7					, 6 , 4,1 3,642	त्र <sup>°</sup>	3,862	
Diversion name	owner				Larry Knudsen	Total Humboldt County	Total Weitchpec Subunit					Lands irrigated by surface water Del Norte County Humboldt County Siskiyou County	Lands irrigated by ground water: Del Norte County Humboldt County Siskiyou County	Total Klamath River Hydrographic Unit	
Locotion	number			H B & M	11N/6E~20F1	Total Humb	Total				Summary:	Lends irri	Lands irri	Total	



#### CHAPTER IV. LAND CLASSIFICATION

Calculations of future water requirements will be based in a large part on a classification of lands with regard to their potential for irrigated agricultural and recreational development. The results of such a land classification survey in the Klamath River Hydrographic Unit are presented in this chapter.

Lands were not classified in this survey with respect to their potential for urban development. The use of lands for urban purposes is closely related to population at any given time, and it is planned to defer designation of these lands until estimates of population and related economic studies are made in connection with determinations of future water requirements.

The former Division of Water Resources made a reconnaissance classification of lands of the State, which was reported in State Water Resources Board Bulletin No. 2, "Water Utilization and Requirements of California," dated June 1955. A more detailed land classification survey was performed by the department and reported in Department of Water Resources Bulletin No. 58, and Bulletin No. 83. The entire area of the Klamath River Hydrographic Unit was included in Bulletin No. 83, and the Siskiyou County portion was included in Bulletin No. 58. The present investigation uses the same basic land classification survey which was used in Bulletins No. 58 and 83. However, additional data on classification of recreational lands have been included, along with some minor modifications to the irrigable agricultural lands and a remapping of the present urban lands.

#### Methods and Procedures

The general methods and procedures used in field mapping and tabulation of information were essentially the same as those described for the land use survey in Chapter III. An example of land classification delineations on an aerial photograph is shown on page 122.

The standards used in the classification of lands are given in detail in Table 9. Results of the land classification survey are shown on Plate 3, "Classification of Lands," Sheets 1 through 36. The totals of areas in each classification are listed in Table 10, page 123.

# TABLE 9 LAND CLASSIFICATION STANDARDS

Land:	
class:	Characteristics
symbol:	

# Irrigable Lands

- These lands are level or slightly sloping and vary from smooth to hummocky or gently undulating relief. The maximum allowable slope is 6 percent for smooth reasonably large-sized bodies lying in the same plane. As the relief increases and becomes more complex, lesser slopes are limiting. The soils have medium to deep effective root zones, are permeable throughout, and free of salinity, alkalinity, rock or other conditions limiting crop adaptability of the land. These lands are suitable for all climatically adapted crops.
- These are lands with greater slope and/or relief than those of the V class. They vary from smooth to moderately rolling or undulating relief. The maximum allowable slope is 20 percent for smooth, reasonably large-sized bodies lying in the same plane. As the relief increases and becomes more complex, lesser slopes are limiting. The soils are permeable, with medium to deep effective root zones, and are suitable for the production of all climatically adapted crops. The only limitation is that imposed by topographic conditions.

# TABLE 9 (Continued)

#### LAND CLASSIFICATION STANDARDS

Land	:	
class :	•	Characteristics
symbol		

M These are lands with greater slope and/or relief than those of the H class. They vary from smooth to steeply rolling or undulating relief. The maximum allowable slope is 30 percent for smooth, reasonably large-sized bodies lying in the same plane. As the relief increases and becomes more complex, lesser slopes are limiting. The soils are permeable, with medium to deep effective root zones, and are suitable for the production of all climatically adapted crops. The only limitation is that imposed by topographic conditions.

Any variation from the foregoing, as defined, is indicated by use of one or more of the following symbols:

- Indicates the presence of a high water table, which in effect limits the present crop adaptability of these lands to pasture crops. Drainage and a change in irrigation practice would be required to affect the crop adaptability.
- s Indicates the presence of an excess of soluble salts or exchangeable sodium in slight amounts, which limits the present adaptability of these lands to crops tolerant to such conditions. The presence of salts within the soil generally indicates poor drainage and a medium-to-high water table. Reclamation of these lands will involve drainage and the application of small amounts of amendments and some additional water over and above crop requirements in order to leach out the harmful salts.
- ss Indicates the presence of an excess of soluble salts or exchangeable sodium in sufficient quantity to require the application of moderate amounts of amendments and some additional water over and above crop requirements in order to effect reclamation.
- h Indicates very heavy textures, which make these lands best suited for production of shallow-rooted crops.
- Indicates fairly coarse textures and low moisture-holding capacities, which in general make these lands unsuited for the production of shallow-rooted crops because of the frequency of irrigation required to supply the water needs of such crops.
- p Indicates shallow depth of the effective root zone, which limits use of these lands to shallow-rooted crops.

# TABLE 9 (Continued)

#### LAND CLASSIFICATION STANDARDS

Land : class : symbol:	Characteristics
r	Indicates the presence of rock on the surface or within the plow zone in sufficient quantity to prevent use of the land for cultivated crops.
	<u>Urban Lands</u>
UD	The total area of cities, towns, and small communities presently used for residential, commercial, recreational, and industrial purposes.
	Recreational Lands
RR	Existing and potential permanent and summer home tracts within a primarily recreational area. The estimated number of houses, under conditions of full development, is indicated by a number in the symbol, i.e., RR-3 is suitable for three houses per acre.
RC	Existing and potential commercial areas which occur within a primarily recreational area and which include motels, resorts, hotels, stores, etc.
RT	Existing and potential camp and trailer sites within a primarily recreational area.
P	Existing and potential county, state, federal, and private parks, race tracks, and fairgrounds.
	Miscellaneous Lands
F	Presently forested lands, or lands subject to forest management, which meet the requirements for irrigable land but which, because of the climatic conditions and physiographic position, are better suited for timber production or some type of forest management program rather than for irrigated agriculture.
Vm	Swamp and marsh lands which usually support a heavy growth of phreatophytes and are covered by water most of the time.

# Major Categories of Land Classes

Includes all lands which fail to meet the requirements of the

The lands mapped can be grouped into four major categories:

(1) irrigable lands, (2) urban lands, (3) recreational lands, and

N

above classes.

(4) miscellaneous lands, which are those lands which fail to meet the requirements of the first three land class categories.

# Irrigable Lands

Irrigable lands are grouped in appropriate classifications according to their suitability for development under irrigated agriculture and their crop adaptability. Presently irrigated lands are included within these classifications, but urban lands and recreational lands are not classed as to irrigability. The time element with respect to when the lands might be developed did not enter the determination, except that suitability for irrigated agriculture was necessarily considered in light of present agricultural technology.

There are many factors which influence the suitability of land for irrigation development. Since soil characteristics and the physiography of the landscape are the stable of these factors, they were the only ones considered in the survey in classifying lands as to their irrigability. The characteristics of the soil were established by examination of road cuts, ditch banks, and the material from test holes, together with observations of the type and density of native vegetation and crops. Representative slopes throughout the area were measured with a clinometer. Other aspects such as those economic factors related to the production and marketing of climatically adapted crops, the location of lands with respect to a water supply, and climatic conditions were not considered in the basic classification. These latter factors are very important in estimating the nature of future cropping patterns and practices and will be given due consideration when estimates are made of future water requirements.

### Urban Lands

It is recognized that future urban expansion will encroach upon some of the irrigable lands. The location and extent of this type

of development is a function of many variables. Because this land classification survey is an inventory of relatively unchanging physical conditions, no attempt was made to locate the areas of urban encroachment. Therefore, only those lands devoted to urban uses in 1958 are designated as "urban" lands.

#### Recreational Lands

Present trends indicate an expanding rate of use and demand for recreational facilities throughout the State. In view of these trends and the ever-increasing population, it is recognized that there will be a demand for substantial land areas for recreational purposes. This is particularly true of the mountainous regions where this type of development is expanding rapidly at the present time.

Generally speaking, all mountainous lands are suitable for some recreational use such as hunting, fishing, and similar outdoor activities. However, for purposes of this survey, lands classified for recreational use were limited to those which are now, or may in the future be used intensively for permanent and summer home tracts, camp and trailer sites, and parks outside of urban areas. These are lands requiring intensive water service.

Primary considerations for classification of home tracts and camp and trailer sites were such physical factors as soil depth, slope, and rockiness; such aesthetic values as view, nearness to lakes or streams, or density and type of forest canopy suitable for the respective uses; and the plans of United States and State forest officials. An important factor in location of camp and trailer sites is the availability of a water supply, but isolation from existing roads did not influence site selection.

There are no existing federal or state parks within the Klamath River Hydrographic Unit.

# Miscellaneous Lands

Presently forested lands or lands best suited for forest management which are otherwise irrigable are classed as "F" lands. Lands which were designated in the land use survey as marsh lands are classified as "Vm" lands.

Lands which failed to meet the requirements previously described in this chapter, are herein called "Other Lands" and amounted to approximately 2,037,120 acres or 95 percent of the unit. These "Other Lands" are not shown on Table 10.



Example of Land Classification Delineated on Aerial Photograph (See Table 9 for symbol explanation.)

TABLE 10
CLASSIFICATION OF LANDS IN
KLAMATH RIVER HYDROGRAPHIC UNIT

Partial continue   Partial con								irrigo	bis agrit	irrigable agricultural lands	spuol							Present		0	1 losoit	- Pade		Miscellonsous	snosu
1,	Subunit and County			Sm	ooth ly	Bu				Gantly s	loping			Steaply	Bloping			1958,		Nacra B	in the last	2000		land	
1,		>	*>	<b>4</b> >	5	۸	Vpr	ž	I	Яр	Hpr	ž	Σ	ΨD	Mpr	ž		Э	RR	200	RT.		Total	u.	۳/
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	Applegate River Siskiyou County	St.	310	0	0	0	0	Q	0	0	0	0	0	0	0	0	320	0	10	0	10	0	8	370	0
1	Beaver Creek Siskiyou County	η30	70	0	3	0	8	150	984	10	10	120	280	70	0	110	1,990	10	8.	8	180	0	8%	3,380	0
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	Cecilville Siskiyou County	30	520	0	0	0	0	10	170	0	0	9	240	0	0	9	1,020	0	1450	91	570		1,030	3,620	٥
1.5 1	Copco Lake Siekdyou County	330	190	0	0	30		500	230	120	91	8	0	8	20	0	1,360	8	0	0	390	0		049,81	0
1,50	Happy Cemp Siekiyou County	220	220	0	0	0	0		1,030	0	0	530	190	٥	0	0	2,180	350	550	8	150	0	720	2,990	0
1.610 166 0 0 0 0 0 0 150 310 0 0 0 150 310 0 0 0 20 20 50 0 0 0 0 0 150 150 310 0 0 0 150 310 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Rornbrook Siekiyou County	3,310		8	0	780				8,070	620	130		8,850	270		25,900	350	0	9	10	0	20	3,740	8
10   350   0   0   0   0   0   150   0   150   0   150   0   150   0   150   0   150   0   150	Klamath Glen Del Norte County Rumbeldt County	1,610		00	90	00	00	30	310	00	00	88	88	00	00	00	2,380	8,8	22 021	80		230	900	4,070 7,750	30
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	Selmon River Siekiyon County	10	320	0	0	0	0	0	150	0	0	9	8	0	0	20	620	0	011	0	70	0	180	260	0
10   15   15   15   15   15   15   15	Sawyers Bar Siskiyon County	0		0	0	0	0	0	130	0	0	0	9	0	0	0	670	8	88	0	290	0	670	1,780	0
100   1,0440   1,04	Scott Bar Siskiyou County	Q <sub>1</sub>		0	0	0	0	20	160	0	0	8	22	0	0	10	770	97	270	8	430	0	720	3,040	0
100 1,040 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 160 120 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Seimd Valley SiekLyou County	830		0	0	30	0	8	650	01	0	30	380	0	0	0	2,170	8	380	30	120	٥	530	930	0
1,	Somesbar Numboldt County Siskiyou County	1001	1,040		00	00	00	08	620	00	00	160	0 021	00	00	0 01	2,110	08	286	° 8	9860		50	210	00
20 660 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Weitchpec Del Norte County Rumboldt County Sieklyou County	000			000	000	000	000	094	000	000	000	011	000	000	000	9990	000	0990		30 120			2,420	090
1,610 170 0 40 0 0 150 340 0 0 50 60 0 0 0 0 1,210 1,2	Wooley Creek Siskdyou County	8			0		0	0	0	0	0	0	0	0	0	0	999	0	0	0	30	0	30	1,450	0
166 30 0 0 0 0 0 30 770 0 0 0 20 20 20 20 20 0 0 0 0 0 0 0	Del Norte County	1,610			01			150	310	0	0	20	8	0	0	٥	2,390	200	120	8		230		4,190	2
2,350 4,400 60 0 840 20 670 6,920 8,210 640 1,260 2,100 8,940 320 350 1,500 1,500 3,430 360 5,170 970 970 99,930	Humbaldt County	160		0	0			30	770	0	0	8	200	0	0	0	1,210	120	130				2,890	10,380	10
7,160 4,600 60 40 840 20 850 8,000 8,210 640 1,260 2,100 8,940 320 350 1,500 3,430 360 5,170 970 9,930 59,890	Sieklyou County	5,390			Ċ			019		8,210				8,940	8	350	39,790		2,520				6,280	45,320	ଥା
	TOTALS	7,160		8	9			850		8,210				046,8	320	350	43,390		3,430			970	9,930	068'69	02



### CHAPTER V. SUMMARY

The Klamath River Hydrographic Unit consists of 234 square miles of Del Norte County, 523 square miles of Humboldt County, and 2,605 square miles of Siskiyou County. It includes the watersheds of the Klamath River, the Salmon River, and the lower 20 miles of the Scott River.

Valley and foothill lands constitute about 2 percent of the total area. Approximately 54 percent of the agricultural lands are dry-farmed, 46 percent are irrigated. Major irrigated crops are pasture and grain. Lumbering and associated wood products manufacturing are the most important local industries.

### Water Use

Water rights in Seiad Valley have been adjudicated by legal action and others have been defined by private agreements. The remaining use is based primarily on riparian rights or on appropriative rights established prior to 1914 by merely diverting and using the water.

As of June 30, 1960, there were 247 active applications to appropriate water in the unit on file with the State Water Rights Board. Permits or licenses were granted for 234 of these applications and 13 were incomplete.

Approximately 71 percent of the 279 surface water diversions located were measured during 1958. The primary use and the amounts diverted are summarized as follows.

Primary use	Total number of diversions located	Number of diversions measured	Measured diversions (in acre-feet)
Irrigation	217	148	62,300
Municipal	14	3	2,500
Industrial	10	7	8,300
Mining	17	16	25,200
Power	19	13	1,933,200
Domestic	12	5	1,500
		-	
TOTAL	279	192	2,033,000

1/Partially estimated.

The total consumptive use of applied water during 1958 is estimated to have been 12,240 acre-feet, of which 10,300 acre-feet were used for irrigated agriculture, 940 acre-feet for domestic and municipal purposes and 1,000 acre-feet for industrial purposes in the production of wood products.

### Land Use

The areas of present land uses within the Klamath River

Hydrographic Unit are summarized below and presented pictorially in

Figure 1, page 128.

<u>Use</u>	Area, in acres
Agriculture	
Lands irrigated in 1958	6,220
Lands normally irrigated but idle or fallow in 1958	480
Dry-farmed lands	13,240
Total agriculture	19,940
Recreational lands	2,100
Urban lands	1,500
Meadowlands	4,600
Marsh lands	70
Native vegetation	2,123,690
Total area of unit	2,151,900

### Land Classification

The land classification survey reported in Department of Water Resources Bulletins No. 58 and 83 was used in this investigation, with additional data on classification of recreational lands, some minor modifications to the irrigable agricultural lands, and a resurvey of present urban lands. The results of these surveys are summarized below and presented pictorially in Figure 2.

Classification	Area, in acres
Irrigable agricultural lands	43,390
Present urban lands	1,500
Recreational lands	9,930
Miscellaneous lands	
Irrigable forest management lands	59,890
Other lands (including Vm lands)	2,037,190
Total area of unit	2,151,900




Figure 1 1958 LAND USE




Figure 2
CLASSIFICATION OF LANDS

### APPENDIX A

STATEWIDE WATER RESOURCES AND WATER REQUIREMENTS PROGRAM

### APPENDIX A

### STATEWIDE WATER RESOURCES AND WATER REQUIREMENTS PROGRAM

California's major water problem today is that of development and delivery of supplemental water supplies to meet increasing water requirements throughout the State. The problem involves (1) the regulation of seasonal and cyclic fluctuation of streamflow to meet demand schedules in the areas of origin, and (2) the transmission of regulated surplus flows over long distances to areas of deficiency.

The development and long distance transfer of water is currently accomplished by such major facilities as the federal Central Valley Project and the Colorado River Aqueduct of The Metropolitan Water District of Southern California. However, such development and transfer will be considerably broadened in scope by the State Water Facilities.

Consumptive water requirements of the State on a basinwide basis were estimated in State Water Resources Board Bulletin No. 2, "Water Utilization and Requirements of California," June 1955. However, to provide for local water needs while considering specific export projects, more detailed information must be made available on present and projected future water requirements of the areas in which the projects are to be built. This will necessitate the considerably more detailed collection and analysis of data on hydrology, land use and land capability, and economics.

Recognizing that additional information is needed if the water needs of areas of origin are to be adequately protected in large-scale water development projects, the 1956 Legislature authorized an investigation to determine the water resources and water requirements of

the respective watersheds in the State. The authorization is contained in Chapter 61, Statutes of 1956, as amended by Chapter 2025, Statutes of 1959. This legislation is codified in Section 232 of the Water Code as follows:

- "232. The Legislature finds and declares that in providing for the full development and utilization of the water resources of this State it is necessary to obtain for consideration by the Legislature and the people, information as to the water which can be made available for exportation from the watersheds in which it originates without depriving those watersheds of water necessary for beneficial uses therein. To this end, the department is authorized and directed to conduct investigations and hearings and to prepare findings therefrom and to report thereon to the Legislature at the earliest possible date with respect to the following matters:
- (a) The boundaries of the respective watersheds of the State and the quantities of water originating therein;
- (b) The quantities of water reasonably required for ultimate beneficial use in the respective watersheds;
- (c) The quantities of water, if any, available for export from the respective watersheds;
- (d) The areas which can be served by the water available for export from each watershed; and
- (e) The present use of water within each watershed together with the apparent claim of water right attaching thereto, excluding individual uses of water involving diversions of small quantities which, in the judgment of the Director of Water Resources, are insufficient in the aggregate to materially affect the quantitative determinations included in the report.

"Before adopting any findings which are reported to the Legislature, the department shall hold public hearings after reasonable notice, at which all interested persons may be heard."

For purposes of this inventory, the State has been divided into 12 major hydrographic areas. These areas, in turn, have been subdivided into hydrographic units generally comprising watersheds of individual rivers.

Basic data on present water uses, together with the apparent claim of water right attached thereto, present land uses, history of land and water uses, and the classification of lands will be presented separately for each hydrographic unit in this series of reports on land and water use. Bulletin No. 94-6, "Land and Water Use in Klamath River Hydrographic Unit", is the sixth of a series reporting the results of these surveys.

At a future date, estimates, largely based on the land and water use surveys, will be made of quantities of water reasonably required for future beneficial uses in each watershed. The quantity of water potentially available for export from each watershed will be determined after allowances are made for the satisfaction of the local requirements and prior rights to divert water to other areas. For those watersheds in which no exportable water is available the water supply deficiency will be determined. These estimates will be published as they become available.

The calculations of future water requirements will be based, in part, on predicted future land uses derived from land classification surveys, economic studies, population forecasts, industrial and agricultural development, and recreational needs. Agricultural water requirements will be based on unit water use by the various predicted crop types. Urban and recreational requirements will be based on per capita water use values. Fish and wildlife requirements will be based on minimum streamflow needed or on water demands for wildlife area. Industrial water requirements will be based on measured water deliveries to various types and sizes of industries now existing. In forecasting future industrial development, water quality problems will be given full consideration.

Water resources will be determined from records of all stream gaging stations, including new stations which were established for this and other investigations of the department. The new stations were generally constructed on streams which originate in the smaller watersheds for which runoff data are necessary but for which no data have been available.



### APPENDIX B

REPORTS ON RELATED INVESTIGATIONS
AND OTHER REFERENCES



### APPENDIX B

## REPORTS ON RELATED INVESTIGATIONS AND OTHER REFERENCES

- California State Chamber of Commerce. "Economic Survey of California and its Counties." 1958.
- California State Department of Natural Resources, Division of Mines. "Mineral Information Service." 1950-60.
- ---. "Mineral Commodities of California." Bulletin No. 156, 1950, and Bulletin No. 176, 1956.
- California State Department of Public Works, Division of Water Resources. "Seiad Creek Adjudication--Order of Determination." October 1949.
- California State Department of Water Resources. "Northeastern Counties Investigation." Bulletin No. 58. June 1960.
- ---. "State Water Right Applications for Unappropriated Water, Assignment Thereof, Reservations for Counties of Origin, and Other Related Matters." January 1959.
- ---. "Klamath River Basin Investigation." Bulletin No. 83. May 1960.
- California State Water Resources Board. "Water Resources of California." Bulletin No. 1. 1951.
- ---. "Water Utilization and Requirements of California." Bulletin No. 2. 1955.
- Jones, Joseph R. "Saddle Bags of Siskiyou." 1953.
- "Klamath River Basin Compact," Water Code Sec. 5900-5901.
- McBeth, Frances Turner. "Lower Klamath County." 1950.
- Rensch, H. E. and E. G. and Hoover, Mildred B. "Historic Spots in California." 1933.
- Siskiyou County Historical Society. "The Siskiyou Pioneer in Folklore and Fiction." 1947-59.
- United States Department of Agriculture, Forest Service. "Area and Ownership of Forest Land in Humboldt County." Forest Survey Release No. 16. 1952.
- ---. "Area and Ownership of Forest Land in Siskiyou County." Forest Survey Release No. 8. 1950.
- ---. "Area and Ownership of Forest Land in Del Norte County."
  Forest Survey Release No. 18. 1953.

- ---. "Forest Statistics for Coast Range, Pine Subregion in California." Forest Survey Release No. 12. 1952.
- ---. "Forest Statistics for Coast Range, Redwood-Douglas Fir Subregion in California." Forest Survey Release No. 19. 1953.
- United States Department of Agriculture, Office of Experiment Station. "Irrigation Resources of Northern California and their Utilization." 1913.
- United States Census of Population. 1880-1960.
- University of California Agricultural Experiment Station. "Timber in Humboldt County." Bulletin No. 748. 1955.

## LAND AND WATER USE BULLETINS

### Bulletin No. 94 Series

Bulletin No.	Hydrographic Unit Covered	Year of Survey
94-1	Tule River	1957
94-2	Trinity River	1957
94-3	Yuba-Bear Rivers	1957-58
94-4	Smith River	1958
94-5	Shasta-Scott Valleys	1958
94-6	Klamath River	1958
94-7	Mad River-Redwood Creek	1958
94-8	Eel River	1958-59
94-9	Lost River-Butte Valley	1959
94-10	Mendocino Coast	1959
94-11	Russian River	1959
94-12	Sacramento Valley West	1959
94-13	Putah-Cache Creeks	1960
94-14	American River	1960
94-15	Sacramento Valley Floor	1961
94-16	Sacramento Valley Northeast	1962
94-17	Feather River	1962-63
94-18	Shasta Lake	1963

## Bulletins Similar to the Bulletin 94 Series

Bulletin No.	County or Drainage Area Covered	Year of Survey
70	Orange County	1964
71	Upper Santa Ana River Drainage	1964
101	Desert Areas of Southeastern California	1958
102	San Diego County	1963
103	San Luis Obispo and Santa Barbara Counties	1959
24-50	Coastal Los Angeles County	1960
121	Southern Lahontan Area	1961
122	Ventura County and Upper Santa Clara River	1961
	Drainage	



APPENDIX C

LEGAL CONSIDERATIONS

### TABLE OF CONTENTS

### LEGAL CONSIDERATIONS

	age
California Water Rights	<b>-</b> 3
Riparian Rights	-4
Overlying Rights	<b>-</b> 5
Appropriative Rights	<b>-</b> 5
Prescriptive Rights	-8
Determination of Water Rights	-10
Litigation Concerning Local Water Rights	-11
Seiad Creek Adjudications	-11
Klamath River Basin Compact	-11a
Applications to Appropriate Water	-11b
TABLES	
Table No.	
C-l Applications to Appropriate Water in Klamath River Hydrographic Unit	-12

### APPENDIX C

### LEGAL CONSIDERATIONS

There are set forth in the following paragraphs brief general statements with respect to the California law of water rights to supplement and to provide a background for information on water rights contained in Chapter II. Also included is a review of litigation involving water rights and a tabulation of currently valid applications to appropriate water within the Klamath River Hydrographic Unit filed with the State Water Rights Board.

### California Water Rights

In California, water rights convey only the right to use water. Until absolute possession of water is acquired by some artificial means, no one owns water. However, the owner of water rights is entitled to enjoy them without interference by other users who have rights which are inferior to his.

Five kinds of water rights are recognized in California. These are riparian, overlying, appropriative, prescriptive, and pueblo. Riparian rights attach to surface water and water flowing in known and definite subterranean channels, while overlying rights attach only to underground water. Appropriative and prescriptive rights may be acquired in either surface or underground waters. Pueblo rights are now exercised in California only by the cities of Los Angeles and San Diego, each of which has a paramount right to satisfy its full needs from the stream system of waters flowing by the former Mexican pueblo from which each sprang.

All water rights, both to surface and to underground water, are subject to the doctrine of reasonable beneficial use expressed in Section 3

of Article 14 of the California Constitution, and Water Code Sections 100 and 101. This doctrine limits water rights to the quantity of water reasonably required for beneficial use and prohibits waste, unreasonable use, and unreasonable methods of use or diversion.

### Riparian Rights

A riparian right entitles the owner of lands which border or front on a watercourse to take water therefrom for use on such lands within the same watershed. However, the rights of the owner of riparian land are limited to the reasonable beneficial use of the natural flow of water which passes his land. Riparian rights pass with the title to the land, unless expressly reserved or excepted from the interests transferred, and are not gained by use or lost by mere nonuse. Although the land must be contiguous to the watercourse, the length of the frontage is not determinative of the rights; a large tract with a small frontage on a stream may be riparian to the stream. But the original grant determines the character of the land, and only the smallest contiguous tract held under a single title retains riparian rights.

A riparian owner has no right to any specified amount of the water of a stream as against other riparian owners. He has rights only to a reasonable share from the stream -- a correlative right which he shares mutually with other riparian owners. In the event of insufficient water for all, the available supply must be apportioned, except that an upper riparian owner may take the whole supply if necessary for domestic use. As against appropriators, the riparian owner has the paramount right to all the water of the stream which he can put to reasonable beneficial use, but that is the extent of his right, and the appropriator can take the surplus.

Riparian rights do not authorize use of water on nonriparian land, nor do they permit the seasonal storage of water. Neither do they prevent temporary appropriation by others of water not presently needed for use on riparian land.

A parcel of land becomes nonriparian when severed from land bordering the stream, unless the riparian rights are reserved for the severed parcel
by the grantor. Riparian rights may be destroyed when purportedly transferred
apart from the land by grant, contract, or condemnation, and may be impaired
or lost through prescription.

### Overlying Rights

Owners of lands overlying a common underground water supply have the right to withdraw water for reasonable beneficial use on their overlying lands. Such overlying rights are analogous to riparian rights, in that both are based on ownership of land, and the rights of each overlying owner are mutual and correlative to the rights of all other owners. In the case of insufficient water to fully supply the requirements of all, the available supply must be equitably apportioned.

Overlying rights do not include use of water on nonoverlying land. However, surplus water not presently required for beneficial use on overlying land, and which may be withdrawn without creating an overdraft on the ground water supply, may be appropriated for use on nonoverlying land. But the overlying rights are paramount and all appropriative rights are subject to the future requirements of overlying land.

### Appropriative Rights

An appropriation of water is any taking of water for other than riparian or overlying uses, whether such taking is from the underground by

wells or from surface streams by direct diversion or storage. An appropriator, in the legal sense, is one who initially takes water without possessing rights which are based on the ownership of land. As between appropriators, the one first in time is the first in right. A prior appropriator may take all the water he needs up to the full amount to which he is entitled before a later appropriator may take any.

Normally, appropriative rights are inferior to riparian rights. An exception to this is the case of an appropriation of water diverted from streams flowing through vacant public lands before the riparian lands were withdrawn from the domain of the United States. The appropriative diversions or the lands they serve may be either upstream or downstream from the riparian lands. Any water not needed for the reasonable beneficial uses of those having prior rights may properly be appropriated.

No formal or statutory procedure is or ever has been prescribed or required in this state for those who take water by means of wells from underground percolating waters or underground basins. An appropriative right to take surplus water from such sources is acquired by extracting such water from the underground and applying it to beneficial uses.

Provided the development and application to use are completed with reasonable diligence, the priority of the right as against another appropriator relates back to the first substantial act toward putting the water to use or to the date of application. Until 1872, water flowing in natural streams was appropriated by taking the water.

Sections 1410 through 1422 of the Civil Code, enacted in 1872, estabblished a permissive procedure for perfecting an appropriation of surface water. Provision was made for posting a notice of appropriation at the proposed point of diversion and recording a copy with the county recorder. If the statutory procedure were followed and the appropriation completed with due diligence, priority related back to the date of posting; otherwise, priority was established only when the water was put to beneficial use.

Since the effective date of the Water Commission Act of 1913,
December 19, 1914, appropriation of surface water and water in subterranean
streams flowing in known and definite channels has been by compliance with
required statutory procedure. An appropriation of such water now can be
made in accordance with the provisions of Part 2, Division 2 of the Water
Code (Water Code Sections 1200 to 1801). An application to appropriate
unappropriated water must be filed with the State Water Rights Board. If the
application is approved, a permit is issued authorizing the appropriation.
When the appropriation has been completed, an inspection is made and a license
is issued, to the extent of beneficial use, provided the terms and conditions
of the permit have been fulfilled. The priority of a permit or license relates
back to the date of the application.

A right to appropriate water may be lost either by abandonment or by continuous nonuse. To constitute abandonment, there must be concurrence of act and intent, wherein possession is relinquished with no intent to resume it for a beneficial use. Abandonment is, therefore, always voluntary and factual. In the case of an appropriation initiated prior to 1914, continuous nonuse for a period of five years results in the loss of appropriative water rights. In the case of appropriative rights acquired pursuant to the Water Commission Act or the Water Code, continuous nonuse for a period of only three years may result in loss of such rights.

Where ground water and surface water are interconnected, one acting as a tributary to the other, both are treated as part of a common supply and users of water from either source are entitled to protection from substantial

injury as a result of use by others of water from the other source. Thus, an owner of land riparian to a stream may have his right to the use of water protected against impairment by an appropriator of percolating ground water tributary to the stream and required for the maintenance and support of its flow. Likewise, where water from a stream percolates to a ground water basin or stratum, the owner of land overlying the ground water supply may be protected from an appropriation of water from the stream if this causes a substantial impairment of the ground water supply. As between riparian use of surface water and overlying use of ground water tributary to the stream, a sharing of the available water supply on the basis of reasonable beneficial use should be made.

### Prescriptive Rights

It is possible to appropriate surface or ground water which is presently needed by others to satisfy riparian, overlying, or prior appropriative rights. Such appropriations may ripen into prescriptive rights where the use is actual, open and notorious, hostile and adverse to the original owners, continuous and uninterrupted for the statutory period of five years, made under claim of right, and with payment of taxes whenever such have been levied on the water rights. Absence of any of these essentials precludes the acquisition of prescriptive water rights.

Prescription of a right thus requires that, for a period of five years, the rightful owner either knows or should know of the adverse taking and fails to take any physical or legal steps to interrupt such taking. Irrespective of the needs or demands of the riparian, overlying, or prior appropriative user, an absolute right to only a fixed amount of water may be

acquired by prescription. The quantity of such a right is determined by beneficial use. However, present use is the measure of the prescriptive right, and future needs cannot be included.

Riparian rights, overlying rights, appropriative rights, and prescriptive rights may be lost or diminished by prescription. While there is sufficient water flowing in a stream to supply the wants of all parties, the use of the water by anyone does not deprive the others of their water supply and, hence, is not an invasion of their rights. The same principle applies to a downstream diversion of water as against the rights of an upstream riparian landowner or prior appropriator. At times when the safe yield of a ground water basin exceeds the needs of overlying landowners and appropriators, their prior rights are not invaded by a later appropriative taking of water from the underground supply. The later appropriation becomes adverse only when the ground water basin is overdrawn; that is, when the annual draft exceeds the safe annual yield. Although neither an overlying owner nor a prior appropriator may prevent a taking of surplus water, either the owner or the appropriator may institute legal proceedings to safeguard the supply once a surplus ceases to exist, and may enjoin any additional use beyond the point of safe yield. Since prescriptive rights can only be acquired to nonsurplus water, these rights cannot ordinarily be acquired against the future needs of riparian or overlying owners.

The prior appropriator, lower riparian, or overlying owner may protect his rights for his present needs against an adverse appropriator by actually taking the needed water before the five-year period has run, or by the aid of the courts in the form of a declaratory judgment or injunction within the five-year period.

### Determination of Water Rights

Under provisions of the Water Code, actions brought before either state or federal courts which involve determination of rights to the use of water may, at the court's discretion, be referred to the State Water Rights Board. Under provisions of Water Code Section 2000, the court may appoint the board to referee "any or all issues involved in the suit", or under Section 2001, it may limit the reference to "investigations of and report upon any or all physical facts involved". This reference procedure may be followed in suits involving either surface or ground waters, or both.

An alternative procedure for adjudication of rights to the use of water of streams, lakes, and other bodies of water, is available upon petition to the State Water Rights Board, but the method excludes the determination of rights to take water from an underground supply other than from a subterranean stream flowing through known and definite channels. Water Code Sections 2500 to 2900, inclusive, authorize the initiation of such proceedings.

Court actions which involve a determination of all the relative rights to the use of water of an entire stream or stream system and/or ground water basin afford a basis for distribution of water after decrees under watermaster service. Water users may secure the services of the Department of Water Resources under Water Code Sections 4000 to 4407, inclusive, in making distribution of the water to them according to their respective rights as determined by the court.

Of the adjudications of water rights in the Klamath River Hydrographic Unit, which are described below, none has involved references to the State Water Rights Board or its predecessor agencies, nor has any state watermaster service been established.

### Litigation Concerning Local Water Rights

### Seiad Creek Adjudications

The first legal proceedings in the history of conflict in the matter of use of water from Seiad Creek and its tributaries were entered on June 18, 1919, in the case of Ariel Lowden vs Davis and Davis, Superior Court, Siskiyou County. No. 7484, in which the rights between the plaintiff and defendants were then determined.

Subsequent conflict was evidenced by the number of protests filed against Application No. 1539 issued on November 28, 1919, and numerous other complaints relative to the use of water of Seiad Creek received by the Department since that time.

Litigation was again commenced in 1941 in an action entitled "Arroyo Seco Gold Dredging Company vs Shadburne", Superior Court, Siskiyou County, No. 11044, in which all the claimants on the stream system were eventually brought into the case.

The case was allowed to lapse in 1946 and on December 23, 1946, a petition for the determination of the rights of the claimants, under Sections 2500 to 2865, inclusive, of the Water Code, signed by the plaintiff and defendants and a substantial majority of the claimants on the stream system, was submitted to the Department (then the Division of Water Resources).

The petition was granted on January 28, 1947, and an examination and field investigation were conducted on streamflows of the Seiad Creek system, of diversion systems from the stream, of lands irrigated and irrigable therefrom, of all other uses of water and other data and information essential to the proper determination of the rights and of the use of water by the claimants.

A trial distribution of water was conducted during the 1948 irrigation season and continued through the 1949 season, upon which agreement was

reached by the parties involved and entered into by all the claimants on April 21, 1949.

A report of these proceedings, dated October 31, 1949, is on file with the State Water Rights Board in Book 2, Order of Determinations starting on page 105.

### Klamath River Basin Compact

The development and use of water from the Klamath River, an interstate stream, is subject to the Klamath River Basin Compact between California and Oregon. This agreement was negotiated by California pursuant to the authority conferred by Chapter 1473, California Statutes of 1953, page 3085. It was ratified by both states on April 17, 1957, consented to by Congress on August 30, 1957 (71 Stat. 497), and became effective on September 11, 1957. The Compact has been codified in the California Water Code as Sections 5900-5901

The compact permits development in the upper basin that may impair or alter the regimen of the river flow into California. Under certain conditions of the compact, additional land may be developed in the upper basin with a superior right to water with respect to claim of rights downstream initiated subsequent to the effective date of the compact. The extent that development will be accomplished to use water under claim of this superior right cannot be determined at this time.

### Applications to Appropriate Water

Applications to appropriate water within the Klamath River Hydrographic Unit filed with the State Water Rights Board and active on June 30, 1960, are summarized in Table C-1, page C-12. Diversion identification numbers, explained in Chapter II, are shown corresponding to the appropriate application where a significant diversion was made under the application.

# APPLICATIONS TO APPROPRIATE WATER IN KLAMATH RIVER HYDROGRAPHIC UNIT (Filed with Stole Woler Rights Boord on of June 30, 1950)

	Statue	1-106	1-119	1-1351	1-335	1-336	1-337	1-1163	1-858	1-913	1-2097	1-372	I853	I-804	1-619	1-1327	1962	1-1352	1-1162	1-952	1-795	1-1717	1-892	
	Purpose	Mining	Mining	Irrigation, 65 acres	Fish culture	Fish culture	Fish oulture	Domestic Irrigetion, 237 acres	Irrigation, 13 acres	Irrigation, 504.5 acres	Irrigation, 12 acres	Mining and domestic	Domestic and irrigation,	Irrigation, 40 acres	Irrigation, 14 acres	Domestic and irrigation,	Mining	Irrigation, 30 acres	Domestic and irrigation, 6 acres	Irrigation, 7 acres	Irrigation, 1 acre	Mining and domestic	Domestic and irrigation, 25 acres	
Pariod	Divaraion	Jan 1-Dec 31	Jan 1-Des 31	Mar 1-Nov 1	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31 Apr 1-Sept 30	Jul 1-Sapt 15	May 1-July 15	May 1-Oct 1	Jan 1-Dec 31	May 1-Oct 31	Mer 15-Jun 30	Jun 1-Sept 30	May 1-How 1	How 1-Jul 1	Apr 1-0ct 31	Apr 15-0ct 1	Apr 1-0ct 1	Apr 1-Sept 1	Jan 1-Dec 31	May 1-Oct 15	
	Amount	12.50 efs	12 cfs	2,36 efs	3.12 cfs	3.12 cfs	3.75 cfs	9.58 cfs	0,25 cfs	5 cfs	0.37 cfs	0.1 cfs	0.37 cfs	0.5 cfs	0,17 cfs	0.1 cfs	3 cfs	1,09 cfs	0.09 cfs	0.17 cfs	0.012 cfs	3 cfs	0.62 cfs	
-	80 80	g	ð	£	£	ð	Q	g.	×	g.	pc	Я	×	999	25	æ	Я	显	25 bz	æ	Æ	×	×	
Diversion	nż .	MTI	MTI	SW.	M7	M77	M7	<b>M</b>	3E	M77	87	10%	12	333	89	99	MII	36	68 68	88	<b>E</b> 9	SE.	12	
of Point of I	j.	388	38N	N2.7	M87	N87	NS7	N2.77	NOT	N9*	JON	NO7	16N	K.X.7	17N	12N	NO7	N24	ÃÃ	15N	1.2N	10N	100	
on of Pe	υ 0 θ υ	12	21	19	8	8	R	ಜ	12	15	12	6		282	12	32	8	19	80 00	33	22	55	4	
Location	74	MS	- S	MM	3	M	NW	3	NE	NN	MM	SE	ME	N E S	SE	NS.	Sec	M	SE	250	35	N	MS	
	74	Ħ	MM	75	SM	诱	AS.	15	ME	Si Si	Pa.	SE	SS	SE	SS	¥	N	38	SE	NB	NE	3S	EN EN	
	Source	East Fork of Taylor Greek	Taylor Greek	Beaver Creek	Pall Greek	Pall Creek	Pall Creek	Beaver Greek	Mawah Creek	Parker Camp Canyon tributary to Bogus Greek	Tributary to Sluff Greek	Musick Creek	Cads Creek	Moore Gulch	Little South Fork of Indian Creek	Tributary to South Teneyck Greek	Eddy Gulch	Seaver Creek	Spring tributary to Klamath River Tributary to Klamath River	Bear Greek	Spring tributary to Klamath River	LeRoy Ouleh	Hammel Greek tributary to Nordhelmer Greek	
DWR Diversion	3	1	1	17N/9W-24HI	1	1	1	47N/84-31P1	1	46N/4W-1501	1	1	16N/7E-1HL	47N/7W-12H1 47N/7W-12H2	1	!	40N/11W-33P1	47N/94-24H1	1	1	1	1	10N/78-4.P1	
O treseered		William 8, Sishop	William 8. Slehop	Jass R. DeAvilla	State of California Department of Fish and Game	State of California Department of Fish and Gene	State of California Department of Fish and Game	L. L. and W. W. Lichens, W. W. Ouigley, George L., Edith, Alice, and Clyds O. Smith, and Albert R. Hegler	Manusl, Ernest, and Andrew Lewis	Etta O. Ensels	E. L. Wright	Estate of George A. Mins	Earl K., Effic A., Keith N., and Leola M. Lee	S. D. Heworth	N. T. Brown and W. A. Hill	Christian Sollhorn	Patricia Judge and Alex Markow	Jess R. DeAvilla	George T. Woodson	John A. Cross	Laurence M. Knudsen, Sr.	S. H. Nordstrom	Leo L. and Rose L. Brown	
Date	Filed	\$1/6/01	2/5/17	12/2/18	1/28/20	7/28/20	1/28/20	2/27/27	6/3/22	8/8/22	8/31/22	9/8/22	5/22/23	10/23/23	11/21/23	17/8/21	12/92/9	9/15/54	6/11/25	8/28/25	92/1/9	92/06/9	11/5/28	
Application	Number	156	583	11.34	1942	1943	1944	228	2863	2973	3015	3058	3431	3697	3724	3945	4053	123	6297	4755	2040	5079	5257	

# TABLE C-I (Continued) APPLICATIONS TO APPROPRIATE WATER IN KLAMATH RIVER HYDROGRAPHIC UNIT

	6
	30,1960
	3
5	June
2	6
5	08 of
JILLA POOLO IL	Boord
	Rights
N WINER	Woter
CHERT	State
	with
	(Filed

Apolication	200				_	Locotion of Point of Diversion	of Point	o to	nerelon	-	a	Barias		
Number	Filed	Present Owner	Number	Source	4	4	Sac.	ď.	e.	9 6	Amount Div	Divarsion	Purpose	Statue
	- 10 / 0											$\vdash$		
2350	ממצו	Estata of Colleta A. Otterson	1	Deallor Greek	8	E	~	ā	<b>1</b> 8	×	O.1 ofe May 15 Jan 1-	May 15-Oct 1 Jan 1-Dec 31	Irrigation, 7 acree Domestio	1-824
5505	6/2/27	Harold R. and Eloise A. Lipke, Richard E. and Bonnia I. Warm	1	Fong Wagh Greek	MM	8	オ	100	10	×	650 gpd Jan 1-	Jan 1-Dec gl	Domestie	1-1026
9185	2/22/28	Patricia Judge	TAGE-MITT/NOT	Eddy Oulch	M	31S	33	NO.	M	e	3 afe Nov 1-	Nov 1-May 15	Mining	1-1188
5877	4/10/28	C. H. Barton and Margaret R. Patterson	ı	Springe tributery to Mamath Edver	76	22	ន	N97	104	ē	16,200 gpd Apr 1-Oct 1		Domestic and irrigation, 2 acree	1-225
5878	1/10/28	C. H. Barton	1	Springe tributary to Mamath Miver	20	12	a	M9*7	MOT	9	14,000 gpd Apr 1-Oct 1		Domestic and irrigation, 2 acres	1-216
9779	12/15/28	Charles D, and Ruth M, Fratt	1	East Fork Scott River	設	SIM	n	NO.	26	9	1,25 ofe Jun 1-Aug 1		Irrigation, 65 acree	1-325
9919	1/13/29	United States Six Rivers Rational Forest	ł	Spring tributary to Bluff Greek	35	SSM	19	100	28	lat.	2,500 gpd Jan 1-Dec 31		Domestle	1-1509
6372	1/13/29	Mary L. Foxen	ł	Tributary to Mordheimer Greek	80 80 80 80 80 80 80 80 80 80 80 80 80 8	35	٥	NOT	78	bet	0.025 cfe Jan 1-Dec 31		Domestic and irrigation,	1-1432
1249	62/8/6	H. W. end Erms Wateon	t	Oak Flat Greek	SIM	8	32	168	ħ	843	0,36 cfe Dec 1-Jul 1		Domestic and power	L-2330
9579	10/9/29	R. L. Chaffer	TN82-21/N41	Branch Creek	8	NS.	প্ৰ	74.N	Ħ	×	0.14 cfe Ang 1-3	Aug 1-Sept 31	Domestic and irrigetion,	1-2318
9919	8/711/30	E. F. and Beatrice Baker	ı	Tributary to Red Cap Greek	M	贸	ង	10N	×	=	27,400 gpd Apr 15-0ct 1		Domestic and irrigation, 6 acree	I-1499
. 7123	11/131	Ernest C. and Dorothy Flackus	1	Tanner Galch	85	85 83	#	178	89	BC	1.0 ofe Jan 1-Dec 31		Maning	1-1608
727	3/11/32	Fred S. Bair	1	Bair Greek tributary to Elamath River	8	80 80	38	108	24	DKI .	7,200 gpd Jan 1-Dec 31		Domestic	L-2224
7282	6/6/32	Walter and Mellie Shumilin	1,711/84-31F1	Beaver Greek	88	M	z z	HZ4	25	Æ.	1.0 efe Jan 1-Dec 31		Power	1-1656
7342	8/8/32	Marion M. Kniffen	17N/6E-10HI	Gole Greek tributary to South Fork Indian Greek	88	85	10	178	149	841	1.0 ofe Jan 1-Dec 31		Mining	1-1882
7376	9/12/32	N. C. and E. M. Hammon, B. C. Gavan, T. P. Shulte, and J. J. Kennedy	ı	Walker Greek	MS	¥	81	N97	ñ	9	0.25 efe Apr 1-Oct 1		Domestic and irrigation, 2,9 acres	1-1956
1321	9/12/32	H. C. Haumon	T381-MT1/N97	Walker Greek	AS.	E	18	M9*7	ñ	ē	0.67 cfe Apr 1-Oct 1		Domestic and frrigation, 20 acree	1-1957
73%	9/29/32	Douglas Eastlick	1	North Ruestan Greek	MS	ME	19	4,0N	10W	9	0.075 cfe Apr 15-	Apr 15-Sept 15	Domestic and irrigation,	1-1500
901/2	10/13/32	M. H. Bush	ı	Tom Payne Greek	88	36	4	NT.	16	bc	3 ofe Jan 1-Dec 31		Mining	1-2669
7423	11/1/32	Flora Louise Cook	ı	Trin Guleh	MM	162 00	8	N/L	16	302	0.025 cfe Jan 1-Dec 31		Domestie and mining	1-1960
7529	3/31/33	E. S. Dowling and Margaret Dowling Johnson	1	Devile Nole Creek	88	Ħ	8	N <sup>†</sup> 77	MIL	Đ.	O.1 efe Jan 1-Dec 31 Apr 1-Nov 1		Domestic Irrigetion, 5 ecrse	1-1785
7573	6/3/33	Robert and Terry L. Hawley	1	Spring tributary to Klamth River	MN	£	35	N9 <sup>t</sup>	MIL	<u>e</u>	4,000 gpd Jam 1-Dec 31		Domestic	1-1659
7678	9/20/33	State of California Division of Nighways	ı	Pat Greek	NS.	29	23	N9 <sup>†</sup>	MIL	ē	1,000 gpd Jan 1-Dec 31		Recreational	1-1761
7679	9/20/33	State of California Division of Highways	ı	Sweetwater Spring	NE	200	•	168	#B	ē	l,000 gpd Jan 1-Dec 31		Recreational	1-1762
, 1				minter of a the sent to the transfer of Tondon beautiful and the safe one of county for the					-					

\* P - Indicates permit number of application approved.

## APPLICATIONS TO APPROPRIATE WATER IN KLAMATH RIVER HYDROGRAPHIC UNIT (Filed with State Water Rights Board as of June 30, 1960) TABLE C-1 (Continued)

	Status	1-1835	1-1836	1-1763	1-1764	1-1765	1-1746	1-2000	1-2229	1-2148	1-1989	L-1809	1-2638	1-3258	1-2988	1-2108	L-3259	1-2373	1-2468	1-2149	1-2117	1-2380	1-2510	1-2536	1-2559	1-2447	
	Purposs	Recreational	Recreational	Recreational	Recreational	Recreational	Mining, power, and domestic	Power	Domestic, fire protection, and irrigation, 10 acres	Domestic	Mining and domestic	Domestic	Mining and domestic	Recreational and domestic	Municipal	Hining	Power	Domestic and irrigation, 8 acres	Maing	Domastic	Domestic	Domestic	Power	Domestic and irrigation, 12 acres	Domestic	Domestic	
Psriod	Diversion	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31	May 1-Oct 31	Mar 1-Dec 1	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31	Jan 1-Dec 31	Nov 1-June 30	Jan 1-Dec 31	Apr 1-Oct 1	Feb 1-Aug 1	Jan 1-Dec 31	Sept 1-Jul 1	Jan 1-Dec 31	Jan 1-Dec 31	Apr 1-0ct 31	Jan 1-Dec 31	Sept 1-May 15	
	Amount	1,000 gpd	1,000 gpd	1,000 gpd	1,000 gpd	1,000 gpd	1 cfs	3 cfs	0.077 cfs	8,000 gpd	l.0 ofs	3,000 gpd	2.5 cfs	3,700 gpd	l.0 cfs	2 cfs	. 2 cfs	0.5 cfs	1.0 cfs	2,200 gpd	150 gpd	pd3 009	1,0 cfs	0,3 cfs	6,600 gpd	300 gpd	
	B. 8 M.	g	æ	æ	æ	æ	×	व्य	201	Ð	æ	9	ð	Q	<b>*</b> *	x	ě	Đ.	Ð	æ	æ	×	ě	×	æ	ð	
Location of Point of Diversion	œ	6E	735	6E	58	89	6Β	7.6	28	MI	99 9	MII	MII	MII	33	7E	MII	TOM	M8	6E	7E	6E	MIL	7E	35	NTI.	
int of O	₽ ₩	N <sup>†</sup> 77	15N	13N	TON	NET	17N	17N	NOT	HTN.	17M	N57	39N	N777	16N 16N	10M	N777	37N	N54	138	N/L	12N	N777	15N	11N	N97	
n of Po	Ssc.	&	ጸ	17	6	91	15	7	OI .	8	71	٦	7	12	মন	4	12	15	30	∞	15	33	2	12	Ж	36	
Locotio	74	MM	SE	MS	N	MS	SE	X	MM	SE	MN	Н	SE SE	SE	MS	SIM	SE	SS	SE	35	MS	SS	MS	SE	SE	S	
	1/4	SE	N.	SS	NE	ES.	25	SW	NM	SS	NM	rot	MS	MS	M	NE	MS	MM	SE	NE	M	NM	SE	N.	N.	SS	
	Source	Miagara Falls Stream tributary to Klamath River	Browns Creek	Yumaqua Spring	Little Falls Creek	Flve Mile Creek	Little South Fork Indian Creek	East Fork Indian Creek	Dark Gulch	Kelsey Cresk	Tsmesses Gulch	Macks Greak	East Fork Whites Gulch	Boulder Creek	Elk Creek	Harmel Creek	Soulder Creek	Thompson Gulch	Middle Fork Humbug Creek	Spring tributary to Klamath River	Saker Gulch	Spring tributary to Klamath Hiver	Kalsey Creek	Elk Creek	Crawford Creek	Macks Creek	
DWR Divarsion	Number	1	ı	1	ı	1	1	17N/7E-4G1	Î	1	ę	1	1	1	16N/7E-14M	10H/7E-4P1	174/11W-27KI	1	45H/8W-10R1	1	1	1	1	ı	t	1	
	Prasant Ownsr	State of California Division of Highways	State of California Division of Highways	State of California Division of Highways	State of California Olvision of Highways	State of California Division of Mighways	Curtis L., Melvin M., and L. F. Bell	David N. Husy	William C. and Margaret Van Fleet	United States Klamath National Forest	Robert S. and Pearl Z. Crooks	Samuel E. and Avis L. Coleman	C. F. Starr and L. M. Bugbes	Basil L. and Zella L. Price	Mappy Camp Improvement, Inc.	Rose and Lec Brown	Basil L. and Zella L. Price	Mrs. Charles N. Roff	Lester B. Jacobson	United States Klamath National Forest	Hilo C, and Loretta Walker	Northern California, Nevada District Assemblies of God	Charles 0, and Auth Pratt	John Dulvick	Mrs. Ellen Allen	Hamburg Association, Inc.	
Dots	Filad	9/20/33	9/20/33	9/20/33	9/20/33	9/20/33	9/21/33	12/26/33	1/6/34	3/28/34	12/19/34	9/29/37	98/12/9	8/6/34	10/22/34	10/30/34	1/22/35	6/10/35	6/20/35	10/18/35	3/18/36	4/24/36	6/20/36	9/9/8	8/21/36	8/21/36	
Application	Number	7680	7681	7682	7683	7684	7685	7789	7903	7884	7911	7991	7993	8053	8139	8148	8219	8355	8364	84.75	8613	864.5	8712	8751	8769	8770	

C-14-

TABLE C-1 (Continued)
APPLICATIONS TO APPROPRIATE WATER IN
KLAMATH RIVER HYDROGRAPHIC UNIT

(0961
30,
June
0 of
Soord o
_
er Righte
Wofer
Stote
With
(Filed

Dota		Own Olympian			Locotion	Location of Point of Diversion	of D	version			Pariod		
Flied	Present Dwnsr	Number	Source	7	7	Sac.	ď.	oci	B. 0 M.	Amount	Diversion	Purpose	Status
10/17/36	United States Klamath Netional Forest	1	West Branch Indian Greek	NA	SE	ន	1.6%	289	122	4,500 gpd	May 1-Dec 15	Domeetic and recreational	1-32
5/3/37	P. H. Crooke	1	Douglas Greek Spring tributery to Klemath River Spring tributery to Klemath River	SE SE NA	8 8 S	29 61	15N 15N 15N	2333	z z z	2,0 ofs	Dec 1-Apr 1	Mining and domestic	L-2508
6/16/37	United States Klamath Netional Forest	۱,	Jessups Gulch South Fork of Jessups Gulch		NW	32	NO7	ññ	99	6,500 gpd	Jan 1-Dec 31	Domestic and fire protection	1-2151
6/16/37	United States Klammth National Forest	, 1	Kelsey Creek	88	NS NS	8	N <sup>+</sup> 77	MIL	ð	0.15 ofs 1	May 1-Oct 31	Domestic and irrigation, 1.54 acres	1-2919
6/18/37	Estate of George A. Milne	1	Music Greek	MM	38	16	NO7	TOM	ě	bd3 005*7	Jan 1-Dec 31	Mining and domestic	1-2524
1/28/37	A. Y. Cripps	11N/7E-35PL	Crepo Creek	N	NE	CV.	TON	12	×	14.7 cfs	Dec 1-Jul 1	Mining and domestic	1-4182
8/11/37	S. W. Sawyer	37N/104-501	Rush Greek	12 87	SW	ಸ	38%	300	ę	0.55 cfa	Jan 1-Dec 31 May 1-Sept 30	Domestic Irrigation, 8 acres	1-2520
8/24/37	Helen Desson Wright	16N/8E-16H1	Spring tributary to Klamath River	SS SS	NE	16	16N	22	×	0.13 cfe	Jan 1-Dec 31 May 1-Sept 30	Domestic Irrigation, 10 scree	1-2529
8/30/37	Hslan Deason Wright	16N/7E-15F1	Spring tributery to Klamath River	84 07	NM	15	16R	12	z	0.15 cfs	Jan 1-Dec 31 May 1-Sept 30	Domestic Irrigation, 60 acres	1-2530
9/8/37	United States Klamath Netlonal Porest		Loule Greek	SS	35	র	N97	TTM	Q	250 gpd	Apr 1-Dec 1	Recreetional	1-2150
9/11/57	A. Y. Gripps	1	Grapo Greek	NE	NE	2	TON	K	×	2,300 gpd	Jan 1-Den 31	Domestin	1-2269
6/1/38	Estate of Edward A. Robertson	1	Rays Gulch	SE	SS.	07	37N	'n	e	3.0 cfe	Dec 1-Jul 1	Minding	1-2507
86/11/9	United States Klameth National Forest	ı	Spring tributory to Klamath Edwer	AG .	MS.	8	N97	MIL	ē	250 gpd	Apr 1-Nov 30	Recreational	1-2322
7/11/38	Sawyers Bar School District	1	Tannere Gulch	88	E	&	NO <sup>†</sup>	MTI	e	pds 009	Sept 1-May 31	Domestic	1-2455
3/21/39	Harry W. Jerden	1	Springs tributery to RcGuffy Greek	NM	N.A.	32	H57	MOL	ę	0,1 cfa /	Apr 1-Nov 1	Domestic and irrigation, 5 acres	1-2473
3/31/39	United States Klemath Netional Forest	1	Fort Coff Creek	MS .	38	32	NL7	12W	g.	pd9 007	May 1-Dec 1	Recrectional	1-2545
7/5/39	B. G. Shaffer and D. H. Murphy	1	Kings Greek	NE	Sig	12	N772	<b>29</b>	z	3 cfs	Dec 1-Apr 30	Mining	1-3199
7/10/39	United States Klamath Mational Porest	1	Spring tributery to Scott River	Sign	ASS.	a	N77	MIL	ě	2,000 gpd /	Apr 1-Dec 1	Recreational	1-2956
7/11/39	William D. Sagaser, et al.	1,0N/12M-28F1	Olson Greek	197	88	88	NO*7	12W	g.	25 cfs N	Nov 30-Jul 15	Mining and domestic	1-3687
8/24/39	Lloyd D. and Hattle E. Mosa	1	Wildwood Springs	(S)	NW	Ħ	N97	134	ē	1,440 gpd	Jan 1-Dec 31	Domestic	1-3017
11/4/39	Duane N. and Emma Lou Curry	18N/6E-251.1	Indian Greek	88	MM	25	188	99 99	×	2,5 ofm 1	Dec 1-Jul 1 Jul 1-Dec 1	Mining Demostic	1-3027
12/8/39	E. A. and M. V. Simms	1	Tributary to Klamath River	MS	NB	19	TON	117	211	0.13 cfs J	Jan 1-Dec 31 May 1-Oct 31	Domestic and stockwatering Irrigation, 50 agree	1-5489
2/54/40	O. G. Stsele	1	Spring tributary to Middle Greek	SIN	803	6	N <sup>†</sup> † <sup>†</sup>	MI	ě	200 gpd J	Jan 1-Dec 31	Domestic	1-26%
07/77/10	Theodosie Caldwell	1	Whitmore Greek	NM	NS.	z z	NTI	89 89	22	12 cfs D	Dec 1-Jul 1	Mining	1-3709

P - Indicates parmit number of application approved. L - Indicates license number of right confirmed. Incomplete - Indicates application not yet complete. Pending - Indicates application complete but not yet approved.

C-15-

# TABLE C-1 (Continued) APPLICATIONS TO APPROPRIATE WATER IN KLAMATH RIVER HYDROGRAPHIC UNIT (Filed with Stote Wore Rights Boord as of June 30, 1960)

		0 0000			Locotion	on of P	of Point of	Diversion	-		Darios		
Filed	Present Owner	Number	Source	7,		Sac.		œ	80	Amount	of Diversion	Purpose	Status
3/10/17	Edna M. Miller	1	Left Pork of Grewford Greek	Ste	- Ne	35	NII	58	tra	.062 cfs N	Nov 1-Jul 1 May 1-Jul 1	Domestic Irrigation, 5 acres	7.50%
3/13/41	Simpson Redwood Company	1	Tributary to Nigh Praris Greek	ME	NE	**	77°N	2	×	6,000 gpd	Jan 1-Dec 31	١	7-217
3/13/41	Simpson Redwood Company	\$	Tributary to High Prarie Greek	NA NA	NE	**	17,18	Ħ	M	13,000 gpd	Jan 1-Dec 31	Domestic	1-2716
3/24/41	Mauds F. Sette	1	Bill Berry Creek	N.	MN	8	N57	10%	Ð	0.62 cfs	Jan 1-Dec 31	Power and domestic	1-2757
17/81/77	Estate of Frederick Edward Satte	ı	Swamp Cree k	MS	SE	17	N5*7	104	ð	0,21 cfs	Jan 1-Dec 31	Domestic and power	1-2758
4/23/43	United States Six Rivers National Forest	1	High Frants Greek	88	MM	ส	N*7T	118	be	9,000 gpd	Jan 1-Dec 31 May 1-Oct 1	Domestic Irrigation, 1 sere	1-4546
5/2/41	Mary K. Mullin	I	Bully Greek	¥	Nel	19	10%	19	×	6,700 gpd	Jen 1-Dec 31	Domestic	L-3278
10/30/41	Harry W. Jerden	ı	Springs tributary to McGuffy Creek	N	MN	32	N57	104	Ð	0,1 cfs J	Jan 1-Dec 31	Power	1-2849
12/11/21	Charles Nockaday and Peul Beck	17N/75-4P1	East Pork Indian Greek		85	-7	17N	2	bc	0.12 cfs J	Jan 1-Dec 31 May 1-Oct 1	Domestic Irrigation, 8 acres	1-4883
1/10/42	Happy Camp Improvement, Inc.	16N/7E-14M	Elk Creek	MM	MM	25	16N	12	×	2 cfs	Jen 1-Dec 31	Municipal	1-3279
1/25/42	United States Klamath National Forest	I	Spring tributary to Klamath River	SS	SE	7	15N	82	ĸ	150 gpd N	May 1-Nov 30	Recreational	1-3182
1/27/43	Charles B. and Ethel F. Shannon	1	Ranch Gulch	MS.	E		16N	2	×	5,000 gpd	Jan 1-Dec 31	Domestic	1~3061
2/26/43	State of California Division of Nighways	1	Browns Creek	Ä	SS	8	15N	82	×	1,000 gpd	Jan 1-Dec 31	Recreetional	1-3118
64/61/4	Walter W. Jr. and Barbara B. Robinson	47N/11W-32J1	Salad Creek	ك	SS.	33	N.Z.71	MII	ð	0,3 cfs A	Apr 1-Jul 1	Irrigation 13.8 acres	1-3038
10/4/43	William N. Mubbard	1	Jessop Greak	S	SS	&	NO7	MTT	g	2,200 gpd J	Jan 1-Dec 31	Domestic	1-4337
3/29/44	State of California Division of Highways	I	Douglas Greek	NE	MN	19	15N	2	æ	0.25 cfs D	Dec 1-Nov 1	Mining, power, domestic, and irrigation, 2 seres	1-3321
1/23/172	E. W. Sawyer	37N/11W-13ML	Blind Norse Creek	NE	SIM	13	37N	MTT	ě	1,1 ofs J	Jen 1-Dec 31 Mey 1-Oct 1	Domestic Power and irrigation, 6 acres	0607-1
2/6/12	Jos D. Hood	1	Swanson Gulch tributary to Scott River	95 95	SS	8	45N	10W	ð	0.025 cfs J	Jan 1-Dec 31 May 1-Nov 1	Stockwatering Irrigation 2 ecres	1-3490
7/30/45	United States Klamath Netional Porest	TON/JIM-32EI	Jessups Oulch South Fork Jessups Gulch	N E	MA	35	NO7	MM	욧욧	0,317 cfs J	Jan 1 Dec 31	Power and domestic	1-3214
2/11/110	Simeon L. Zane	1	Spring tributary to Mameth Miver	NE	SE	36	TON	¥*/	×	16,000 gpd J	Jan 1-Dec 31 Apr 1-Oct 15	Domestic Irrigation, 2 ecres	L-3756
97/6/7	Nobert A. Wharton	1	Logans Guleh	SE	SE	#	10N	732	×	720 gpd J	Jan 1-Dec 31	Domestic	1-4552
1/25/10	Michard I. Bendl	40N/12M-32C1	Big Crask	SS .	SE	<u>بر</u>	NO7	12W	ð	3 efs D	Dec 1-May 1 Jen 1-Dec 31	Mining Domestic	7607-1
8/19/16	Morthastern Mining Company	1	Alder Creek	23	SS	\$8	NO7	124	ð	2 cfs D	Dec 1-Mcy 1	Mining	1-4187
10/1/16	Earle A. and Irets M. Jackson	1	Spring tributery to Indian Creek	SS	SS	6	17N	8	z	5,000 gpd	Jan 1-Dec 31	Domestic	1-3591

TABLE C-I (Continued)
APPLICATIONS TO APPROPRIATE WATER IN
KLAMATH RIVER HYDROGRAPHIC UNIT

	_
	1960
	30,1
	June
:	as of
	80
20000	Boord
	Righte
	Woter
	Stote
•	with
	(Filed

Application	Data		DWR Divaration		2	Location of Point of Diversion	of Point	of Div	eraion		6.	Pariod		
Number	Filad		Number	Source	4	74	Sac.	q.	e5	. O .	Amount Div	Divaraion	Purposa	Status
11623	11/15/46	Toungs Saw Mill	1	Taylor Spring Ho. 1 Tealor Spring No. 2	35 85	35 SS	17	10N	23	MH	1,440 gpd Jan 1-Dec	-Dec 31	Domestic	1-4207
11625	11/18/46	C. T. and E. A. Howard and C. and J. Carnes	1		35 35	NE		17N	12		. 5	Jen 1-Dec 31	Domestic and livingation, 5 acres	P-6763
11654	12/10/46	Jack and Vers L. Boaz	38N/11M-30M	Timber Gulch	SE	NS.	30	38N	MII.	9	2 cfs Dec 1-Jul	15	Mining	1-3472
11669	12/23/46	Lovina A. Allieon	1	Spring tributery to Menath Adver	0 1	en	31	log	R.	×	2,400 gpd Jan 1-Dec	-Dec 31	Domestic	1-3510
11677	1/2/11	Louis Alphonse	147N/6M-6B1	Hutton Creek	75	E S	9	NL 7	M9	Ð.	5,000 gpd Jan 1-Dec	31	Domestic and stockwatering	1-3414
11692	1/10/47	United States Six Mivers National Porest	11N/65-21KL	Whitmorm Greek	MS	MN	ส	MI	<b>88</b>	24	O.8 cfa Jan 1-	Jan 1-Dec 31	Power and domestic	12,418
1174	2/3/47	W. M. Campbell	1	Springs tributary to Klamsth River	SE	M	87	ā	<b>29</b>	EE	2,000 gpd Jan 1-Dec	33	Domestic	1-3703
11729	2/77/47	United States Klamath Hational Porest	ı	Spring tributary to Klamath River	MS	SM	8	N977	76	9	11,500 gpd Jan 1-Dec	131	Domestic Lritgation, 2.5 acres	1-3391
11749	2/26/47	0, H. and E. L. Curry	18N/6E-25L1	Indian Greek	83	NN	52	180	<b>29</b>	200	1.15 cfs Jan 1-	Jan 1-Dec 31	Power	1-3720
11770	3/11/47	Thomas L. and Velma M. Lotz	ı	Trail Gulch	SE	Sec.	22	NL4	M8	9	3 ofe Jan 1-Dec	듔	Mining and domestle	1-3350
11832	1757113	T. M. Clyburn	46H/7M-2A1	Ash Creek	35	MN	-	N9*7	3	ę.	3 cfs Oct 1-	Oct 1-Jun 30	Maring	1-527
11948	6/23/47	Carl, Jean, and June Maldewin	1	Spring tributery to Klemeth River	SE	SE	8	NTT.	¥9	=	2,200 gpd Jan 1-	Jan 1-Dec 31	Domestic	1-4218
11979	7/11/47	F. F. and M. C. Starritt	1	Starritt Spring	N	SS	31	ХII	29	pq	700 gpd Jen 1-	Jen 1-Dec 31	Domestic	1-3397
12011	1/29/47	MacIssec and Wenke Company	1	Benjamin Creek	NE	N. N.	ส	161	22	7	11,000 gpd Jan 1-	Jan 1-Dec 31 Apr 1-Oct 31	Domestic Irrigation, 1 acre	1-5031
12015	7/31/47	Margerette Miller	1	Johnson Creek	SE	M	33	15N	28	pe	3 cfe May 1-Nov 1		Mining and demostic	1-3364
12065	9/2/47	United States Klamath Mational Forest	44N/11W-20R1	Kelsey Greek	SE	SE	я	N777	MTT.	Q	1,20 cfe Jan 1-Dec	31	Domestic and power	1-3659
12158	11/19/47	William and Lucille Emison	1	Spring tributary to Indian Creek	SE	SE	~	NOL	12	-7 -2	4,320 gpd Jan 1-	Jan 1-Dec 31	Domestio	1-3716
12228	1/6/48	L. W. and Byrell Hesford	ı	Tributary to Klamath River Tributary to Klamath River	NW SE	NW	0.0	13N 13N	MM	% ##	6,000 gpd Jan 1-	Jan 1-Dec 31	Domestic and stockwatering	1-3442
12366	3/1/18	George M. and Margaret S. Chandler	1	Spring tributary to Ash Greek	N.	NB	2	N977	75	Q.	0.04 efe   May 15-Oct	-	Domestic and irrigation,	1227
12549	67/91/9	John Spinks	1	Spring tributery to Klamath River	SE	S S	6	1.2N	<b>8</b> 9	Н 7	7,200 gpd Jan 1-Dec 31		Domestic	1-3606
12582	7/2/43	Hervey K. Wett	1	Tributery to North Hungry Creek	MS	MS.	83	N27	M M9	Q.	210 gpd Apr 1-	Apr 1-0et 31	Domestic	I-4108
12643	8/12/48	The California Oregon Power Go.	ı	Jenny Greek	NE	SS	*8	N87	) M	g.	5.25 cfe   Mar 1-How 1		Irrigation, 401 acree	P74,82
12673	9/1/48	Kenneth J. Kennedy	1	Second Oulch	JHS.	MS.	36	N9*7	MII WII	7 Q	14,400 gpd Jan 1-	Jan 1-Dec 31	Domestic and fire protection	1-4308
12694	9/13/48	Frederick L, and Lenore A, Klein, Robert J, and Ella Hae Schwarts, Roy Campbell, end Fern Hilton	1	Spring tributery to Klamath River	82 82	85	35	197	MII N		12,000 gpd Jan 1-Dec 31		Domestic	1-5537
					Tradition and the first on the same after				-	- 2	_			

e P - Indicates parait number of application approved. L - Indicates literaes number of right confirmed. Incomplate - Indicates application not yet complate. Perding - Indicates application of yet complate.

C-17-

TABLE C-I (Continued)
APPLICATIONS TO APPROPRIATE WATER IN
KLAMATH RIVER HYDROGRAPHIC UNIT

KLAMATH RIVER HYDROGRAPHIC UNIT
(Filed with State Water Rights Board as of June 30, 1960)

Application	Date		C TOTAL STATE OF THE STATE OF T										
Number	Filed		Number	Source	1/4	3	Sac	-d P	R. 89.09	M. Amount	Olvarsion	Purposa	Status
12713	87/12/6	Emily, Bruce, and Leland Donahus	1	Tributery to Klemath Miver	SE	MS	~	17.N	N 39	0.2 cfs	Jan 1-Dec 31 May 1-Oct 31	Domestic Irrigation, 2 acres	1-3739
12729	10/5/48	William Romaine, Jr.	1	Sandy Bar Creek	MS	NW	88	13N	Н 39	0,32 cfs	Jan 1-Dec 31	Power and domestic	1-3760
12745	10/13/48	Louis Ford	T09-M9/N97	Printers Gulch	MM	MM	9	N97	OK M9	0.75 cfs	Peb 1-Jun 30	Mining	1-4556
12903	1/19/49	Jos Freshour	1	Spring tributary to Klamath Hiver	MN	NE	1	N9*7	₩ ₩	7,200 gpd	Jan 1-Dec 31 Apr 15-0ct 15	Stockwatering Irrigation, 1 more	1-3629
12924	2/3/49	Louis E. and Eloiss H. Maice	ı	Ullethorns Greek	MM	SE SE	8	TON	5E H	1,300 gpd	Jan 1-Dec 31	Domestic	1965-1
12932	5/12/78	Happy Camp Improvement, Inc.	16N/7E-14M2	Elk Greek	MM	PN	52	168	77B N	1.0 cfs	Jan 1-Dec 31	Municipal	P-7700
13005	3/28/49	Frank E. Walker	1	Whitle's Greek Spring tributary to Whitle's Greek	SE	MS SH	99	TON	H 39	14,000 gpd	Jan 1-Dec 31 Feb 15-Oct 1	Domsstic Irrigation, 1.5 scres	1-3635
13023	67/8/71	Louis Re Larson	ı	Tributury to Mad Gap Greek	SS	SE	15	TON	58 H	0,32 cfs	Nov 1-May 1	Mining	1-4149
13024	67/8/7	Louis & Larson	1	Spring t ributary to Red Cap Greek Spring tributary to Red Cap Greek	SE	S W	172	10N 10N	N H	2,000 gpd 5,000 gpd	Jan 1-Dec 31	Domestic	1-4150
13066	67/62/7	Massth Codar Company	-	Spruce Greek	SW	SE	~	13M	H	-	Jan 1-Dec 31	Industrial and domestic	1-3823
13122	5/31/49	James Malone	ı	Tributery to Elk Greek	E	as B	35	16N	7E N	0.025 cfs	May 1-Oct 1	Irrigation, 2 acres	1-4718
13308	8/22/49	Don and John McMillan	ı	Spruce Greek	MS	SE	~	13W	H H	2,700 gpd	Jan 1-Dec 31	Domestle	1-4017
134,32	11/1/49	Alton P. and Slanch D. Kay	1	Ullethorns Greek	MN	Æ	~	NOT	25	1,300 gpd	Jan 1-Dec 31	Domestic	1-3958
13433	11/1/13	Lillian O. Williams	1	Ullathorne Cresk	NN	22 22	2	NOT	SE H	1,300 gpd	Jan 1-Dec 31	Domestic	1-3959
13434	11/1/11	Irens A. Thompson	l	Ullathorne Greek	NM	8	~	TON	52 H	0.002 cfs	Jan 1-Dec 31	Domestic	P-7984
13435	11/1/49	Verme L. and Leta Johnson	1	Ullsthorne Greek	NT.	N	~	10N	5E H	pdS 007	May 1-Nov 1	Domestic	1-5301
13437	11/1/11	Robert V. Bryan	1	Ullathorne Creek	NA	Z	2	TON	32	1,300 gpd	Jan 1-Dec 31	Domestic	1-3960
13446	11/4/49	United States Klamath National Forest	1	Eagle Spring	Sig	FIN	22	N77	ON MIL	3,250 gpd	Jan 1-Dec 31	Domestic and fire protection	1-3825
134.76	11/22/49	Thorne D. West	1	West Spring	NA.	SS	ជ	16N	37	2,000 gpd	Mar 1-0ct 1	Domestic	1-4245
13575	2/9/50	W. C. Namrick	ı	South Fork Perrils Gulch	NA.	NA	53	39N	12W MD	0.030 cfs	Jan 1-Dec 31	Domestic and irrigation, 2 acres	P-6120
13685	17/15/20	Earl and H. T. Derry	1	Spring tributary to Salmon 'diver	NW	NA	~	THE STATE OF	н 39	1,300 gpd	Jen 1-Dec 31	Domestie	1-4613
13720	2/4/50	Arthur Henry and Rossmond E. French	1	Curlsy Jack Creek	NE	Syl	10	161	TE H	1,950 gpd	Apr 15-0ct 15	Domestic and irrigation, 2 acres	1~4595
13842	05/1/1	United States Hamilton Air Force Base	144/12-3381	High Prarie Creek	SS	S.S.	33	1/N	16 H	11,500 gpd	Jan 1-Dec 31	Municipal	1-5109
13942	05/8/6	United States Six Rivers National Porest	11N/16E-32B1	Perch Greek Spring tributary to Mlamath Miver	NE NE	22.0	32.2	LIN	VE N	0.019 cfs 0.006 cfs	Jan 1-Dec 31	Domestic and fire protection	1-4903

## TABLE C-1 (Continued) APPLICATIONS TO APPROPRIATE WATER IN KLAMATH RIVER HYDROGRAPHIC UNIT (Filed with State Water Rights Board as at June 30, 1960)

Application	Dote	Dresson Courses	DWR Diversion	-	Loc	Location of Point	Point o	of Diversion	ion		Period		•
Number	D		Number	Source	1/4	1/4	Sac. T	Tp. R.	 	Amount	Diversion	Purpose	Stotue
uiz	1/10/21	Henry C. Fowler	1	Tributary to Indian Greak	int Co	385	23	17N 7	22. H	13,000 gpd	Jan 1-Dec 31 May 1-Now 1	Donsetlo Irrigetion, 1,5 acres	1-4143
14202	3/19/51	J. J. Surger	1	Tributery to Indian Greek	345	NW.	15 1	17K 7	2L/2	5,000 gpd	Jan 1-Dec 31	Domestic	1-4089
14255	15/91/7	W. V. and Anita Husy	ţ	Indian Greak	(E)	860 670	27 12	17N 7.	17 H	8,000 gpd	Mar 1-Dec 1	Domestic Irrigation, 0.75 acre	1-4083
77726	8/30/51	Frank Kanig and Thomas Roberts	INST-92/NLT	Spring tributary to Indian Creak	N	N N	- IZ	17 N7.1	H 2/	4,320 gpd	Jan 1-Dec 31	Domestio	1-4960
14457	8/30/51	Thomas Roberts and Frank Kanig	17N/7E-15N1	Spring tributery to Indian Greek	NS	W W	- ਹ	27 N7.1	30	4,320 gpd	Jan 1-Dec 31	Domestio	176901
14.779	4/25/52	Ouetave Donati	1	Spring tributery to Mlamath Miver	MM	NZ T	18 44	WII N97	Q.	216 gpd	Jan 1-Dec 31	Domestic	1-4575
14801	5/9/52	United States Klamath Mational Forest	1	Tributary to Marth Fork Salmon River	NW	SE	77	M21 N07	Ð	100 gpd	Apr 15-Nov 15	Dome stio	1~4828
14941	7/30/52	Olyn W. Gould	36N/11W-29Q1	Cecil Creek	36	[6] [8]	8	WLL NBC	9	0,3 ofs	Jan 1-Dec 31	Power and domestio	1-5102
1,5004	9/2/52	Staphan Comatock	1	Spring tributery to South Fork Salmon River	<b>36</b>	N.	29 39	39H 12W	9	pd9 007	May 1-How 30	Domestic	1-5131
15070	10/29/52	United States Klamath Hational Forest	1	Tributary to North Fork Salmon River	iš	SE	13 40	MTT NO7	9	150 gpd	May 1-Nov 15	Domestio	1-5303
15171	1/21/53	S. Andrew MoBsth	1	Spring tributary to Klamath River	MM	35	16	13K 25	200	0.05 of	Jan 1-Dec 31	Domesti o	1-5655
15229	3/9/53	9. Andrew MoBeth	1	Spring tributary to Klamath River	MM	38 1	18	138 28	200	1,500 gpd	Jan 1-Dec 31	Stookwatering	1-5656
15306	4/22/53	Mollie Quinn Richards Estate	1	Owl Creek	MS	SW 3	30	10K 4.E	<b>X</b>	0.75 cfs	Mar 1-Hov 30	Irrigation, 40 sores	P-9547
15401	1/6/53	Ethel S. and T. H. Lockwood, Sp. and T. H. Lockwood, Jr.	1	Spring tributery to Manath River	860	S S	36 11	NII SE	=	2,950 gpd	Jan 1-Dec 31 Apr 15-Aug 31	Domestic Irrigation, 1 acre	1-4685
15595	11/4/53	James M. and Grace Olive Fitchugh and A. L. Johnson	ı	Cole Greek Coon Greek	NE	N N	72	17N 6E	EX.	3.0 of	Jan 1-Dec 31	Mining	P-9618
15637	12/7/53	Edwin G. and Herel L. Kuree	ı	Tributery to South Fork Salmon River	Ħ	- AS	8	10K 8E	pc 60	1,500 gpd	Jan 1-Dec 31	Domestio	1-5264
15800	3/26/54	Siskon Corporation	1	Copper Greek	110 07	SW 2	7.	JAN SE	*	12 of •	Jan 1-Dec 31	Power	P-10416
15959	2/12/1	A, A, and Charlotte Price	1	Spring tributery to Indian Greak	NZ	100 100 100 100 100 100 100 100 100 100	3 16	16H 77K	×	pd8 059	Jan 1-Dec 31	Domestic	1-5343
15994	8/17/54	Rarold R. and Edith O. Eddy	ı	Spring tributery to Scott River	<b>B</b>	NW 2	72	אנו אייי	9	550 gpd	Apr 1-Nov 1	Domestic	1-5595
16005	8/23/54	W and K Logging Company, Inc.	1	Spring tributary to Indian Greek	NW	38	N7.1 21	12.	E	5,000 gpd	Jan 1-Dec 31	Domestio	1-50%5
16120	12/2/24	E. E. McClimans	17N/75-7G1	Tributary to South Fork Indian Greek Tributary to South Fork Indian Greek	18 ES	W SW	7 173 173	19	20 20	0.08 of 0	Jan 1-Dec 31 May 15-Oct 1	Domestio Irrigation 6 acree	1-5290
16232	2/10/25	Richard E, and Bonnie I, Wann Rerold R, and Eloise A, Lipke	1	Fong Wagh Greek	W					13,000 gpd N	Mar 1-Nov 30	Irrigation, 1.5 sores	1-5970
162%	4/1/55	Willamatte Plywood Corporation	17N/7E-1601	Spring tributery to Indian Greek	M	NE 2	17N	N.	100 M	0,1 cfs J	Jan 1-Dec 31	Industrial and domestic	L-5375
16303	4/6/55	Mrs. Lens McClellan	1	Boyd Galch	M	NW T	10N	NO.	E:	10,000 gpd	Jan 1-Dec 31	Wining and domestic	P-10298

Incomplete - Indicates application not yet complete. Pending - Indicates application complete but not yet approved. \* P - Indicates parmit number of application approved. L - Indicates license number of right confirmed.

C-19-

# TABLE C-I (Continued) APPLICATIONS TO APPROPRIATE WATER IN KLAMATH RIVER HYDROGRAPHIC UNIT (Filed with State Woter Rights Board as of June 30, 1960)

Application	Date		DWR Divarsion	1		Locatio	n of Poil	Location of Point of Diversion	version			Period		•
Number	Filed	Areseni Owner	Number	Source	4/4	4/	Sec	70.	œ	8. 9 M	Amount	Oiversion	Purpose	Status
16309	4/11/25	Clare L. Smith	ı	Spring tributery to Mameth River	8	MS	N	ži.	29	æ	1.0 ofs	Jan 1-Dec 31	Mining and domestic	P-10297
16384	\$719/55	Keith W. Lee	1	Spring tributary to Mamath Alver	NIA	MM	7	16N	18	Ħ	0,025 cfe	Jan 1-Dec 31 Apr 1-Oet 31	Domestic Irrigation, 2 acres	1-5903
16444	1/1/55	Estate of Clarence A. George and Eatherine C. George	1	Tributary to Salmon Edwar	M	MS.	ম	NOT	18	×	8,750 gpd	Jan 1-Dec 31 May 1-Nov 1	Domestio Irrigation, 1 acre	1-5642
16513	8/10/55	Adelle M. Brown	ł	Heiney Gulch	MM	M	33	HO7	124	9	3.0 cfs	Jan 1-Dec 31	Mining and domeetic	P-10513
16537	8/22/55	Everett G. Murdick	ı	Spring tributery to Scott River	NW	765	21	N*7*7	ATT	9	750 gpd	Apr 1-Nov 1	Domestic	1-5574
16629	9/28/55	John F. and Florance C. Kennedy and Cleo W. and Iragard Still	j	Perkins Gulch	Ħ	NN	6	16N	78	500	9,000 gpd	Jan 1-Dec 31	Domestic and irrigation,	P-10649
16648	10/5/55	Clarence J. and Buth B. Kuck	46N/5W-28RQ	Spring tributary to Willow Greek	SS.	83	88	м9†	25	9	1.1 ofs	May 1-Hov 15	Stockwatering and irrigation, 86 acres	P-10524
16766	12/5/55	Joseph Miller	1	Tributery to South Fork Salmon River	SIM	M	19	TON	88	=	0.04 ofs	Jan 1-Dec 31	Domestic and Arrigation, 1.75 acres	B-10766
16888	2/9/56	Aubrey A. Hall	16N/7E-26EL	Spring triburary to Indian Greek	M	MM	8	NZT	K	=	2,000 gpd	Jan 1-Dec 31	Domestic and stockwatering	1-5504
16957	3/30/56	California Water Commission	1	Memath Elver	1	-	6	N2.77	26	9	J# 000'09	Jan 1-Dec 31	Power	Incomplete
16958	3/20/56	Cal if ormia Mater Commission	1	Manueth River	1	1	0	NL77	MS	B	60,000 ar	Jan 1-Dec 31	demestic, municipal, recreations, and fish and wildlife	Incomplete
16959	3/20/56	Californie Water Commission	1	Salmon River	t	1	28	NTT	718	<u> </u>	1,000,000,1	Jan 1-Dec 31	Power and flood control	Incomplete
17009	95/91/71	John Menerry	1	Tributary to Mynot Greek	<b>3</b> 5	35	35	MAL	Ħ	æ	1.68 cfs	Jan 1-Dec 31	Domestic	P-10699
17031	1/21/36	California Weter Commission	1	Klamath River	1	1	19	108	· 83	×	5,480,000 at	Jan 1-Dec 31	Irrigation, domestic, municipal, industrial, flood control, recreational salinity control, and fish and wildlife	Incomplete
17032	1/21/56	California Water Commission	ļ	Klanath River	· ·	- t	19	100	SZ.	==	5,480,000 at	Jan 1-Dec. 31	Power	Incomplete
17033	95/72/1	California Water Commission	1	Manath Myor	1	NS.	æ	16м	E	100	120,000 er	Jan 1-Dec 31	Irrigation, domestic, manifolpal, industrial, flood control, recreational, salinity control, and fish and wildlife	Incomplete
17034	95/712/71	California Water Commission	1	Canath Biver	1	35	33	168	Ŕ	=	,120,000 af	Jan 1-Dec 31	Power	Incomplete
1.7035	1/21/56	California Water Commission	1	Clanath River	1	1	æ	H97	10%	g	1,850,000 af	Jan 1-Dec 31	Irrigation, demestic, municipal, industrial, flood control, recreational, salinity control, and flah and wildlife	Incompleta
17036	1/27/56	Californie Water Commission	1	Clamath River	1	1	<b>#</b>	Н9 <sup>†</sup> 7	104	욧	1,850,000 er	Jan 1-Dec 31	Power	Incomplete
17037	17/24/56	California Mater Commission	ı	Canath River	1.1	1.1	<sub>6</sub> 8	123	19 19	ni ni	1,940,000 af	Jan 1-Dec 31	Irrigation, domestic, municipal, industrial, flood control, ealthity control, and fleh and wildlife	Incomplete

-C-20-

TABLE C-1 (Continued)
APPLICATIONS TO APPROPRIATE WATER IN
KLAMATH RIVER HYDROGRAPHIC UNIT

KLAMATH RIVER HYDROGRAPHIC UNIT (Filed with State Water Rights Boord as of June 30, 1960)


Number Filed Present Owner  17038 4/24/56 Galifornia Water Commission 17039 5/14/56 William J. Norn 17105 5/28/56 Joseph Miller 17129 6/28/56 Witsinger T. and Hary F. 17242 10/20/56 Denaid E. Fehlman 17242 10/20/56 Denaid E. Fehlman 17242 10/20/56 Denaid E. Fehlman 17243 10/20/56 Denaid E. Fehlman 17257 3/25/57 California Gregon Power Company 17527 3/25/57 W. R. Galbert and 17530 3/27/57 W. R. Galbert and 17530 3/27/57 W. R. Galbert and 17765 8/6/57 Rates of Hansen 17809 12/9/57 Batate of Hadge Blunt Waring 17809 12/9/57 United States Six Elvers 1814 4/30/58 Arkia and Wilman Marper 18140 5/19/58 United States Six Elvers 18141 5/19/59 United States Six Elvers 18142 5/19/59 United States Six Elvers 18142 5/19/59 United States Six Elvers	Mombasson Andrews	Source	1/4	1/4 Sec. Tp. R.	Sac.	e F	aci	2	Amount	Diversion	Purposs	Stotus
1,724,756 5,723,756 5,723,756 10,730,756 10,730,756 12,731,757 12,731,757 12,731,757 12,731,757 12,731,757 12,731,757 12,731,757 12,731,757 12,731,757 12,731,757 12,731,757 12,731,757 12,731,757 12,731,758 12,731,731,758 12,731,758 12,731,758 12,731,758 12,731,758 12,731,758 12,731,758 12,731,758 12,731,758 12,731,758 12,731,758 12,731,758								5				
\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\												
\$/\20/56 \$/23/56 \$/23/56 10/30/56 12/31/56 12/31/57 \$/25/57 \$/25/57 12/35/57 12/35/57 12/35/57 12/35/57 12/35/57 12/35/57 12/35/57 12/35/57 12/35/58 5/11/57 12/35/58 5/12/58		Klamath ldver	1 1	1 1	~ g	12N	25 ES	N E	1,940,000 af	Jan 1-Dec 31	Power	Incomplete
5/28/56 6/29/56 10/30/56 10/30/56 10/30/56 12/31/57 3/26/57 3/26/57 4/26/57 4/20/58 5/19/58 5/19/58		Spring tributary to Mynot Greek	SE	NB NB	75	J.4N	Ħ	;z	1,100 gpd	Jan 1-Dec 31	Domestic	1-5873
9/29/56 10/30/56 10/30/56 12/31/56 2/5/57 3/26/57 4/20/57 12/3/57 12/9/57 12/9/57 12/9/58 5/11/67 12/9/58 5/12/58		Tributary to South Fork Salmon River	MS	NW	19	NOL	38	æ	0.026 cfs J	Jan 1-Dec 31	Mining	P-10767
9/22/56 10/30/56 12/31/56 2/5/57 3/25/57 4/26/57 9/12/57 12/9/57 12/9/58 5/19/58 5/19/58		Ferguson Creek	SS	NS	8	16N	7.5	×	1,000 gpd	Jan 1-Dec 31	Domestic	1-5914
3/26/501 2/31/55/2 3/26/57 3/26/57 3/26/57 4/20/57 12/9/57 12/9/57 12/9/57 12/9/57 12/9/57 12/9/57 12/9/57 12/9/57 12/9/57 12/9/57	_	Springs tributary to Indian Greek	Sie	MS.	ะ	NZT	2F	×	298 gpd J	Jan 1-Dec 31	Domestie	1-6034
12/31/56 12/31/57 3/25/57 3/25/57 4/25/57 12/9/57 12/9/57 12/9/58 5/19/58 5/19/58	46N/5W-5L1	Tributary to Willow Greek Tributary to Willow Greek	NE	SE	2010	76N 146N	28.26	9.9	0.50 cfs M	May 1-Nov 1	Stockwatering and irrigation,	P-10959
12/31/56 2/5/57 3/25/57 4/26/57 9/12/57 12/9/58 4/20/58 5/19/58 5/19/58	46N/5W-741	Willow Greek	N	NE		N97	_	9	0.45 cfs M	May 1-Nov 1	Stockwatering and irrigation, 35 acres	P-10960
2/5/57 3/36/57 3/36/57 4/36/57 4/36/57 4/36/57 5/12/58 8/6/57 5/6/57 5/6/57 8/5/6/57	1	Spring tributery to Merrill Greek	SE	SE	3%	12N	6E	海	0.089 cfs Ji	Jan 1-Dec 31	Domestic	F-11137
3/26/57 3/27/57 12/26/57 12/9/57 12/9/57 12/9/57 12/9/58 12/9/57 12/9/58	e,	Spring in Spike Guleh tributary to South Fork Salmon River	28	SS	2	37N	M6	9	13,000 gpd	Jan 1-Dec 31	Domestic, recrettonal, stockwatering and irrivation, 1 acre	P-11095
3/27/57 4/26/57 8/6/57 12/9/57 12/9/58 4/30/58 5/19/58 5/19/58	Ame	Memath Myer	MS	MS.	6	NL7	*	Q	3,300 efs Ja	Jan 1-Dec 31	Power	P-12259
4/26/57 8/6/57 9/12/57 12/9/57 4/20/58 5/19/58 5/19/58	ı	Little Bogus Creek	M	SS SS	23	N.L. 77	5W	Q.	Jr 007	Oct 1-Apr 1	Irrigation, 200 acres	P-11388
8/6/57 12/9/57 12/9/57 4/30/58 5/19/58 5/19/58	ler,	Walker Greek	MS	W	18	1 N97	WII	Q.	0,1 cfe Je	Jen 1-Dec 31	Domestic and irrigetion, 4,6 acres	P-11089
75/11/6 12/9/51 85/61/5 85/61/5 85/61/5	1071-M2/N97	Tributary to Willow Greek Tributary to Willow Greek	NR	SE	크크	N97	75 M	모모	0.76 cfe M	May 1-Aug 1	Irrigation, 60.8 acres	P-11592
12/9/57 4/30/58 5/19/58 5/19/58	1	Trapper Greek	SS	MN	<del></del>	N87	344	g.	0,35 cfs Ja	Jan 1-Dec 31	Domestic and irrigation, 20 scres	P-11258
82/12/18 85/61/5 85/61/5 85/61/5	-	Tributary to Mamath Miver	388	WM	<b>R</b>	1 N97	100	9	0.05 cfe M	Mar 1-Dec 1	Domestic	P-11544
14/30/58 5/13/58 5/13/58	1	Swann Galoh	Ste	N.A.	18	TON	66	×	0.025 cfe Ja	Jan 1-Dec 31	Domestic	P-11609
5/19/58	1	Spring tributary to High Prarie Greek	NO.	SE	32	14N	Ħ	==	3,000 gpd Ja	Jan 1-Dec 31	Domeetic	P-11599
5/19/58	ı	Spring tributary to McFarland Galch	SIK	<b>3</b> 55	98	TON	EX.	200	0,013 cfe Ja	Jan 1-Dec 31	Domestic and recreational	P-11638
85/67/58	ı	Fish Lake	NE	SE		NOT	87	×	190 ef Ja	Jan 1-Dec 31	Recreational	P-11639
	ı	Spring tributery to Fish Lake	19	35	я	TON	84	無	.026 cfe Ap	Apr 1-Nov 30	Domestic	P-11640
18173 6/6/58 Edwin R. Harding	1	Macke Creek	MM	M		1 N57	, WIL	g.	110 gpd Ja	Jan 1-Dec 31	Domestic	P-11649
18247 8/4/58 T. B. Stokesberry		Spring tributery to Pollock Chich and Salmon River	Sec	88	7	10%	88	×	0.033 cfs Ja	Jan 1-Dec 31	Domestic and irrigation, 2,5 acree	P-11877
18367 10/9/58 United States Klamath National Forest	। व	Tributary to Baswar Greek	MN.	NS NS	Ħ	M8"7	38	Ð	5,400 gpd Ma	May 1-Dec 1	Domestic and fire protection	P-11799
												***************************************


. P - Indicates paralt number of applicates application approved. L - Indicates literates number of right confirmed. Incomplates - Indicates spainted for complete.


## APPLICATIONS TO APPROPRIATE WATER IN TABLE C-I (Continued)

(Filed with State Water Rights Board as of June 30, 1960) KLAMATH RIVER HYDROGRAPHIC UNIT

Application	Date	- Consequence	DWR Diversion		S	ocotion c	Location of Point of	of Diversion	sion		Pariod		•
Number	Pilled		Numbar	Source	1/4	1/4	Sec.	4	R. B. B. M.	Amount	Diversion	Purposa	Status
18398	11/5/58	Ted Robbine and Mildred S. Robbine	1	Spring tributery to Slate Greek	SE	SE SE	~	10W	5B N	9,000 gpd	Jan 1-Dec 31	Domestic and irrigation,	P-11816
18421	12/3/58	P. L. and G. C. Lathrop	1	Deer Greek and tributaries	MN	MS	Ħ.	N87	ON M7	1.0 cfe	Mar 15-Nov 15	Domestic, recreational, fish culture, and irrigation, 66.1 acree	P-11848
18,71	1/12/59	Gilbert N. Jr. and Wyrna F. Stafford	1	East end West Forke of Allgood Greek, Coon Greek, and Indian Sottems Greek (commingled)	38	MS	16	ă	778 H	2,75 ofe	Jan 1-Dec 31	Mining and domestic	P-11.867
18563	3/2/59	George F. and Betty Reedy	1	Tributary to Indian Greek	38	SW	ম	17N	7E N	365 gpd	gpd Jan 1-Dec 31	Domestic	P-11983
18938	8/25/59	John B.Fitzgerald and Thomae Edward Fitagerald	1	Bullhead Greek tributary to Bogue Greek	W	SW	77	N.2.7	OM WS	2,0 afe	Mar 15-Oct 1	Irrigetion, 160 acres	P-12423
19213	2/3/60	Charles 8, and Ethel F. Shannon	f	Ranch Gulch tributary to Elamath River	SE	Ø	~	16N	7E H	0.016 cfs	Jan 1-Dec 31	Domestic and irrigation, 1 acre	P-12532
19246	2/23/60	United States Rogue River National Forest	ŧ	Cook and Green Greek tributery to Middle Fork Applegate Hiver	E	M	33	1 N87	DI W	6,500 gpd	Jan 1-Dec 31	Domestic and recreational	Incomplete
1924.7	2/23/60	United Statee Rogue Alver National Forest	1	Springe tributery to Elliott Greek	Pilos Sal	SW	13	7 NB7	10w MD	pd8 007	Jan 1-Dec 31	Domestic and stockwatering	Incomplete
19319	3/23/60	United States Six Rivers National Forest	*	Spring tributary	755 255	NE	31	10N	SE H	0.014 cfe	Jan 1-Dec 31	Domeetic and irrigation, 1 acre	P-12456
19333	3/31/60	United States Alamath National Forest	1	Woodpecker Greek tributary to Indian Greek	35	75	m	N/LT	7E N	0,10 efs	Jan 1-Dec 31	Irrigation, 10 acree	Incomplete
19353	09/711/11	Jamee Marchall Kinne	1	Spring tributery to Towneend Gulch	NW	MS	8	7 N777	DA WILL	0.31 cfe	Jan 1-Dec 31	Domestic and irrigation, 2.5 acree	Incomplete
19369	1/25/60	Karl N. and Nita D. Kutzer	1	Spring tributery to Alamath River	NE	ž.	<b>a</b>	T N97	10W NO	\$00 gpd	Jan 1-Dec 31	Domestic	P-12582
19478	09/9/9	King Lewis	1	Mlamath River tributary to Pecific Ocean	35	SS	17	N2.7	ON MS	0.25 cfe	0.25 cfe Jan 1-Dec 31	Irrigation, 8 acree	Incomplete







## THIS BOOK IS DUE ON THE LAST DATE STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE RECALL

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-50m-5,'70(N6725s8)458-A-31/5

### Nº 822654

California. Department of Water Resources. Bulletin.

DIPATSTOAL

SCIENCES

LIBRARY

1/87 WATER SCIENCE & ENGINEERING

TC824

C2 A2

no.94:6

v. I



LIBRARY UNIVERSITY OF CALIFORNIA DAVIS

